	Procedural	Seuat	1011			Procedural	Scuat	1011
1.	Pre-Procedure ☐ Signed Consent on chart	Common Medication Doses		1.	Pre □	- Procedure Signed Consent on chart	Common Medication Doses	
	Patient's Weight kg	Etomidate	IV 0.1mg/kg			Patient's Weight kg	Etomidate	IV 0.1mg/kg
	Allergies ReviewedIV Fluids in Place	Ketamine	IV 1-2mg/kg			Allergies Reviewed IV Fluids in Place	Ketamine	IV 1-2mg/kg
	■ BVM with Mask and O2		IM 4-5mg/kg			BVM with Mask and 02		IM 4-5mg/kg
	Suction with YankaeurAirway Cart Outside the room		Nasal 3-6 mg/kg			Suction with Yankaeur Airway Cart Outside the room		Nasal 3-6mg/kg
	☐ Glidescope	Fentanyl	IV 1-2mcg/kg			Glidescope	Fentanyl	IV 1-2mcg/kg
	Supplemental 02Capnography		Nasal 2mcg/kg			Supplemental O2 Capnography		Nasal 2mcg/kg
	Oxygen splitter (BVM and NC)	Propofol	IV 0.5-1mg/kg			Oxygen splitter (BVM and NC)	Propofol	IV 1mg/kg
	MedicationSplint Material/order X-ray	· ·	+			Medication Splint Material/order X-ray	·	
2.	Timeout	Versed	IV 0.05mg/kg	2.		neout	Versed	IV 0.05mg/kg
	☐ Patient ID Verbal and Arm Band					Patient ID Verbal and Arm Band	NA - d'a - d'a - D -	
	☐ Correct Side and Procedure and ☐ Time Out:: on/		Se			Correct Side and Procedure and Time Out: on/		se
3.	Sedation			3.	Sec	dation		
	☐ Give Medication☐ Sedation Start:					Give Medication Sedation Start:		
	☐ Cycle BP					Cycle BP		
	Monitor capnography and SpO2Dose Given Report					Monitor capnography and SpO2 Dose Given Repe	eat Dose	
4.	In Case of Apnea\Hypoventilation	eat Dose		4.		Case of Apnea\Hypoventilation	eat Dose	
	☐ Reposition airway / suction					Reposition airway / suction		
	☐ Jaw thrust☐ Nasal Trumpet/ oral airway					Jaw thrust Nasal Trumpet/ oral airway		
	□ BVM		_			BVM		_
5.	Medication reversal/ RSI and Int Post Procedure	ubation	Qı	5.		Medication reversal/ RSI and Intel Procedure	ubation	Qι
٠.	☐ Sedation End Time:		Emergency	0.		Sedation End Time:		Emergency
	Reassess pain, mental status, i	maging	Medicine			Reassess pain, mental status, i	maging	Medicine
		0 1 .				- 1 1	<u> </u>	
	Procedural	Sedat	ion			Procedural	Sedat	ion
1.	Pre-Procedure		ION Medication Doses	1.	_	-Procedure		ion Medication Doses
1.			Medication Doses	1.				Medication Doses
1.	Pre-Procedure ☐ Signed Consent on chart ☐ Patient's Weight kg ☐ Allergies Reviewed	Common	Medication Doses IV 0.1mg/kg	1.		-Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed	Common	Medication Doses IV 0.1mg/kg
1.	Pre-Procedure ☐ Signed Consent on chart ☐ Patient's Weight kg	Common I Etomidate	IV 0.1mg/kg IV 1-2mg/kg	1.		-Procedure Signed Consent on chart Patient's Weight kg	Common Etomidate	Medication Doses IV 0.1mg/kg IV 1-2mg/kg
1.	Pre-Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur	Common I Etomidate	IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg	1.		-Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur	Common Etomidate	Medication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg
1.	Pre-Procedure ☐ Signed Consent on chart ☐ Patient's Weight kg ☐ Allergies Reviewed ☐ IV Fluids in Place ☐ BVM with Mask and O2	Common I Etomidate Ketamine	IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6 mg/kg	1.		-Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2	Common Etomidate Ketamine	Medication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6mg/kg
1.	Pre-Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2	Common I Etomidate	IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6 mg/kg IV 1-2mcg/kg	1.		Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2	Common Etomidate	Medication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6mg/kg IV 1-2mcg/kg
1.	Pre-Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and 02 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental 02 Capnography	Common I Etomidate Ketamine Fentanyl	IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6 mg/kg IV 1-2mcg/kg Nasal 2mcg/kg	1.		Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and 02 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental 02 Capnography	Common Etomidate Ketamine Fentanyl	Medication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6mg/kg IV 1-2mcg/kg Nasal 2mcg/kg
1.	Pre-Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication	Common I Etomidate Ketamine Fentanyl Propofol	IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6 mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 0.5-1mg/kg	1.		Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication	Common Etomidate Ketamine Fentanyl Propofol	Medication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 1mg/kg
	Pre-Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray	Common I Etomidate Ketamine Fentanyl	IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6 mg/kg IV 1-2mcg/kg Nasal 2mcg/kg			Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray	Common Etomidate Ketamine Fentanyl	Medication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6mg/kg IV 1-2mcg/kg Nasal 2mcg/kg
	Pre-Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray Timeout Patient ID Verbal and Arm Band	Common I Etomidate Ketamine Fentanyl Propofol Versed	Wedication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6 mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 0.5-1mg/kg IV 0.05mg/kg	1.		Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray neout Patient ID Verbal and Arm Band	Common Etomidate Ketamine Fentanyl Propofol Versed	Medication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 1mg/kg IV 0.05mg/kg
1.	Pre-Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray Timeout Patient ID Verbal and Arm Band Correct Side and Procedure and	Common I Etomidate Ketamine Fentanyl Propofol Versed Medication Door	Wedication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6 mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 0.5-1mg/kg IV 0.05mg/kg			Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray neout Patient ID Verbal and Arm Band Correct Side and Procedure and	Common Etomidate Ketamine Fentanyl Propofol Versed Medication Do	Medication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 1mg/kg IV 0.05mg/kg
	Pre-Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray Timeout Patient ID Verbal and Arm Band	Common I Etomidate Ketamine Fentanyl Propofol Versed Medication Door	Wedication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6 mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 0.5-1mg/kg IV 0.05mg/kg			Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray neout Patient ID Verbal and Arm Band	Common Etomidate Ketamine Fentanyl Propofol Versed Medication Do	Medication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 1mg/kg IV 0.05mg/kg
2.	Pre-Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray Timeout Patient ID Verbal and Arm Band Correct Side and Procedure and Time Out: on/ Sedation Give Medication	Common I Etomidate Ketamine Fentanyl Propofol Versed Medication Door	Wedication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6 mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 0.5-1mg/kg IV 0.05mg/kg	2.		Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray Beout Patient ID Verbal and Arm Band Correct Side and Procedure and Time Out : on/_ Idation Give Medication	Common Etomidate Ketamine Fentanyl Propofol Versed Medication Do	Medication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 1mg/kg IV 0.05mg/kg
2.	Pre-Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray Timeout Patient ID Verbal and Arm Band Correct Side and Procedure and Time Out : on/ Sedation	Common I Etomidate Ketamine Fentanyl Propofol Versed Medication Door	Wedication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6 mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 0.5-1mg/kg IV 0.05mg/kg	2.		Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray Beout Patient ID Verbal and Arm Band Correct Side and Procedure and Time Out : on/ Idation	Common Etomidate Ketamine Fentanyl Propofol Versed Medication Do	Medication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 1mg/kg IV 0.05mg/kg
2.	Pre-Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray Timeout Patient ID Verbal and Arm Band Correct Side and Procedure and Time Out: on/ Sedation Give Medication Sedation Give Medication Sedation Sedation Start Cycle BP Monitor capnography and SpO2	Common I Etomidate Ketamine Fentanyl Propofol Versed Medication Dos	Wedication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6 mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 0.5-1mg/kg IV 0.05mg/kg	2.		Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray Beout Patient ID Verbal and Arm Band Correct Side and Procedure and Time Out:: on/_ Station Give Medication Sedation Start: Cycle BP Monitor capnography and SpO2	Common Etomidate Ketamine Fentanyl Propofol Versed Medication Do	Medication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 1mg/kg IV 0.05mg/kg
2.	Pre-Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray Timeout Patient ID Verbal and Arm Band Correct Side and Procedure and Time Out: on/ Sedation Give Medication Sedation Sedation Start: Cycle BP Monitor capnography and SpO2 Dose Given Repo	Common I Etomidate Ketamine Fentanyl Propofol Versed Medication Dos	Wedication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6 mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 0.5-1mg/kg IV 0.05mg/kg	2.		Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray Beout Patient ID Verbal and Arm Band Correct Side and Procedure and Time Out:: on/_ Station Give Medication Sedation Start: Cycle BP Monitor capnography and SpO2 Dose Given Repe	Common Etomidate Ketamine Fentanyl Propofol Versed Medication Do	Medication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 1mg/kg IV 0.05mg/kg
2.	Pre-Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray Timeout Patient ID Verbal and Arm Band Correct Side and Procedure and Time Out : on/ Sedation Give Medication Sedation Start; Cycle BP Monitor capnography and SpO2 Dose Given Repo	Common I Etomidate Ketamine Fentanyl Propofol Versed Medication Dos	Wedication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6 mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 0.5-1mg/kg IV 0.05mg/kg	2.		Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray Beout Patient ID Verbal and Arm Band Correct Side and Procedure and Time Out : on/ Bation Give Medication Sedation Start: Cycle BP Monitor capnography and SpO2 Dose Given Repe Case of Apnea\Hypoventilation Reposition airway / suction	Common Etomidate Ketamine Fentanyl Propofol Versed Medication Do	Medication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 1mg/kg IV 0.05mg/kg
2.	Pre-Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray Timeout Patient ID Verbal and Arm Band Correct Side and Procedure and Time Out : on/ Sedation Give Medication Sedation Start; Cycle BP Monitor capnography and SpO2 Dose Given Repo In Case of Apnea\Hypoventilation Reposition airway / suction Jaw thrust	Common I Etomidate Ketamine Fentanyl Propofol Versed Medication Dos	Wedication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6 mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 0.5-1mg/kg IV 0.05mg/kg	2.		Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray reout Patient ID Verbal and Arm Band Correct Side and Procedure and Time Out : on/_ dation Give Medication Sedation Start: Cycle BP Monitor capnography and SpO2 Dose Given Repe Case of Apnea\Hypoventilation Reposition airway / suction Jaw thrust	Common Etomidate Ketamine Fentanyl Propofol Versed Medication Do	Medication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 1mg/kg IV 0.05mg/kg
2.	Pre-Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray Timeout Patient ID Verbal and Arm Band Correct Side and Procedure and Time Out : on/ Sedation Sedation Give Medication Sedation Start: Cycle BP Monitor capnography and SpO2 Dose Given Report In Case of Apnea\Hypoventilation Reposition airway / suction Jaw thrust Nasal Trumpet/ oral airway BVM	Common I Etomidate Ketamine Fentanyl Propofol Versed Medication Dos /	Wedication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6 mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 0.5-1mg/kg IV 0.05mg/kg	2.		Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray leout Patient ID Verbal and Arm Band Correct Side and Procedure and Time Out : on/_ dation Give Medication Sedation Start: Cycle BP Monitor capnography and SpO2 Dose Given Repe Case of Apnea\Hypoventilation Reposition airway / suction Jaw thrust Nasal Trumpet/ oral airway BVM	Common Etomidate Ketamine Fentanyl Propofol Versed Medication Do	Medication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 1mg/kg IV 0.05mg/kg
2. 3.	Pre-Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray Timeout Patient ID Verbal and Arm Band Correct Side and Procedure and Time Out: on/_ Sedation Start: Cycle BP Monitor capnography and SpO2 Dose Given Repulled Reposition airway / suction Jaw thrust Nasal Trumpet/ oral airway BVM Medication reversal/ RSI and Interpretation	Common I Etomidate Ketamine Fentanyl Propofol Versed Medication Dos /	Wedication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6 mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 0.5-1mg/kg IV 0.05mg/kg	2. 3.		Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray leout Patient ID Verbal and Arm Band Correct Side and Procedure and Time Out : on/_ dation Give Medication Sedation Start: Cycle BP Monitor capnography and SpO2 Dose Given Repe Case of Apnea\Hypoventilation Reposition airway / suction Jaw thrust Nasal Trumpet/ oral airway BVM Medication reversal/ RSI and Int	Common Etomidate Ketamine Fentanyl Propofol Versed Medication Do	Medication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 1mg/kg IV 0.05mg/kg
2.	Pre-Procedure Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray Timeout Patient ID Verbal and Arm Band Correct Side and Procedure and Time Out : on/ Sedation Sedation Give Medication Sedation Start: Cycle BP Monitor capnography and SpO2 Dose Given Report In Case of Apnea\Hypoventilation Reposition airway / suction Jaw thrust Nasal Trumpet/ oral airway BVM	Common I Etomidate Ketamine Fentanyl Propofol Versed Medication Dos /	Wedication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6 mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 0.5-1mg/kg IV 0.05mg/kg	2.		Signed Consent on chart Patient's Weight kg Allergies Reviewed IV Fluids in Place BVM with Mask and O2 Suction with Yankaeur Airway Cart Outside the room Glidescope Supplemental O2 Capnography Oxygen splitter (BVM and NC) Medication Splint Material/order X-ray leout Patient ID Verbal and Arm Band Correct Side and Procedure and Time Out : on/_ dation Give Medication Sedation Start: Cycle BP Monitor capnography and SpO2 Dose Given Repe Case of Apnea\Hypoventilation Reposition airway / suction Jaw thrust Nasal Trumpet/ oral airway BVM	Common Etomidate Ketamine Fentanyl Propofol Versed Medication Do	Medication Doses IV 0.1mg/kg IV 1-2mg/kg IM 4-5mg/kg Nasal 3-6mg/kg IV 1-2mcg/kg Nasal 2mcg/kg IV 1mg/kg IV 0.05mg/kg Se