

Lorton Dale


Neighborhood

INTENSIVE LEVEL SURVEY

THE UNIVERSITY OF OKLAHOMA
GRADUATE COLLEGE




SUBMITTED BY — Edward A. Sharrer, Jr.



A Professional Project
approved for the College of Architecture
Urban Design Studio

© copyright Edward A. Sharrer, Jr. 2007
All rights reserved



The University of Oklahoma
Graduate College

INTENSIVE LEVEL HISTORIC/ARCHITECTURAL SURVEY OF THE LORTONDALE NEIGHBORHOOD, TULSA, OKLAHOMA

A Professional Project
Submitted to the Graduate Faculty
in partial fulfillment of the requirements for the degree of
Master of Science in Architectural Urban Studies

By

Edward A. Sharrer, Jr.
Tulsa, Oklahoma
2007

A Professional Project approved for the
College of Architecture
Urban Design Studio

By

Shawn Michael Schaefer, Chair
Charles Warnken, Ph.D
Showa Omabegho, Ph.D

© copyright Edward A. Sharrer, Jr. 2007
All Rights Reserved.




TABLE OF CONTENTS

Introduction	4
Goals and Objectives	5
National Register of Historic Places	6
Area Surveyed	7
Methodology	10
Results	13
Overview	13
Historic Context	14
Primary Character-Defining Elements of Lortondale Historic District Architectural Style	19
Good Examples of the Lortondale “American International” Style	21
Criteria for Determining Contributing/Non-Contributing Status	22
Significant Properties and Historic Districts Identified	24
Contributing Properties	24
Significant Properties	29
Proposed Historic District Boundaries	31
Areas Examined Not Meeting Eligibility Criteria	32
Appropriate National Register Criteria for Evaluation	33
Conclusion	34
Bibliography	35
Appendix	36
Acknowledgements	257

INTRODUCTION




The Lortondale neighborhood, located in midtown Tulsa, Oklahoma, was identified by the Tulsa Preservation Commission in 2004 as being potentially eligible for the National Register of Historic Places. This designation was due to the earliest homes in the neighborhood reaching 50 years of age, the minimum requirement for National Register eligibility. The neighborhood primarily developed between 1954-1957, so the year 2007 would mark the occasion when the entire neighborhood met the age requirement.

In April 2006, the Tulsa Preservation Commission contacted Ed Sharrer, graduate student at the University of Oklahoma Urban Design Studio, about the possibility of conducting an intensive level historic/architectural survey of the Lortondale neighborhood. If the survey identified an eligible historic district, the primary data and research collected would serve as the foundation to prepare a National Register Nomination for the neighborhood. Sharrer agreed to conduct the survey and began the preliminary study design in the summer of 2006.

The survey was conducted in two phases. Phase One – conducting research into the historic significance of the neighborhood – took place during the fall 2006 semester. Starting in January 2007 and continuing through the spring 2007 semester, Phase Two of the survey was spent collecting primary data in the field relating to the integrity of the historic fabric of the neighborhood, analysis, and bookmaking.

An interesting footnote – during the course of the survey, a staff position for the Tulsa Preservation Commission, housed in the City of Tulsa Planning Department, became available. After successfully interviewing, Sharrer was hired for the position in November 2006, fulfilling a professional goal of working in the preservation field.




GOALS AND OBJECTIVES

The primary goal of the survey is to determine whether the Lortondale neighborhood meets the eligibility criteria for listing in the National Register of Historic Places. In order to make that determination, the survey must assess:

1. The historic significance of the neighborhood on a local, state or national level.
2. The integrity of the original historic fabric of the neighborhood.

Both conditions must be met in order to create an eligible historic district. Documenting the neighborhood's historic significance is an obvious requirement. However, if over time the neighborhood has been altered too extensively, it will have lost its authenticity and would no longer be an intact district of historic character. In order to accomplish the goals outlined above, the objectives of the survey are:

1. To research the development history of the survey area to determine its historic significance.
2. To identify, document, and photograph all properties within the survey area.
3. To determine if a contiguous area of historic integrity is present, thereby identifying a potential historic district.
4. To determine the appropriate National Register Criteria for evaluation by the Keeper of the Register if a potential historic district is identified.
5. To propose boundaries defining the potential historic district and provide justification for the location of those boundaries.
6. To provide documentation sufficient for the preparation of a National Register Nomination for any historic districts identified in the survey.



NATIONAL REGISTER OF HISTORIC PLACES

The National Register of Historic Places is the official list of historic buildings, districts, sites, and structures in the United States that are significant to our past on a local, state, or national level.

The U.S. Department of the Interior administers the National Register of Historic Places through the National Park Service. A State Historic Preservation Office has been established in each of the fifty states to help coordinate National Register Nominations. Municipalities can apply to their respective state office to become a Certified Local Government, which enables the local government to coordinate nominations with the SHPO. The Tulsa Preservation Commission is a Certified Local Government of the Oklahoma State Historic Preservation Office.

The Process

The National Register Nomination process begins by preparing a National Register of Historic Places Registration Form. In order to prepare the nomination form, data must be gathered about the property or district, which is the purpose of conducting an intensive level survey such as this project.

Locally, National Register Nomination forms are first reviewed by the Tulsa Preservation Commission and then submitted to the State Historic Preservation Office in Oklahoma City. Once the nomination has been reviewed and approved at the state level, it is forwarded to the Keeper of the Register in Washington, D.C.

From the date of receipt of the nomination, the Keeper of the Register has 45 days to act by federal law. The Keeper has the option to:

Benefits of Listing

The National Register is an inventory of the buildings, places and tangible elements of our history, architecture, and archaeology. Listing a property in the National Register offers the following benefits:

1. Provides recognition of the property's significance
2. Extends limited protection when the resource is affected by a federally funded action
3. Makes the property eligible for federal and state rehabilitation tax credits, and other federal assistance when funds are available
4. Establishes a nationally recognized standard for local identification and protection of historic resources
Tulsa Preservation Commission

National Register listing is primarily an honor, one that provides recognition for the listed property or district. Listing in the National Register does not impose restrictions upon the property owner regarding the use, sale, alteration, or maintenance of the property. Unless a person is pursuing rehabilitation tax credits or using federal funds, property owners do not have to follow specific guidelines when rehabilitating their property.


1. List the property in the National Register
2. Issue a determination of eligibility in special circumstances
3. Reject the property for listing
4. Return the nomination for additional information



ABOVE — Kerr House, Tulsa

RIGHT — Boston Avenue Methodist Church, Tulsa

FAR RIGHT — Mincks-Adams Hotel, Tulsa



AREA SURVEYED




The area surveyed contains approximately 32 city blocks located 6 miles southeast of downtown Tulsa, Oklahoma. The survey area includes two additions — Lortondale and Lortondale Second Addition — which were selected after conducting an initial “windshield” survey of the area in addition to preliminary research of the original plats and the dates of construction of the houses in the area.

The survey area is flat land that was nearly treeless during the period of construction according to aerial photographs. Today the neighborhood has numerous mature trees, many of which were likely planted soon after the original homeowners moved in.



AREA SURVEYED



The western boundary of the survey area is Yale Avenue, a four-lane arterial. The eastern boundary is Hudson Avenue, a residential street half a mile east of Yale Avenue. The survey focused primarily on four residential streets that run uninterrupted between Yale and Hudson Avenues — 26th Street, 26th Place, 27th Street, 27th Place — and 26th Terrace, a short spur between 26th Street and Yale Avenue.

Although the numbered streets run through the study area, the street pattern of the two additions are dramatically different. Lortondale, the earlier of the two additions, features gently winding streets that form a broad s-curve when viewed from above. The result is a neighborhood that reveals itself slowly to the visitor passing through. The street pattern provides an intimate feel to the neighborhood, making the blocks seem shorter than they are in reality. The Lortondale Second Addition street pattern is a grid of right angles and long parallel streets. Slight changes in elevation break up the uninterrupted views down each street.

There are no sidewalks in the study area with the exception of a continuous sidewalk on both sides of Darlington Avenue, the residential collector street that divides the two additions. The lack of sidewalks is the historic pattern for the neighborhood, which was designed to accommodate the automobile.

AREA SURVEYED




All blocks run east-west, divided into lots with a north-south orientation; the exception is Block 10 of the Lortondale Second Addition whose seven lots face west.

The lots in the first Lortondale Addition are irregular in shape with widths ranging between 60-85 feet and depths between 121-132 feet.

Lots in the Lortondale Second Addition are more standardized, typically 65 feet wide by 125 feet deep.

The study area is part of Census Tract 53, Tulsa County. Below are data from the 2000 U.S. Census for this tract.

Total population	4,722
Housing units	2,185
Households	2,112
Vacant housing	73



METHODOLOGY

The primary goal was to leverage widely-available technology to create a more efficient and accurate system of recording, analyzing, storing, and producing survey data.

In addition to researching the development history of the Lortondale neighborhood, all 290 resources in the survey area were visited multiple times to collect information and assess their architectural integrity. The following approaches comprised the field survey methodology.

The first step was to conduct an initial “windshield survey” by driving through the neighborhood and observing architectural styles and development patterns. These observations, along with research about the neighborhood’s development history, helped define the survey area.

Once the survey area had been defined, the next step was to develop an understanding of the character-defining elements of the distinctive Lortondale architectural style. By walking the neighborhood on several occasions and taking notes, it was possible to identify the palette of materials and design elements that were original to Lortondale houses. The information gathered during this step was used to determine which alterations would be considered detrimental to a property’s historic integrity. These criteria would be used throughout the survey when deciding whether a property is contributing or non-contributing to the historic district.

The next step was to conduct a photo survey of the neighborhood, taking two elevation photos of each house according to National Park Service standards. The photographs were taken during the months of January and February so that trees and shrubs would have a minimal amount of foliage obscuring the houses’ architectural features. Photographs taken according to these standards are required for National Register Nominations and are one of the primary components of a successful intensive level survey.

At this point, it was time to create a detailed inventory of properties in the neighborhood. According to National Park Service standards, every property’s architectural features, materials, and decorative details must be identified in a standardized format and submitted with a National Register Nomination. In order to meet this requirement preservation agencies, including the Oklahoma State Historic Preservation Office and the Tulsa Preservation Commission, use a standardized Historic Resource Identification Form. In addition to providing a standard format for collecting and


listing data, the form uses standardized codes for certain fields such as materials, property condition, and architectural style.

Previous intensive level surveys conducted locally have involved a great deal of handwritten data. Typically, some variation of the Historic Resource Identification Form with lists of all the standardized codes is printed out and photocopied. Surveyors walk the neighborhood with clipboard and dozens of forms in hand, taking down handwritten notes and circling field codes as appropriate. If all goes well and papers are not misplaced, the resulting product is a three-ring binder stuffed with printed forms covered in handwritten notes. From this collection of paperwork, the data is later transcribed. Surveys conducted since the late 1990s also included entry of the inventory data into a database.

There were several problems with this process — lost data sheets, illegible notes, and transcription errors were common. Another problem with this methodology is the loss of context when transcribing the data. The best time to record observations about a property is while in front of it, not sitting behind a desk in an office building miles from the survey area.

For the Lortondale survey, several improvements were made to the process. The primary goal was to leverage widely-available technology to create a more efficient and accurate system of recording, analyzing, storing and producing survey data. Toward that end, the first step was to create a database that was portable, so that inventory data could be recorded directly into the database and eliminate the need for transcription. Microsoft Access was chosen as the database solution due to its powerful but user-friendly features. Since Access is often bundled with the full suite of Microsoft Office software, it is a widely-available product with a dominant share of the personal computing database market on the Windows platform.

After selecting a database solution, it was time to build a database table to store the data. Using the standard Historic Resource Inventory Form as a guide, columns were created in the table for each of the fields on the form. When creating a database it is necessary to designate one of the fields as the primary key — the field that will be used as the unique identifier for



METHODOLOGY

DATABASE FORM TAB 1

Fields to record year built, contributing status, historic use, current use, primary and secondary significance

DATABASE FORM TAB 2

Fields to record materials for windows, front door, walls, roof and foundation

DATABASE FORM TAB 3

Fields to record exterior features, decorative details, and text description of property

each row in the database. After careful consideration, the field selected as the primary key is a unique numbering system used by Tulsa County Land Records to identify every platted lot in the county. This number is a combination of a 5-digit subdivision ID number, four digits derived from the section/township/range for the property, and a 5-digit ID number assigned to each lot in the subdivision. An advantage to using this 14-digit ID number is that each property could be easily cross-referenced with the county’s online land records system.

The database was initially populated with Tulsa County Land Records data for the 289 properties in the two subdivisions within the survey area, including street address, addition, lot, block, and year of construction. To facilitate input of inventory data into the database table, a form was created in Access (see screenshots at left). Every data column in the table was keyed to an input field in the form. The field design varied depending on the type of input expected. Many form fields were simple text boxes allowing open-ended alpha-numeric data but, where possible, selection lists and checkboxes were created to standardize the dataset and increase efficiency and accuracy. For example, a selection list of building materials (using the National Park Service codes and descriptions) would allow the surveyor to specify the primary exterior wall material with a single mouse click, rather than having to type “30 BRICK” or “21 WEATHERBOARD”. Due to the large number of form fields, the form was divided into three tabbed sections – Location/Style, Materials, and Description.

With the database and input form designed, a strategy for collecting resource data needed to be developed. After extensive review, this evolved into a two-step process.

The first step was to walk the neighborhood and take brief handwritten notes about specific features of every property in the survey area. During this step, each property’s window type and materials, door type and materials, wall materials, and special details were noted. It was found that this data could only be gathered by observing architectural materials close-up, which required a great deal of mobility. The information collected during this step represented approximately 30% of the necessary resource identification data.


Once these notes had been gathered for 20-40 properties, the second step was to drive from house to house with a laptop computer in the passenger seat. Stopping the car in front of each house, the full resource identification data was keyed directly into the Access database, including a text description and an assessment of the property’s contributing status. The handwritten notes provided information about the house’s building materials that could not be easily determined while sitting in a car dozens of feet away.

This two-step process proved especially helpful in addressing one challenging aspect of the survey — the orientation of the front door. The predominant plan constructed in Lortondale was L-shaped. The location of the front door within this plan design is the inside corner of the “L” facing west — not facing the street. Therefore, it was necessary to walk within a few feet of the door to see it well enough to determine the type and material.

The advantage to this process was clear. As soon as a trip out to the field with the laptop was completed, the surveyor could begin working with the data immediately. While a small amount of data was transcribed from handwritten notes, this transcription occurred out in the field and eliminated the need for wholesale transcription of all resource inventory data from printed forms. It was possible to sort and analyze the data immediately upon returning from the field.

Bringing a laptop computer into the field was a time-saving step, but there were several challenges to this method. First and foremost was determining a safe, comfortable, and effective way to drive from house to house, stopping the car, and operating the laptop. Particularly challenging was avoiding monitor glare on sunny days. A sport coat draped from the driver’s side visor made a reasonably effective “darkroom” for viewing the laptop screen (which was removed while driving the car, of course). This makeshift darkroom elicited confused looks from many residents out walking their dogs.

While an improvement, this process can be further refined. While the reliance on handwritten notes was greatly reduced, it was not eliminated altogether, which should be the ultimate goal. To accomplish a truly automated, paperless survey it would be necessary to have a handheld mobile device (Blackberry, Treo, or tablet device) with an operating system ca-



METHODOLOGY

pable of running Microsoft Access. While paperless, this technology would provide its own set of challenges. The smaller screen would make creating the database input form more difficult and the lack of a full, ergonomic keyboard would likely make the process of keying data take longer. Perhaps the truly digital, paperless intensive level survey is still out of reach.

However, one improvement to the process would be simple — working in teams of two. With two surveyors walking door to door, the notes on building materials could be recorded twice as fast. But the real efficiency would occur during the database input step, since one surveyor could drive the car while the other surveyor entered data from the comfort of the passenger seat. By trading places periodically, surveyors could also avoid fatigue associated with each task and likely stay in the field longer.


Once the data was collected for the entire survey area, the next step was to utilize the data during the bookmaking process. One of the primary components of a successful intensive level survey is a color-coded map showing which properties are contributing to the district and which are non-contributing. While the days of drawing this map by hand gave way long ago to creating maps as AutoCAD drawings, the process was far from automated. Since maps were created as illustrations, each property had to be individually color-coded in the AutoCAD software, requiring a good deal of time and care to produce an accurate map. Rather than create simple drawings in AutoCAD, for this project a geographic information system (GIS) software package was used to produce the contributing/non-contributing designation map (and several additional maps) for the Lortondale survey. The specific software used was ArcMap version 9.1.


While GIS software provides user-friendly tools for drawing objects similar to AutoCAD, it is much more than a drawing program. When the user draws a map, the GIS software writes the spatial information to a database. What makes GIS software a more advanced tool is the ability for the user to add fields to the database table corresponding to places and shapes on the map. This functionality turns what would otherwise be a drawing tool into a database program with the ability to store and analyze data. The advantage of this functionality is best explained by outlining the process of creating the contributing/non-contributing map.

An aerial photograph of the survey area, provided by the City of Tulsa Engineering Graphics Department, was loaded into ArcMap. Using the software's drawing tools, the footprints of all the houses in the neighborhood were outlined using the aerial photograph as a guide. Here is the distinct advantage to using GIS software — after drawing a building footprint, an identification number was associated with that outline in the map's database table. The number assigned was the Tulsa County Land Records parcel ID number for each respective property, which was also the primary key of the Access database containing all the inventory data. ArcMap allows the user to import data directly from Access and link them with the map database table. After joining the two data sets by common Tulsa County Land Record ID number, the map data table not only stored coordinates for each building footprint, but also whether that footprint represented a contributing or non-contributing property. By using the built-in tools to apply colors to shapes based on their data attributes (white for contributing, grey for non-contributing), it was possible to automatically create a color-coded map of contributing and non-contributing properties with just a few mouse clicks.

This process was repeated several times, focusing on different data attributes, so that color-coded maps of the neighborhood were produced showing the years of construction for each of the houses, properties with their original steel windows, and houses with an unaltered flat roof. Producing all these map variations in AutoCAD would have taken hours to individually shade each property, whereas ArcMap automated the process by importing data directly from the Access database.

Similarly, the resource identification forms contained in the Appendix were produced by an automated process. This document was designed and produced using the Adobe InDesign desktop publishing software. An advanced feature of InDesign is the ability to import data into design templates automatically. The data must be formatted using XML (Extensible Markup Language), a plain text file in which all the data is tagged with keys for each field. Microsoft Access provides an automated export of data in XML format. After the export, the XML-formatted data was imported into a custom InDesign template created by the author. This process automated the creation of individual resource identification forms for 220 properties.






RESULTS OVERVIEW

There were 287 buildings, 2 structures and 1 object identified within the survey area. Upon collecting primary data, there was one district identified in the survey area that meets the criteria for listing in the National Register of Historic Places — the Lortondale Historic District.

Within the Lortondale Historic District boundaries there were 200 buildings, 1 structure and 1 object identified, which includes 1 building determined to be individually eligible for the National Register. Of the 202 resources inside the district boundaries, 169 were found to contribute to the district. Non-contributing resources numbered 33. The percentage of contributing resources to total resources is 84%.

The district maintains a great deal of its original architectural character with a high degree of historic fabric intact. Over time there have been inappropriate alterations to some properties, but the majority of restorations and repairs have not had a material effect on the character of the district.



HISTORIC CONTEXT



The four brick columns that marked the entrance to the Lortondale Estate and later, Meadowbrook Country Club. The columns are the oldest historic resource for the Lortondale property.

The area of midtown Tulsa, Oklahoma that would ultimately be known as the Lortondale neighborhood was part of lands deeded to the Muscogee (Creek) Nation by President Millard Fillmore on August 11, 1852. Prompted by the passage of the Curtis Act in 1898, the Creek Nation began the process of the allotment of tribal lands to individual Creek citizens. On January 28, 1904, an allotment of 120 acres of tribal land was made to Creek citizen Frances E. Perryman, including a homestead deed on a tract of 40 acres that contained the land that would become the Lortondale neighborhood 50 years later.

An interesting point of record of Perryman's ownership is that a right-of-way was granted to the MKO Railroad on September 18, 1902 (predating the allotment of the land to Perryman) but not filed until June 13, 1935. It is likely that the right-of-way had been granted by the Muscogee (Creek) Nation prior to the allotment process and this grant transferred with the allotment.

The land containing the future Lortondale development was sold by Perryman on February 26, 1921 to J.P. Flanagan and W.G. Phillips, a member of the family who owned Phillips Petroleum, for the amount of \$20,500. The real estate investment was held for three years and eventually sold to B.E. and Hazel Capps on March 3, 1924. Only three months later, on June 3, 1924, the land was deeded to Eugene Lorton.

Lorton, the owner and publisher of the *Tulsa World* daily newspaper, bought the property to be used as the family's country estate. The description certainly fit, as Lorton granted an easement along the western edge of the land to Tulsa County on November 11, 1924 for the construction of a two-lane county line road in order to provide access to the property. This road would later be known as Yale Avenue.

Soon the Lortons constructed a large estate home on the property and created an entrance off the new county road marked by four brick columns. These columns still stand in the city right-of-way on the east side of Yale Avenue, approximately 75 feet south of 27th Street.


The Lorton country estate, which the family named "Lortondale," soon became well known in Tulsa society and hosted numerous social functions over the 11 years the family owned the property.

On December 4, 1935, Leroy Mead, a successful contractor in the oil industry, purchased the Lortondale estate for the purpose of establishing a home for Meadowbrook Country Club, a club for prominent Jewish Tulsans. At the time, Jews were not permitted membership at other prominent clubs including Southern Hills Country Club, the Oaks Country Club and Tulsa Country Club. The club used the Lorton estate home as the clubhouse and retained the primary driveway into the property, including the four brick columns that marked the entrance.


During a three-month span of 1946, Leroy Mead and his wife, Myrtle, both passed away. The Mead family heirs sold the property to Maurice Sanditen on November 16, 1946. The appraised value of the property at the time of the sale was \$68,500. Sanditen owned the successful retail operation, Oklahoma Tire and Supply Company — known locally as OTASCO. Meadowbrook Country Club continued to operate on the grounds, which were placed in the trust of the Highland Park Investment Company/Highland Park Association. With the war having just ended and thousands of veterans returning stateside from overseas duty to find a critical housing shortage, Sanditen's investment would soon pay off.

Six years later in 1952, the country was in a full-fledged housing construction boom. New developments were rapidly hurling themselves outward from the central cities, and Meadowbrook Country Club found itself in the enviable position of owning 160 acres of flat land right in the path of Tulsa's new development. The club made plans to purchase land nearly 10 miles to the southeast at 81st Street & Mingo Road and sell the former Lorton estate property.

On December 5, 1952, the residential development team of Dale Carter (owner of Dale-Carter Lumber Company), J.W. McMichael (owner of McMichael Concrete Company), and Howard C. Grubb (Tulsa's largest homebuilder) purchased the Meadowbrook property with a mortgage of \$250,000. The value of the property had nearly quadrupled in six years.



HISTORIC CONTEXT



On the original plat, the Lortondale Addition streets were numbered differently than they are today. The original 26th Place would be renumbered 26th Street and 26th Terrace. The original 26th Court became 26th Place and 28th Street became 27th Place. The renumbering occurred in late 1956 or early 1957, based on listings in Polk city directories.

A Bold Idea

The predominant residential development pattern of the early 1950s was to build small houses (often less than 1000 square feet) in the Minimal Traditional style. Perfectly suited for offering a little slice of the American Dream to homebuying veterans, these Minimal Traditional houses could be constructed quickly — almost in assembly line fashion — and priced moderately. Fueled by the availability of mortgage lending to veterans by the Federal government, huge subdivisions were platted and built at speeds previously considered impossible.

Howard C. Grubb, the most prolific homebuilder in Tulsa during the early 1950s, was no stranger to the trend of building massive subdivisions. Born Cornelius Howard Grubb, he changed his name after being teased by other kids at school, “See Howard Grubb, See Howard Grubb.” He certainly made quite a name for himself in homebuilding circles, having built over 2,500 houses in Tulsa since the end of World War II. His developments included the Daniel, Dollie-Mac, Louisville Heights, Lengley, Lakeview, and four separate Maplewood additions. In promotional materials, Grubb was touted as “one of the Nation’s eight most progressive builders.”

With the housing business booming, Grubb decided upon a bold concept for his newest development — a tract subdivision of architect-designed, ultra-modern, contemporary homes at moderate prices but featuring amenities found only in custom-built luxury residences of the day. The most groundbreaking idea was to include central heating and air conditioning in every home in the addition. This was not only revolutionary in Tulsa, but nationwide — Grubb’s new development would be the first tract subdivision in the country with central heat and waterless air conditioning as a standard feature.

Grubb had just the architect in mind for the project — Donald H. Honn, a Chicagoan in his mid-30s who had moved to Tulsa in the late 1940s after falling in love with the city during a visit for his sister-in-law’s baby shower. Reportedly, Honn drove around Tulsa while his wife attended the shower, dropped in unexpectedly at a local architecture firm, accepted a job of-


fer on the spot, and never made the return trip to Chicago! After the baby shower, Honn’s wife went back to Chicago to pack their belongings while he started work at the firm.

When approached by Grubb in 1952 to design a new subdivision in the latest modern style, Honn accepted. The project paid immediate dividends for Honn, because the Meadowbrook Country Club relocation required the construction of a new clubhouse. Thanks to an invite from a friend on the club’s architectural committee and Honn’s winning over several strong personalities among the group, he received the commission to design the new Meadowbrook Country Club clubhouse.

Honn and Grubb began the process of developing the home designs for the new development. After several rounds of modifications, the pair settled on a design concept. But would it sell in Tulsa, Oklahoma? Having already started the public relations campaign to sell homebuyers on his new development featuring central heat and air conditioning, it was time to test the market demand for the cutting-edge design.

In 1953, Grubb built three Honn-designed model homes just south of 21st Street and Pittsburg Avenue, about three-quarters of a mile northwest of the former Meadowbrook property. Gaining confidence from the positive feedback he received, Grubb moved forward with his plans.

The 160 acres were divided into 40-acre quadrants in order to develop the site in four additions. Starting in the northwest corner of the property at 26th & Yale, the development would proceed clockwise, platting the next addition as work reached the mid-point on the previous addition. The plan was to build approximately 550 houses — an entire square quarter-mile of modern residential architecture. Each 40-acre addition would be developed around a neighborhood swimming pool, with each home buyer having an ownership share in the pool. This community-owned neighborhood pool arrangement would be the first of its kind in Tulsa, and a sure-fire draw for the young homebuyers that Grubb hoped to attract. In all, Grubb planned to invest \$8 million on the development, selling the homes for between \$12,750 and \$16,650.



HISTORIC CONTEXT



Aerial photograph looking west of the Lortondale Addition under construction, circa 1955. The street running across the foreground is Darlington Avenue. From left to right are 27th Place, 27th Street, 26th Place and 26th Street. The downtown Tulsa skyline is visible in the top right corner. In the middle of the photo is the Donald H. Honn residence on the large corner lot. The Lortondale Pool had not yet been constructed. Near the foreground, one can see the “Butterfly House” nearing completion. The vacant land in the foreground would be the site of the Lortondale Second Addition.

The test marketing complete, the plans finalized, and the public’s interest piqued, it was time to make the vision a reality. For the name of his progressive new development, Grubb decided to step back in time nearly 20 years — perhaps to capture a bit of the social cache the name of the former country estate still held in Tulsa. Grubb christened the new neighborhood, “Lortondale”.

Construction Begins

The Lortondale Addition was originally platted as “a part of the Lortondale Addition” on December 31, 1953 (plat #1865). At the time of filing the plat, the addition was located outside the city limits. On April 12, 1954, Grubb reached an agreement with the City of Tulsa to hook up the addition to the municipal sanitary sewer system. It was not until December 17, 1954 (after the completion of the earliest homes in the addition) that Mayor L.C. Clark added Lortondale to the city limits of Tulsa by ordinance #7177.

Construction began in the spring of 1954. In addition to the obvious involvement of the Dale-Carter Lumber Company and McMichael Concrete Company, contractors on the development included Hope Lumber and Supply Company, Empire Roofing & Material Company, West Electrical Construction Company, Bearden Plumbing & Heating Company, Temperature Control Company, Harper’s Sheet Metal Company, and Overhead Door Company of Oklahoma.

The Meadowbrook Country Club stables, just inside the former club entrance and near the brick columns at 27th Street & Yale Avenue, were converted to a woodworking shop where all the millwork was performed. Skilled carpenters, including a carpenter by the name of Leon Johnston, built all of the cabinets for the neighborhood in this on-site shop. Lortondale home interiors featured mahogany paneling, exposed beams, countertops of a recently-introduced product named Formica, and parquet hardwood floors, many of which were installed by the father/son team of Charlie M. Parent and Charles C. Parent. Another primary feature of the home design was the full-width window wall at the back of the house, allowing expansive views of the backyard from the living room and kitchen.

Promotional materials at the time touted this window wall as an attractive feature, allowing the lady of the house to perform her household duties and simultaneously supervise the children at play in the back yard.


The slab-on-grade foundations found throughout Lortondale were unusual for Tulsa residential construction at the time. In order to provide the concrete for dozens of slabs, a concrete mixing plant was built on the northeast corner of 31st Street and Yale Avenue. Years later, this site would become the location of an on-ramp for the Broken Arrow Expressway.

As promised by Grubb, all Lortondale homes were equipped with central heat and waterless air conditioning. “That was one of Grubb’s primary concerns,” Honn would say later. The HVAC ductwork was laid into the slabs. Ductwork was initially fabricated from sheet metal, but over the course of the neighborhood’s construction several cost-saving measures were implemented by the foreman, including the use of cardboard pipe for ductwork.

Early in the project in December 1954, architect Donald Honn bought Lot 1, Block 2 of the Lortondale Addition, the large pie-shaped corner lot at the intersection of 26th Street and 26th Terrace. He built a custom-designed home for his family at 4940 East 26th Street a total cost of \$14,500. During subsequent construction of the neighborhood, Honn had his team of architects work out of the house.

It is interesting to note that this is not the only property Honn owned in Lortondale. Two months after purchasing the corner lot, Honn bought the property at 4915 E. 26th Street on Valentine’s Day 1955. In fact, the 1955 Polk city directory lists the resident of 4915 E. 26th Street as “Honn, Donald” and the property at 4940 E. 26th Street as being “vacant”. The 1956 Polk directory lists Honn as the owner of both properties. It is unclear if Honn ever lived in the house at 4915 E. 26th Street, but he owned it until April 1963, when it was sold to John N. & Jamie L. Hambrick.

On the two lots directly across the street from Honn’s corner lot on 26th Street, the first of the four planned neighborhood pools, simply named Lortondale Swimming Pool, was constructed and opened in 1956. The MaxTrue Concrete Company built the pool with blown-in concrete.



HISTORIC CONTEXT



Print advertisement for Chrysler AirTemp Air Conditioning from the January 1954 issue of *House & Home* magazine. The house pictured is one of the model Lortondale homes near 21st Street and Pittsburg Avenue.

Grubb and Honn received immediate acclaim for the Lortondale Addition, garnering numerous national awards — 15 architecture design awards by one account. Lortondale promotional materials listed the following awards and honors: *Parents Magazine* - Regional Award, Best Home for Family with Children; *Life Magazine* - Best Builder's House of the Year for Design and Liveability (one of five awarded); National Association of Home Builders - National Award for Design and Liveability (one of four awarded); and “*Living*” for *Young Homemakers* - national magazine feature story on Lortondale homes.

Recalling the publicity generated by the neighborhood during a 1990 *Tulsa World* interview, Honn said “We won a prize every year for about five years. We had builders from all over the country coming into this town to see what Howard Grubb was doing.” Only weeks after platting the addition and before construction even began, the Lortondale development was featured in the January 1954 issue of *House & Home* magazine, which also included an advertisement for the Chrysler AirTemp Company, the manufacturer of the 3-ton units cooling Honn and Grubb's creations. The ad features a photograph of one of the model homes and states quite directly that “the truly modern home must be air conditioned.”

The earliest Lortondale homeowners were architects, engineers, college professors, and young professionals drawn by the modern design and affordable amenities. For young families, the neighborhood pools were a strong selling point.

With construction on the first Lortondale subdivision progressing nicely, Grubb filed a plat on the Lortondale Second Addition on June 9, 1955 (plat #1997). Weldon Howard, Professional Engineer with Hammond Engineering Company, surveyed and subdivided the property. Unlike the gently curving streets of the first addition, the streets of Lortondale Second Addition were platted in a grid of right angles, with four parallel streets running perfectly east-west from Darlington Avenue to Hudson Avenue.

The blocks were divided into lots typically 65' wide by 125' deep with a north-south orientation, with the exception of Block 10 where the seven lots run east-west on a short block on the east side of Hudson Avenue. Two


lots (37-38 of Block 9) were reserved for the construction of a neighborhood pool and construction began the summer of 1955.

On December 1, 1955, Thomas E. Carter, the son of the owner of the Dale-Carter Lumber Company, purchased a lot on the southeast corner of 27th Street and Darlington Avenue in the Lortondale Second Addition. The home at 5308 East 27th Street that Carter had custom-built for his family features a slightly larger floor plan than most homes in the addition. The interior of the home features plentiful built-in cabinetry. The current homeowner, Mrs. Alta Pringle, loves the home and proudly notes that the built-ins are so functional that closet space is almost unnecessary.

The Lortondale neighborhood, representing such a unique piece of Tulsa residential architecture, was built in a flurry of construction over a brief two-year timeframe, achieving its period of significance from 1954-1956. All told, 211 homes and 2 neighborhood pools were built in the American International style designs of architect Donald H. Honn.

By 1956, halfway through the construction of the Lortondale Second Addition, sales of Lortondale homes were slumping. Why sales dropped off has been cause for speculation over the past five decades. Perhaps Grubb simply overestimated the demand for homes built in such a contemporary style and the market for the product in Tulsa reached its saturation point. It is known that in the early 1950s, the FHA would not guarantee loans on homes designed in a contemporary style for fear that “faddish” design would fall out of favor and become a bad investment. Eventually, the agency changed this practice, but perhaps there was a stigma created that modern homes were risky investments.

In any event, as sales fell off the plans for the third Lortondale addition were scrapped. The decision was made to build Ranch style homes on the remaining undeveloped lots of the Lortondale Second Addition. Ranch homes were a simple design that enjoyed great favor with the homebuying public. Based on the footprints of some Lortondale houses built in 1956-1957, it seems likely that an L-shaped slab had already been poured on the lot when the decision was made to construct a Ranch style house instead of a Honn-designed house.



HISTORIC CONTEXT



Lortondale floor plans placed bedrooms in the front of the main wing and primary gathering spaces along the rear elevation with large window walls overlooking the back yard.



What is undeniable is the impact Lortondale had on community planning in Tulsa and beyond. The design of Lortondale homes created what might be described as an “inward-focused” plan. The orientation of the front door facing away from the street, the lack of sidewalks, the use of attached garages, the window wall on the rear elevation overlooking the back yard but few windows overlooking the front yard, and the arrangement of primary gathering spaces (living room, kitchen) at the back of the house are all factors that limit opportunities for random interaction with neighbors. New at the time, these are the same characteristics we see in suburban development to this day.

One of the primary factors behind this inward-focused, rather than neighborhood-focused, lifestyle arrangement is also one of the most historically significant elements of Lortondale homes — central air conditioning. Obviously, a climate-controlled interior alleviates the need to seek the relief of a shaded front porch on summer days, but the presence of central air conditioning also influenced the design of the homes themselves. Indeed, Lortondale homes do not have front porches — rendered an obsolete relic of sweltering days gone by. Without the constraints of arranging rooms for maximum cross-ventilation, architects were given more freedom when designing interior spaces, allowing concepts such as interior kitchens flowing into the living room. And certainly a south-facing window wall of glass would not have been practical in a warm climate like Tulsa without central air conditioning.

Although the vision of a square quarter-mile of contemporary homes never came to fruition, the last two of the planned four additions were eventually built, albeit with Ranch style homes. Continuing the counter-clockwise pattern, Grubb filed a plat for the southeastern 40 acres on March 30, 1956 (plat #2074) which he named the Grandview Manor Addition. Keeping in mind the original plan to develop four phases of “Lortondale” homes, Grubb’s shift to a new name likely speaks to the need for a new marketing direction and quite possibly an attempt to distance himself and his newest homes from the Lortondale brand.

On May 31, 1957, Grubb filed a plat for Grandview Manor Addition, Blocks 8-13, on the land west of Darlington Avenue immediately south of


the original Lortondale Addition. The platted street pattern was once again a true grid, with the exception of the already existing western portion of 27th Place. At the time of filing the plat, the partial lots in Lortondale Addition Block 5 (lots 24-31) and Block 6 (lots 5-8) were replatted as part of Grandview Manor Addition. Also included was a tract of land called “Reserve A” on the west side of Darlington Avenue. This reserved land would become Darlington Park in 1957, part of the Tulsa municipal parks system.

Donald Honn continued his successful architecture career and achieved recognition as one of the preeminent mid-20th Century architects in the country. After designing the Lortondale neighborhood, Honn designed a similarly modern housing addition in Lubbock, Texas and custom homes throughout the country — his professional preference. His firm’s work in Tulsa includes the United States Jaycees World Headquarters, which was sadly lost to demolition in 2004, Gilcrease Middle School and Park Elementary School of the Tulsa Public Schools system, the Esplanade Condominiums, and the Tulsa Country Club clubhouse, which received a national award for Progressive Architecture, Recreation Category in 1955.

Honn continued to reside in Lortondale at 4940 East 26th Street for many years, selling the home in May 1966 and moving to another of his custom-designed houses farther south in Tulsa.

Grubb passed away on February 3, 1981. His obituary in the *Tulsa World* noted his many achievements, but foremost among them was the Lortondale development. Honn, an intensely private man according to friends, passed away April 14, 1999. Only a one-line notice ran in the newspaper.

The Lortondale neighborhood has matured well over the years. Current residents are a mix of long-time elderly homeowners, working class families, and young professionals who are often mid-century design enthusiasts. Home prices are affordable for the Tulsa market — often listed in the \$65,000 - \$85,000 range depending on square footage and condition — which continues the vision of Howard C. Grubb to provide a truly modern home for young families at moderate prices. The Lortondale neighborhood is alive and well, with an active neighborhood association and residents who are passionate about the unique place they live.



PRIMARY CHARACTER-DEFINING ELEMENTS OF THE LORTONDALE HISTORIC DISTRICT ARCHITECTURAL STYLE

The single-family homes in Lortondale, designed by architect Donald H. Honn, are a unique expression of the Modern Movement style described in *A Field Guide to American Houses* as “American International”. The character-defining elements of this distinct style are as follows.

Roof Pitch

The primary character-defining element of the style. Roofs were extremely low pitched and in some cases almost perfectly flat.

Plan

The most common plan is an L-shape with a main wing closest to the street containing the majority of the living spaces and a secondary wing extending west from the main wing, historically containing an attached garage or laundry facilities.

Number of Stories

All Lortondale houses were originally one story.

Groupings of Windows

The original windows of Lortondale were single pane, steel windows with large glazing area. Operable windows were awning, often square in shape. Windows were typically grouped with an awning window adjacent to a fixed window, frequently topped with a fixed transom window at the eave line. Transom windows often feature an angled top rail, following the pitch of the roofline.

Common groupings include (clockwise from top left):

1 fixed, 1 square awning

Full-width angled transom windows

1 fixed, 1 square awning, 1 transom window

3 fixed, 4 square awning in alternating pattern



Mix of Materials on Exterior Walls

Most houses of the style were clad in both masonry (either stone or brick) and weatherboard siding installed with a vertical orientation. These materials were sometimes mixed along the same elevation, but more typically each wall would be clad almost entirely in stone, brick or vertical weatherboard with transitions from one material to another where walls met at corners. The effect was to create separate geometric planes with each elevation. Stone was typically Arkansas-quarried cut stone laid in a horizontal random pattern, occasionally rounded sandstone. Brick materials vary greatly throughout the neighborhood, most often laid in a running bond but occasionally in a stack bond for decorative effect.



PRIMARY CHARACTER-DEFINING ELEMENTS OF THE LORTONDALE HISTORIC DISTRICT ARCHITECTURAL STYLE



TOP — Slab front door (orange) with single pane sidelight and angled transom window.



TOP RIGHT — Attached garages, exposed rafter tails.

BOTTOM RIGHT — Wood rafter pergola along west elevation of house.



Front Door with Single Pane Sidelight

The front entrance to a Lortondale home was typically a slab wood door without ornamentation. On one side of the door (but never both sides) would be a single-pane sidelight the full height of the door. Often, there would be a fixed transom window extending the combined width of the door and sidelight. The transom window would occasionally have an angled top rail matching the pitch of the roofline. The unique feature of the typical Lortondale front door was its orientation. All L-shaped floor-plans featured a front door set into the inside corner of the “L”, facing west toward the driveway, not toward the street.

Attached Garages and/or Carports

Designed specifically to accommodate the automobile, Lortondale houses commonly featured one and two-car attached garages located in the secondary wing of L-shaped plans. Linear plans featured garage doors at the front building line, but the wall material was typically the less expensive weatherboard to emphasize accessory status. The front door of these linear plans faced the street, creating more street presence for the house and not allowing the garage to dominate the façade. Carports integrated with the primary roofline were an original feature of later Lortondale plans.

Exposed Rafter Tails

Arguably the only consistent decorative detail found throughout the neighborhood. Rafter tails appeared in a variety of locations on the façade of Lortondale homes depending upon the plan and direction of the roof pitch. All rafter tails were tapered on the underside.

Wood Rafter Pergola

Some Lortondale houses featured a simple pergola running the length of the west elevation constructed of common dimensional lumber, sometimes supported by a 4” x 4” post.

GOOD EXAMPLES OF THE LORTONDALE “AMERICAN INTERNATIONAL” STYLE

The following houses retain a high level of historic integrity and represent good examples of the Lortondale American International style due to the presence of a high degree of authentic historic fabric and/or historically sensitive rehabilitation work.

- | | |
|--------------------------|--------------------------|
| 1. 4915 East 26th Street | 5. 4945 East 26th Place |
| 2. 5335 East 26th Street | 6. 5363 East 26th Place |
| 3. 5368 East 26th Street | 7. 4953 East 27th Street |
| 4. 4932 East 26th Place | 8. 5303 East 27th Place |



CRITERIA FOR DETERMINING CONTRIBUTING/NON-CONTRIBUTING STATUS



Criteria Having Profound Material Effect

Architectural Style

Due to the Lortondale American International style itself being such a primary component of the neighborhood's historic significance, properties not constructed in this style were considered non-contributing.

Alteration to Roof Pitch

Within the Lortondale expression of the American International style, the primary character-defining element is the extremely low pitched roofline (and in some cases, perfectly flat). Any alteration that creates a noticeably steeper roof pitch — whether gabled, cross gabled or hipped — is a material change to the historic fabric of the house. The presence of this alteration alone resulted in properties being listed as non-contributing.

Second Story Addition

All houses within the survey area were originally constructed as one-story dwellings. The addition of a second story breaks this historic building pattern and interrupts the roofline. All properties with second story additions were considered non-contributing.

Alteration to the plan viewable from the street

This condition was often observed with L-shaped plans where the addition of an attached garage was built up to the front building line of the house. In some cases, this was achieved by enclosing an original carport. Properties with this type of alteration do not maintain the primary-secondary relationship of front elevation to garage door location. This alteration also has a material effect on the front entrance by creating an “alley” approach to the door. Linear plans could also be affected by similarly inappropriate alterations, such as the addition of a front porch or a wing added to the front of the house extending beyond the original front building line. Properties with alterations of this type were listed as non-contributing.

Alteration to front door location or orientation

If the front door was moved during rehabilitation of the property, particularly if the orientation of the door changed (for example, from facing west to facing the street on L-shaped plans), the property was likely considered non-contributing.

TOP — Ranch style house

ABOVE — Alteration to roof pitch

RIGHT — Addition of second story

FAR RIGHT — Addition of garage built up to front building line



CRITERIA FOR DETERMINING CONTRIBUTING/NON-CONTRIBUTING STATUS

Criteria Having Some Material Effect

When surveying the neighborhood, the following alterations were considered to be of some material effect. The presence of any of these alterations alone would not justify non-contributing status. Rather, the presence of three or more of these alterations were required to consider a property non-contributing.

Window replacement

The survey found that during rehabilitation, it was common for only the operable windows to be replaced. As long as the window groupings were not altered and the placement location and size of the operable window was maintained, some allowances were given to the type of replacement window installed. Simple sliding windows and 1/1 hung windows have minimal material effect on the character of the house because they only add one additional line to the window grouping. However, windows with muntins simulating divided light patterns (6/6, 4/4) were considered to have a more serious material effect on the house. Some single-pane vinyl replacement awning windows were noted in the study area, which should be considered an acceptable standard for window replacement in Lortondale so long as the window frame is a narrow profile.

Door replacement

Due to its location and orientation in the typical L-shaped Lortondale house, it would be hard to characterize the front door itself as a primary character-defining element of the property. Often, the front door cannot be seen until the visitor is only a few feet away. Therefore, some allowances have been given concerning the type of replacement door. Slab or simple wood panel doors are the preferred replacement type.

Siding materials

Generally, replacement siding was considered to have moderate material effect. Common alterations include weatherboard, cementitious or vinyl siding installed with a vertical orientation to mimic the historic orientation of the original siding material. Painting of masonry surfaces was occasionally noted and factored into decisions regarding contributing status.

Garage door replacement

Not a primary character-defining element of the house. However, if an attached two-car garage, historically constructed with two garage doors, was altered to have one double-wide garage door, that alteration was considered to have some material effect.

Criteria Having Little Material Effect

Addition of carport

Later Lortondale plans included carports as original features of the home. Due to their minimal visual impact which allows the primary structure to remain visible from the street, the addition of carports was not considered a material change to the structure.

Conversion of garage to living space

The garage is not a primary character defining element of the style due to its location in the secondary wing. Houses built later in the period of construction include a plan for a recessed carport without an attached garage. The conversion of a garage to living space does not materially change the form of the house, and some allowances were given in regards to fenestration or doors installed at the time of rehabilitation.

LEFT — Awning windows replaced with 1/1 hung windows
 CENTER — Awning windows replaces with sliding windows, plus an added carport
 RIGHT — Carport addition does not have material effect



SIGNIFICANT PROPERTIES AND HISTORIC DISTRICTS
IDENTIFIED WITHIN THE SURVEY AREA



- CONTRIBUTING
- NON-CONTRIBUTING — STYLE
- NON-CONTRIBUTING — ALTERATION
- NON-CONTRIBUTING — AGE

Contributing Properties

The survey found that 59% of the buildings within the defined survey area would be considered contributing to a potential historic district. With the exception of one infill house that is of insufficient age, the non-contributing buildings within the study area fall into two categories: those that have been materially altered or those not built in the historically significant architectural style.

	Lortondale	Lortondale 2nd	TOTAL
Contributing	120	52	172
Non-contributing due to architectural style	4	72	76
Non-contributing due to alteration	17	24	41
Non-contributing due to age	1	0	1
TOTAL	142	148	290

SIGNIFICANT PROPERTIES AND HISTORIC DISTRICTS

IDENTIFIED WITHIN THE SURVEY AREA



- 1954
- 1955
- 1956
- 1957-1958
- 2003

Dates of Construction

Tulsa County Land Records were consulted to obtain the dates of construction for properties in the survey area. If the construction date for a particular property was in question, Polk city directories were consulted. An aerial photograph of the Lortondale Addition under construction circa 1955 also provided reference.

Based on the data collected, each of the two Lortondale subdivisions developed from northwest to southeast. This pattern stands to reason — at the time of construction the northwest corner of the development, 26th and Yale, would have been the most convenient point of access for potential homebuyers living near downtown Tulsa.

The Lortondale Estate Columns, built circa 1924, were excluded from this analysis.

	Lortondale	Lortondale 2nd	TOTAL
1954	63	0	63
1955	72	51	123
1956	2	86	88
1957-1958	3	11	14
2003	1	0	1
TOTAL	141	148	289

SIGNIFICANT PROPERTIES AND HISTORIC DISTRICTS

IDENTIFIED WITHIN THE SURVEY AREA


Architectural Style

With the exception of one property constructed in 2003, there were only two architectural styles found in the survey area. Both styles — the Lortondale expression of American International and Ranch — are considered part of the post-World War II “Modern” Movement according to *The Field Guide to American Houses*.

The pattern of development by architectural style mirrors the pattern of construction dates — the neighborhood developed from northwest to southeast. The earliest houses were developed according to the initial vision in the Lortondale American International style. Due to slumping sales of Lortondale houses starting in 1956, the remaining lots in the neighborhood — located in the southeast part of the study area — were developed with houses built in the more ubiquitous Ranch style.

The map at left shows the architectural style of the 287 houses and 2 neighborhood pools in the survey area.

	Lortondale	Lortondale 2nd	TOTAL
Modern Movement: American International	136	76	212
Modern Movement: Ranch	4	72	76
Modern Movement: Contemporary	1	0	1
TOTAL	141	148	289



- AMERICAN INTERNATIONAL
- RANCH
- CONTEMPORARY INFILL

SIGNIFICANT PROPERTIES AND HISTORIC DISTRICTS

IDENTIFIED WITHIN THE SURVEY AREA



- FLAT ROOF

GABLE ROOF

HIPPED ROOF

SHED ROOF

EXCLUDED DUE TO STYLE

Historic/Current Use

Historically, the residential construction of Lortondale was exclusively single-family development. The survey determined that the current use matches the historic use and that all homes remain single-family dwellings. The two neighborhood pools identified within the survey area — Lortondale Pool and 5300 Swim Club — retain their historic outdoor recreational use. Although no longer flanking an entry drive, the Lortondale Estate Columns currently mark the southwest corner of the district.

	Historic Use	Current Use
Single Dwelling	287	287
Outdoor Recreation	2	2
Monument/Marker	1	1
TOTAL	290	290

Architectural Elements — Roof Pitch

Though a cumulative analysis of specific architectural elements is not required for National Register nomination (rather, each property’s architectural elements are inventoried), it is informative to study the neighborhood in this way to gain a better understanding of the alterations that have occurred over time. This analysis of alterations over time is one measure of the neighborhood’s historic integrity.

The map at left shows the current roof types of the 212 American International style structures in the study area — 92% retain a flat roof.

	Lortondale	Lortondale 2nd	TOTAL
Flat roof	133	61	194
Gable roof	2	8	10
Hipped roof	1	4	5
Shed roof	0	3	3
TOTAL	136	76	212

SIGNIFICANT PROPERTIES AND HISTORIC DISTRICTS

IDENTIFIED WITHIN THE SURVEY AREA



- ORIGINAL STEEL AWNING WINDOWS
- REPLACEMENT WINDOWS
- EXCLUDED DUE TO STYLE


Architectural Elements — Windows

The map at left shows which of the 210 American International style houses in the study area retain their original steel-framed awning and fixed windows. If only a window or two has been replaced and the original windows are the predominant fenestration, the window type was listed as steel awning/fixed.

Based on the survey data collected, 56% of the American International houses retain their original windows to a large extent.

Due to the fact they don't have glass windows, the two neighborhood pools have been excluded from this analysis of window type.

	Lortondale	Lortondale 2nd	TOTAL
Original steel awning/fixed windows	81	37	118
Replacement windows	54	38	92
TOTAL	135	75	210



SIGNIFICANT PROPERTIES AND HISTORIC DISTRICTS IDENTIFIED WITHIN THE SURVEY AREA

SIGNIFICANT PROPERTIES

Within the survey area, there is one property that is individually eligible for the National Register of Historic Places.

Donald H. Honn Residence (4940 East 26th Street)

Early in the development of Lortondale in December 1954, architect Donald Honn bought Lot 1, Block 2 of the Lortondale Addition, the large pie-shaped corner lot at the intersection of 26th Street and 26th Terrace, for \$14,500 and built a custom-designed home for his family at 4940 East 26th Street. During subsequent construction, Honn had several of his team of architects work out of the house.

The T-shaped plan of the home is unique to the district. A rectangular stone column flanks the path to the front door. The main wing of the home is clad primarily in sandstone. The south-facing rear elevations of the house are full height window walls. The house was featured in national magazines as an excellent example of modern architecture.

What is interesting to note is that this is not the only property Honn owned in Lortondale. Two months after purchasing the corner lot, Honn bought the property at 4915 E. 26th Street on Valentine's Day 1955. In fact, the 1955 Polk city directory lists the resident of 4915 E. 26th Street as "Honn, Donald" and the property at 4940 E. 26th Street as being "vacant". The 1956 Polk directory lists Honn as the owner of both properties. It is unclear if Honn ever lived in the house at 4915 E. 26th Street, but he owned it until April 1963 when it was purchased by John N. & Jamie L. Hambrick.

Honn achieved recognition as one of the preeminent mid-20th Century architects in the country. After designing the Lortondale neighborhood, he designed a similarly modern housing addition in Lubbock, Texas and custom homes throughout the country — his professional preference. His firm's work in Tulsa includes the United States Jaycees World Headquarters, which was sadly lost to demolition in 2004, Gilcrease Middle School and Park Elementary School of the Tulsa Public Schools system, the Esplanade Condominiums, and the Tulsa Country Club clubhouse, which received a national award for Progressive Architecture, Recreation Category in 1955.

Honn continued to reside in Lortondale at 4940 East 26th Street for many years, selling the home in May 1966 and moving to another of his custom-designed houses further south in Tulsa. He passed away April 14, 1999.



SIGNIFICANT PROPERTIES AND HISTORIC DISTRICTS

IDENTIFIED WITHIN THE SURVEY AREA

SIGNIFICANT PROPERTIES

While not individually eligible for the National Register, several other noteworthy properties were identified during the study.

Butterfly House (4983 East 27th Street)

This custom built home immediately distinguishes itself by its unique roofline. The “butterfly” roof has an inverted ridgeline pitching inward from the side elevations toward center of house. An integral two-car carport is located under the primary roofline. The house is clad primarily in sandstone and features angled transom windows across the full width of the front elevation.



A longstanding belief regarding the home is that it was constructed for the lead plumber on the Lortondale development. What is not as widely known is that the house ended up in foreclosure within the first two years of occupation. In District Court records from January 1956, the development team of Carter, Grubb, and McMichael were listed as the plaintiffs in the case against Fred W. Hinrichs, Jr., who owed creditors more than \$14,000 for the construction of the home.

The house was offered for sale at Sherriff’s Auction on March 30, 1956. One of the creditors Hinrichs owed, Frank Perssons of Temperature Control Company, purchased the property for \$7,800 along with a partner, W.R. Kelly. Four months later, on July 25, 1956, the partners sold the house to W.E. and Ruth Curnutt for \$13,5000. Mr. Curnutt was with Southside Plumbing Company, and the family owned the home for many years.

Tom Carter Residence (5308 East 27th Street)

On December 1, 1955, the son of the owner of the Dale Carter Lumber Company, Thomas E. Carter, purchased a lot on the southeast corner of 27th Street and Darlington Avenue in the Lortondale Second Addition. The home at 5308 East 27th Street that Carter had custom-built for his family features a slightly larger floor plan than most homes in the addition. The house is brick and vertically-oriented weatherboard siding with an attached two-car garage.



The interior of the home features plentiful built-in cabinets throughout, including the bedrooms. The current homeowner, Mrs. Alta Pringle, loves the home and proudly notes that the built-ins are so functional that closet space is almost unnecessary.

Lortondale Pool (4941 East 26th Street)

The first of the four neighborhood pools planned for the Lortondale development, the pool was constructed and opened in 1956. The MaxTrue Concrete Company built the pool with blown-in concrete.



The clubhouse building is brick with deep eaves on west elevation. The freestanding canopy just east of the clubhouse, which shelters the picnic tables and cubbyhole storage, has a roofline that mirrors the clubhouse. This creates the visual effect of a “butterfly” roof.

Upon buying a home in the addition, each homeowner had an ownership

share in the pool. This community-owned neighborhood pool arrangement was the first of its kind in Tulsa, and a big selling point for families.

Lortondale Estate Columns (near southeast corner of South Yale Avenue & East 27th Street)

Four brick columns, built circa 1924, that marked the entrance to the Lortondale Estate and later, the Meadowbrook Country Club. After purchasing the 160 acre property from Frances Perryman, Mr. Lorton granted an easement along the western edge of the land to Tulsa County on November 11, 1924 for the construction of a two-lane county line road in order to provide access to the property. This road would eventually be known as Yale Avenue.



Each of the columns is 30” x 30” square, built on a flared concrete base. The brick pattern is running bond, with five stretcher courses separated by a recessed stretcher course. The columns are capped with a rowlock course.

The driveway that once ran between the columns is gone. The columns are ten feet east of the Yale Avenue curbline and seventy-four feet south of the 27th Street curbline.

The columns are the oldest historic resource for the Lortondale property.

SIGNIFICANT PROPERTIES AND HISTORIC DISTRICTS

IDENTIFIED WITHIN THE SURVEY AREA



CONTRIBUTING

NON-CONTRIBUTING

Proposed Historic District Boundaries

Upon completing the intensive level survey, a contiguous area of the Lortondale American International architectural style emerged. With further refinement along the edges of this contiguous area to exclude properties that are non-contributing due to alterations, the map at left shows the proposed boundaries of the Lortondale Historic District. These 202 resources stand alone as a distinct residential district within the city of Tulsa.

	Lortondale District	Out	TOTAL
Contributing	169	3	172
Non-contributing due to age	1	0	1
Non-contributing due to alteration	32	9	41
Non-contributing due to architectural style	0	76	76
TOTAL	202	88	290

The survey found that 84% of the buildings within this proposed Lortondale Historic District contribute to the district. With the exception of one house that is non-contributing due to insufficient age, the non-contributing buildings within the district boundaries are considered to be so due to alterations to their original architectural style. One building was identified as being individually eligible for National Register listing.

The legal description of the proposed district is:

Lortondale Addition, all of Blocks 1 through 5

Lortondale Second Addition, all of Blocks 7 and 8

Lortondale Second Addition, Block 9, Lots 18 through 20

Lortondale Second Addition, Block 11, Lots 15 through 17

Lortondale Second Addition, Block 12, Lot 15

25' x 125' right-of-way SE of 27th Street & Yale Avenue

AREAS EXAMINED NOT MEETING ELIGIBILITY CRITERIA




The southeastern portion of the study area has been excluded from the historic district largely due to architectural style. These properties are fine examples of the Ranch style, typically in good condition, and positive contributors to the livability of the neighborhood. Exclusion from the historic district is not an indictment of their condition nor their importance to the community, but simply an acknowledgement of the fact that they are not designed in the Lortondale American International style that gives the historic district its architectural significance. These properties are fine homes, worthy of investment and attractive for a broad spectrum of homeowners. The continued use of these properties through sensitive rehabilitation respectful of their own architectural qualities should be encouraged.

Also excluded from the proposed historic district are 12 properties originally constructed in the Lortondale American International style, located in Block 9 of the Lortondale Second Addition. One property, the 5300 Swim Club neighborhood pool on the corner of 27th Street and Hudson Avenue, was found to be contributing to the district but excluded due to its geographic isolation from other properties of the historic style. It was not possible to include the 5300 Swim Club and maintain a contiguous district.

Of the remaining 11 buildings, 9 were found to be non-contributing due to alterations. An unfortunate consequence of excluding these non-contributing properties is that 2 buildings that would otherwise be contributing have been excluded from the historic district. In order to include these 2 properties and maintain a contiguous district, a minimum of 4 significantly altered non-contributing properties would have to be included as well.

	Lortondale District	Out	TOTAL
Contributing	169	3	172
Non-contributing due to age	1	0	1
Non-contributing due to alteration	32	9	41
Non-contributing due to architectural style	0	76	76
TOTAL	202	88	290



APPROPRIATE NATIONAL REGISTER CRITERIA FOR EVALUATION

The Lortondale Historic District is eligible under Criterion A for its association with events that have made a significant contribution to the broad patterns of our history, and under Criterion C for its embodiment of the distinctive characteristics of a type, period, or method of construction.

The National Register of Historic Places is administered by the National Park Service, part of the Department of the Interior. Upon the creation of the National Register, authorized by the National Historic Preservation Act of 1966, the following criteria for evaluating the significance of nominated properties, sites and districts were developed. Nominated properties can meet more than one criterion.

Criteria for Evaluation

The quality of significance in American history, architecture, archeology, engineering, and culture is present in districts, sites, buildings, structures, and objects that possess integrity of location, design, setting, materials, workmanship, feeling, and association, and:

- A. That are associated with events that have made a significant contribution to the broad patterns of our history; or
- B. That are associated with the lives of persons significant in our past; or
- C. That embody the distinctive characteristics of a type, period, or method of construction, or that represent the work of a master, or that possess high artistic values, or that represent a significant and distinguishable entity whose components may lack individual distinction; or
- D. That have yielded or may be likely to yield, information important in prehistory or history.

Source: National Park Service

Criterion A recognizes places associated with significant events in our history. Places meeting this criterion can include the site of a Civil War battle, a sporting arena where significant athletic contests have occurred, or in the case of a residential historic district, a neighborhood that altered or shaped the community's development pattern.

Criterion B recognizes places associated with significant people. The association must occur during the person's period of significance. Therefore, places meeting this criterion might include the house where a significant author wrote his or her most important works, but not the same author's childhood home. This criterion does not include birthplaces, cemeteries, or graves.


Criterion C recognizes places of architectural significance, including individual properties and multiple properties that are not individually significant but are significant when considered a distinct district or thematic collection.

Criterion D recognizes archeological sites that yield or are likely to yield significant historic and/or prehistoric artifacts and information.

Analysis

Lortondale is eligible under Criterion A due to its influence on the development patterns of Tulsa and the region. The neighborhood ushered in the era of tract subdivisions with central heating and waterless air conditioning, designed around the automobile. The combination of the Lortondale floorplans with entertaining spaces at the back of the house and bedrooms at the front of house foreshadowed the trend of inward-focused residential development so common in suburban development today. The private neighborhood swimming pool, Lortondale Pool, owned collectively by the neighborhood homeowners, was the first of its kind in Tulsa.

Lortondale is eligible under Criterion C due to its architectural significance. The district is a fine example of a distinctive mid-20th Century style unique in Tulsa neighborhoods, particularly in such numbers and uniformity. The home designs in Lortondale were celebrated in national publications as cutting-edge. The vision of a tract subdivision of ultra-modern, contemporary-styled, architect-designed homes built primarily for middle class homeowners remains unique to this day. The slab-on-grade construction was unusual for Tulsa residential development at the time, but is the dominant foundation construction method today.



CONCLUSION

The Lortondale neighborhood holds a special place in the development history of Tulsa, Oklahoma. It embodies a unique, cutting-edge modern style that was distinctive during the post-World War II construction boom. The first tract subdivision to offer central heat and waterless air conditioning as a standard feature, Lortondale forever changed the development patterns of Tulsa and the rest of the country.

The Lortondale neighborhood developed quickly over a period of three years and achieved its period of significance from 1954-1956, which marks the start of construction through the point when the use of the distinctive Lortondale architectural style was set aside in favor of the more conservative Ranch style.


The neighborhood is intact and maintains a high degree of historic integrity. Walking through the neighborhood today, one can experience first-hand the vision of developer Howard Grubb and architect Donald Honn.

Perhaps the most lasting tribute to the distinctiveness of the Lortondale neighborhood is found by reading the sixteenth printing of *A Field Guide to American Houses*, widely considered the preeminent text on American architecture styles. In the section “American Houses Since 1940: Modern”, authors Virigina and Lee McAlester describe the “Contemporary” style on page 482 in these words:

“This style was the favorite for architect-designed houses built during the period from about 1950 to 1970. It occurs in two distinctive subtypes based on roof shapes: flat or gabled. The flat-roofed subtype is a derivation of the earlier International Style and houses of this subtype are sometimes referred to as American International. They resemble the International in having flat roofs and no decorative detailing, but lack the stark white stucco wall surfaces, which are usually replaced by various combinations of wood, brick, or stone.”

On the opposite page, published for generations of architects, students, and enthusiasts to study for years to come, is a photograph illustrating the American International style in its highest form — a publicity photo of a Lortondale model home.





BIBLIOGRAPHY

Tulsa County Land Records

Polk City Directories

Sanborn Fire Insurance Maps

A Field Guide to American Houses, McAlester, Virginia and Lee

1997 Historic Resource Document, Tulsa Preservation Commission

National Park Service

"Flat Roofs From the Cool '50s", Autman, *Tulsa World*, 15 January 1990, A1

"Lortondale Rich in History / Air Conditioning Put Neighborhood on Map", Autman, *Tulsa World*, 15 January 1990, A1

Obituaries, *Tulsa World*, 4 February 1981, D7

"The Descendants of The Rev. Jno. Leland of Virginia", Rootsweb genealogy website, <http://freepages.genealogy.rootsweb.com/~lelandva/rm10000e.htm>

House & Home Magazine, January 1954

Lortondale Neighborhood Association website, <http://www.lortondale.com>

Property Abstract for Lot 8, Block 3, Lortondale Addition to the City of Tulsa

Many More Historic Tulsa Homes, John Brooks Walton

Personal interview, Charles C. Parent, November 19, 2006

Transcript of telephone interview of Bill Honn conducted by Stephen Edlich, February 2005



ADDRESS	ADDITION	LOT	BLK	STATEMENT OF SIGNIFICANCE	YEAR BUILT
5344 East 27th Street	LORTONDALE SECOND ADDITION	9	11	NON-CONTRIBUTING DUE TO STYLE	1956
5340 East 27th Street	LORTONDALE SECOND ADDITION	10	11	NON-CONTRIBUTING DUE TO STYLE	1956
5334 East 27th Street	LORTONDALE SECOND ADDITION	11	11	NON-CONTRIBUTING DUE TO STYLE	1957
5328 East 27th Street	LORTONDALE SECOND ADDITION	12	11	NON-CONTRIBUTING DUE TO STYLE	1957
5324 East 27th Street	LORTONDALE SECOND ADDITION	13	11	NON-CONTRIBUTING DUE TO STYLE	1956
5318 East 27th Street	LORTONDALE SECOND ADDITION	14	11	NON-CONTRIBUTING DUE TO STYLE	1956
5307 East 27th Place	LORTONDALE SECOND ADDITION	18	11	NON-CONTRIBUTING DUE TO STYLE	1956
5313 East 27th Place	LORTONDALE SECOND ADDITION	19	11	NON-CONTRIBUTING DUE TO STYLE	1956
5319 East 27th Place	LORTONDALE SECOND ADDITION	20	11	NON-CONTRIBUTING DUE TO STYLE	1956
5323 East 27th Place	LORTONDALE SECOND ADDITION	21	11	NON-CONTRIBUTING DUE TO STYLE	1956
5329 East 27th Place	LORTONDALE SECOND ADDITION	22	11	NON-CONTRIBUTING DUE TO STYLE	1956
5333 East 27th Place	LORTONDALE SECOND ADDITION	23	11	NON-CONTRIBUTING DUE TO STYLE	1956
5339 East 27th Place	LORTONDALE SECOND ADDITION	24	11	NON-CONTRIBUTING DUE TO STYLE	1956
5345 East 27th Place	LORTONDALE SECOND ADDITION	25	11	NON-CONTRIBUTING DUE TO STYLE	1956
5349 East 27th Place	LORTONDALE SECOND ADDITION	26	11	NON-CONTRIBUTING DUE TO STYLE	1956
5355 East 27th Place	LORTONDALE SECOND ADDITION	27	11	NON-CONTRIBUTING DUE TO STYLE	1956
5361 East 27th Place	LORTONDALE SECOND ADDITION	28	11	NON-CONTRIBUTING DUE TO STYLE	1956
5365 East 27th Place	LORTONDALE SECOND ADDITION	29	11	NON-CONTRIBUTING DUE TO STYLE	1956
5371 East 27th Place	LORTONDALE SECOND ADDITION	30	11	NON-CONTRIBUTING DUE TO STYLE	1956
5377 East 27th Place	LORTONDALE SECOND ADDITION	31	11	NON-CONTRIBUTING DUE TO STYLE	1956
2722 South Hudson Avenue	LORTONDALE SECOND ADDITION	32	11	NON-CONTRIBUTING DUE TO STYLE	1956
2734 South Hudson Avenue	LORTONDALE SECOND ADDITION	1	12	NON-CONTRIBUTING DUE TO STYLE	1956
5378 East 27th Place	LORTONDALE SECOND ADDITION	2	12	NON-CONTRIBUTING DUE TO STYLE	1956
5372 East 27th Place	LORTONDALE SECOND ADDITION	3	12	NON-CONTRIBUTING DUE TO STYLE	1956
5366 East 27th Place	LORTONDALE SECOND ADDITION	4	12	NON-CONTRIBUTING DUE TO STYLE	1956
5360 East 27th Place	LORTONDALE SECOND ADDITION	5	12	NON-CONTRIBUTING DUE TO STYLE	1957
5356 East 27th Place	LORTONDALE SECOND ADDITION	6	12	NON-CONTRIBUTING DUE TO STYLE	1956
5350 East 27th Place	LORTONDALE SECOND ADDITION	7	12	NON-CONTRIBUTING DUE TO STYLE	1956
5346 East 27th Place	LORTONDALE SECOND ADDITION	8	12	NON-CONTRIBUTING DUE TO STYLE	1958
5340 East 27th Place	LORTONDALE SECOND ADDITION	9	12	NON-CONTRIBUTING DUE TO STYLE	1956
5334 East 27th Place	LORTONDALE SECOND ADDITION	10	12	NON-CONTRIBUTING DUE TO STYLE	1957
5330 East 27th Place	LORTONDALE SECOND ADDITION	11	12	NON-CONTRIBUTING DUE TO STYLE	1956
5324 East 27th Place	LORTONDALE SECOND ADDITION	12	12	NON-CONTRIBUTING DUE TO STYLE	1957
5318 East 27th Place	LORTONDALE SECOND ADDITION	13	12	NON-CONTRIBUTING DUE TO STYLE	1958
5314 East 27th Place	LORTONDALE SECOND ADDITION	14	12	NON-CONTRIBUTING DUE TO STYLE	1956



4905 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4905 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 18
BLOCK: 1
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 04 POOR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, WOOD RAFTER PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION IS STONE HALF WALL EXTENDING BEYOND CORNERS OF HOUSE WITH 2 SETS OF PAIRED WINDOWS - 1 FIXED, 1 AWNING. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD WITH ANGLED TRANSOM WINDOW, ONE-CAR GARAGE WITH METAL PANEL DOOR.





4906 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4906 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 6
BLOCK: 2
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, CARPORT

DECORATIVE DETAILS:
WOOD RAFTER PERGOLA, PERIOD LIGHT FIXTURE

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF VERTICAL WEATHERBOARD AND TWO AWNING, TWO ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VERTICAL WEATHERBOARD WITH THREE PAIRED WINDOWS, 1 FIXED 1 AWNING. WEST ELEVATION OF MAIN WING IS STONE WITH TWO AWNING WINDOWS NEAR FRONT DOOR AND ORIGINAL WOOD PERGOLA RUNNING LENGTH OF ELEVATION. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD WITH ONE-CAR GARAGE WITH THREE-LIGHT PANEL DOOR. ADDED CARPORT INTEGRATES WITH MAIN ROOFLINE.





4911 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4911 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 17
BLOCK: 1
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
LINEAR PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION CLAD PRIMARILY IN VERTICAL VINYL SIDING WITH TWO AWNING AND ONE FIXED WINDOW. EAST SIDE OF FRONT ELEVATION IS BRICK WRAPPING TO EAST ELEVATION. SW CORNER WRAPPED IN BRICK CONTINUING TO WEST ELEVATION. ATTACHED ONE-CAR GARAGE HAS PANEL WOOD DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT.





4912 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4912 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 5
BLOCK: 2
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL WITH FAN LIGHT
DOOR MATERIAL: 50 METAL

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH TWO PAIRS OF GROUPED WINDOWS - 1 FIXED, 1 AWNING. CORNERS OF MAIN WING CLAD IN PAINTED BRICK. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS BRICK WITH AWNING WINDOW. FRONT ENTRANCE IS METAL PANEL DOOR WITH FAN-LIGHT WINDOW, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD WITH WIDE TRANSOM WINDOW. ONE-CAR GARAGE CONVERTED TO LIVING SPACE AND NEW ATTACHED ONE-CAR GARAGE ADDED TO FRONT OF SECONDARY WING, EXTENDING BEYOND FRONT BUILDING LINE.





4915 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4915 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 16
BLOCK: 1
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, VERTICAL TRIM ON SW CORNER

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF PLYWOOD SIDING AND GROUPING OF 1 FIXED, 1 VINYL 1/1 HUNG, AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH TWO AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS PANEL DOOR WITH SINGLE PANE SIDELIGHT. TRANSOM WINDOW HAS BEEN FILLED. SECONDARY WING IS VERTICAL WEATHERBOARD WITH 4 FIXED SINGLE PANE WINDOWS. ONE-CAR GARAGE HAS ORIGINAL VERTICAL SIDED DOOR.





4916 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4916 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 4
BLOCK: 2
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION IS STONE WALL EXTENDING BEYOND SW CORNER OF HOUSE WITH NARROW SECTION OF PLYWOOD SIDING AND SQUARE AWNING WINDOW. EAST ELEVATION CLAD IN VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING FEATURES GROUPING OF 3 WINDOWS - 2 FIXED, 1 AWNING - AT NW CORNER AND GROUPING OF 1 FIXED, 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING CLAD IN VERTICAL WEATHERBOARD CONTAINS ATTACHED TWO-CAR GARAGE WITH 16-PANEL METAL DOORS.





4921 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4921 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 15
BLOCK: 1
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 42 SANDSTONE
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
SCREENED FRONT PORCH

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
LINEAR PLAN. FRONT ELEVATION FEATURES VERTICAL SECTION OF PAINT-ED SANDSTONE. HOUSE CLAD IN VINYL SIDING. WINDOWS REPLACED WITH 1/1 HUNG VINYL. SCREENED FRONT PORCH HAS BEEN ADDED UNDER PRIMARY ROOFLINE. ATTACHED ONE-CAR GARAGE HAS VINYL DOOR. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS.





4922 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4922 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 3
BLOCK: 2
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: GLAZED PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ONE STORY

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
LINEAR PLAN. SLIGHT ROOF PITCH TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION IS MIX OF BRICK AND VINYL SIDING. WEST ELEVATION CLAD IN BRICK. FRONT ENTRANCE IS GLAZED 6-PANEL, 3-LIGHT WOOD DOOR WITH SINGLE PANE SIDELIGHT WITH PRIVACY GLASS. ATTACHED ONE-CAR GARAGE HAS BEEN CONVERTED TO LIVING SPACE WITH THREE CASEMENT WINDOWS.





4925 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4925 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 14
BLOCK: 1
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK AND FULL-WIDTH ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION IS WEATHERBOARD WITH AWNING WINDOWS. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT. TRANSOM WINDOW HAS BEEN FILLED. SECONDARY WING IS VERTICAL WEATHERBOARD WITH TWO-CAR GARAGE. ONE ORIGINAL VERTICAL SIDED DOOR, ONE REPLACEMENT METAL GARAGE DOOR.





4930 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4930 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 2
BLOCK: 2
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ROOF CUTOUT, ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
LINEAR COURTYARD PLAN. SLIGHT ROOF PITCH TOWARD SIDE ELEVATIONS. FRONT ELEVATION FEATURES STONE HALF WALL EXTENDING BEYOND CORNERS OF HOUSE AND ANGLED TRANSOM WINDOWS. ATTACHED ONE-CAR GARAGE CLAD IN VERTICAL WEATHERBOARD WITH WOOD PANEL DOOR. EAST AND WEST ELEVATIONS CLAD IN VERTICAL WEATHERBOARD. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW.





4931 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4931 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 13
BLOCK: 1
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF PLYWOOD SIDING AND SQUARE AWNING WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS STONE AND FULL-WIDTH ANGLED TRANSOM WINDOWS. FRONT ENTRANCE IS SLAB DOOR WITH 3 DECORATIVE RAISED PANELS AND TRANSOM WINDOW. SIDELIGHT HAS BEEN FILLED. SECONDARY WING CLAD IN VERTICAL WEATHERBOARD WITH TRANSOM WINDOW AND ONE-CAR GARAGE WITH 16-PANEL DOOR.





4940 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: DONALD H. HONN RESIDENCE

ADDRESS: 4940 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 1
BLOCK: 2
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE DISTRICT, INDIVIDUALLY ELIGIBLE

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
STONE COLUMN FLANKING ENTRY

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, PERIOD LIGHT FIXTURE ABOVE ENTRY

DESCRIPTION OF RESOURCE:
T-SHAPED PLAN UNIQUE TO DISTRICT, CUSTOM DESIGNED BY ARCHITECT HONN. GARAGE WING IS CLAD IN VERTICAL WEATHERBOARD. ATTACHED ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH HORIZONTAL FIXED SINGLE PANE WINDOW IN FORMER GARAGE DOOR LOCATION. EAST ELEVATION OF GARAGE WING FEATURES ONE FIXED WINDOW AND TWO SQUARE VINYL WINDOWS. RECTANGULAR STONE COLUMN FLANKS PATH TO ENTRY. FRONT ENTRANCE IS RECESSED WITH SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. MAIN WING CLAD PRIMARILY IN SANDSTONE WITH SECTIONS OF WOOD SIDING AND AWNING WINDOWS. SOUTH HALF OF EAST ELEVATION IS SANDSTONE. NORTH HALF OF EAST ELEVATION IS WOOD SIDING WITH TWO FIXED, TWO VINYL AWNING AND TWO TRANSOM WINDOWS. BACK WALLS OF HOUSE ARE FULL HEIGHT SINGLE PANE WINDOWS.





4941 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: LORTONDALE POOL

ADDRESS: 4941 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 11-12
BLOCK: 1
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: U STRUCTURE
HISTORIC FUNCTION: 08F OUTDOOR RECREATION
CURRENT FUNCTION: 08F OUTDOOR RECREATION

AREA OF SIGNIFICANCE, PRIMARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

AREA OF SIGNIFICANCE, SECONDARY:
30 ARCHITECTURE

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY:
WINDOW TYPE:
WINDOW MATERIAL:
DOOR TYPE:
DOOR MATERIAL:

EXTERIOR FEATURES:
PRIVACY FENCE, FREESTANDING CANOPY

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
NEIGHBORHOOD POOL ON TWO LOTS. WOOD PRIVACY FENCE ON WEST, SOUTH AND EAST SIDES. CHAIN LINK FENCE ALONG NORTH SIDE OF PROPERTY. CLUBHOUSE BUILDING IS BRICK WITH SLIGHTLY PITCHED ROOF TOWARD EAST-WEST ELEVATIONS AND DEEP EAVES ON WEST ELEVATION. EXPOSED RAFTER TAILS HAVE DETERIORATED AND LOST BOXED WOOD MATERIAL, STEEL I-BEAM EXPOSED. SQUARE WINDOWS FILLED WITH PLYWOOD SIDING. FREESTANDING CANOPY JUST EAST OF CLUBHOUSE SHELTERING PICNIC TABLES AND CUBBYHOLE STORAGE. ROOFLINES OF CLUBHOUSE AND CANOPY MIRROR EACH OTHER AND CREATE VISUAL EFFECT OF "BUTTERFLY" ROOF. POLYGON-SHAPED POOL HAS NORTH-SOUTH ORIENTATION. PUMP HOUSE AT NORTH SIDE OF LOT HAS CONCRETE BLOCK WALLS, FLAT ROOF, AND TWO 3-LIGHT ALUMINUM WINDOWS FACING POOL.





4955 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4955 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 10
BLOCK: 1
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 50 METAL

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING HAS CORRUGATED SIDING WITH TWO GROUPINGS OF 1 FIXED AND 1 SQUARE AWNING WINDOW. FRONT CORNERS WRAPPED IN STONE. EAST ELEVATION IS VERTICAL WEATHERBOARD SIDING. WEST ELEVATION OF MAIN WING IS STONE WITH 1 VINYL WINDOW NEAR FRONT DOOR. FRONT ENTRANCE HAS 8-PANEL METAL DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD WITH TRANSOM WINDOW AND ONE-CAR GARAGE WITH PANEL DOOR. CARPORT HAS BEEN ADDED.





4956 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4956 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 9
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 04 POOR

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: 6/6 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE EXTENDING BEYOND CORNERS OF HOUSE WITH ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VERTICAL WEATHERBOARD WITH THREE GROUPINGS OF TWO 6/6 VINYL HUNG WINDOWS SMALLER THAN ORIGINAL OPENINGS, WITH PATCHED SIDING. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH ORIGINAL PAIRED STEEL WINDOWS - 1 FIXED, 1 AWNING - NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE-PANE SIDELIGHT. SECONDARY WING IS VERTICAL WEATHERBOARD CONTAINING ATTACHED ONE-CAR GARAGE WITH PANELED WOOD DOOR.





4959 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4959 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 9
BLOCK: 1
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 42 SANDSTONE
WINDOW TYPE: 6/6 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT, FRONT PATIO W/ TRELLIS WALLS

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION IS MIX OF SANDSTONE AND VERTICAL WEATHERBOARD. FRONT ELEVATION ALTERED TO INSTALL PAIR OF 15-LIGHT FRENCH DOORS. WINDOWS HAVE BEEN REPLACED WITH VINYL SIMULATED DIVIDED LIGHT WINDOWS. EAST ELEVATION CLAD IN VERTICAL WEATHERBOARD. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT AND TRANSOM WINDOW.





4962 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4962 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 8
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 42 SANDSTONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT, FRONT PATIO W/ VINYL PRIVACY FENCE

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION IS SANDSTONE WITH SLIDING GLASS DOOR, AWNING WINDOW AND ANGLED TRANSOM WINDOW. ROUGHLY 10' X 10' CONCRETE PATIO ADDED TO FRONT ELEVATION SURROUNDED BY 6' VINYL PRIVACY FENCE. EAST ELEVATION IS 7" LAP WEATHERBOARD. WEST ELEVATION OF MAIN WING IS SANDSTONE WITH TWO SMALL AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE-PANE SIDELIGHT. SECONDARY WING IS 7" LAP WEATHERBOARD. ATTACHED TWO-CAR GARAGE HAS BEEN CONVERTED TO LIVING SPACE WITH SLIDING GLASS DOOR IN LOCATION OF WEST BAY GARAGE DOOR. CARPORT HAS BEEN ADDED WITH INTEGRATED STORAGE CLOSETS. EVIDENCE OF ORIGINAL WOOD PERGOLA ON WEST ELEVATION.





4965 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4965 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 8
BLOCK: 1
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO STONE COLUMNS FLANKING CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH NARROW SECTION OF WOOD SIDING AND SQUARE AWNING WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH 1 FIXED, 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE HAS 2 FLOOR-TO-CEILING SINGLE PANE FIXED WINDOWS FLANKING EACH SIDE OF SLAB DOOR. ATTACHED ONE-CAR GARAGE CONVERTED TO LIVING SPACE. ADDED CARPORT HAS TWO STONE COLUMNS IN LINE WITH FRONT ELEVATION.





4968 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4968 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 7
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 80 OTHER
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE EXTENDING BEYOND CORNERS OF HOUSE WITH ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS VERTICAL CEMENTITIOUS SIDING WITH GROUPING OF TWO FIXED AND ONE 1/1 HUNG WINDOW AT NW CORNER AND GROUPING OF 1 FIXED AND 1 SLIDING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS 3-PANEL CARVED WOOD DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING AND ATTACHED TWO-CAR GARAGE WITH WOOD PANEL DOOR WITH TWO DIAMOND-PATTERN DIVIDED LIGHT WINDOWS.





4971 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4971 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 7
BLOCK: 1
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF IS TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF WOOD SIDING AND GROUPING OF 1 AWNING, 1 FIXED, 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS STONE WITH TWO AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR AND SINGLE PANE SIDELIGHT. SECONDARY WING IS VERTICAL WEATHERBOARD SIDING WITH “PLANTER” WINDOWBOX, ATTACHED ONE-CAR GARAGE WITH VERTICAL SIDED DOOR.





4972 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4972 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 6
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 04 POOR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH GROUPING OF 7 WINDOWS - 4 AWNING AND 3 FIXED IN ALTERNATING PATTERN. EAST ELEVATION IS MIX OF STONE AND VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS STONE WITH TWO SMALL AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 8-PANEL WOOD DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD WITH LARGE FIXED SINGLE PANE WINDOW AND ATTACHED ONE-CAR GARAGE WITH WOOD 4-LIGHT PANEL DOOR.





4975 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4975 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 6
BLOCK: 1
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ROOF CUTOUT, ANGLED TRANSOM WINDOWS

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
LINEAR PLAN WITH COURTYARD. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ENTRANCE IS RECESSED FROM FRONT ELEVATION. EAST SIDE OF FRONT ELEVATION IS STONE. SIDE ELEVATIONS CLAD IN VERTICAL WEATHERBOARD. ATTACHED ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH 4-LIGHT WINDOW. ACCESS DOOR ON EAST WALL OF GARAGE HAS BEEN FILLED WITH SIDING AND AWNING WINDOW. FRONT ENTRANCE IS SLAB DOOR, SIDELIGHT AND TRANSOM WINDOW.





4978 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4978 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 5
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: HUNG/SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
LINEAR COURTYARD PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH TWO NARROW SECTIONS OF PLYWOOD SIDING CONTAINING 1/1 HUNG WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD WITH VINYL HUNG WINDOWS. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH GROUPING OF THREE FIXED WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD WITH TWO TRANSOM WINDOWS AND ONE SMALL VINYL SLIDING WINDOW. ATTACHED ONE-CAR GARAGE HAS BEEN BUMPED OUT WITH 16-PANEL METAL DOOR.





4981 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4981 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 5
BLOCK: 1
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, LARGE TRANSOM WINDOWS

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS WEATHERBOARD SIDING WITH 2 GROUPINGS OF PAIRED WINDOWS - 1 AWNING, 1 FIXED. STONE VENEER WRAPS CORNERS OF FRONT ELEVATION. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS STONE WITH ONE SQUARE AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS PANEL WOOD DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING HAS VERTICAL WEATHERBOARD SIDING, TRANSOM WINDOW AND ATTACHED ONE-CAR GARAGE WITH VERTICAL SIDED DOOR.





4984 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4984 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 4
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 80 OTHER
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WALL EXTENDING BEYOND CORNERS OF HOUSE WITH ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION IS VERTICAL CEMENTITIOUS SIDING WITH GROUPING OF TWO FIXED AND 1 SQUARE AWNING WINDOW AT NW CORNER AND GROUPING OF 1 FIXED AND 1 AWNING WINDOW NEAR FRONT DOOR. PERGOLA ALONG WEST ELEVATION NOT ORIGINAL. FRONT ENTRANCE IS 12-PANEL WOOD DOOR AND SINGLE PANE SIDELIGHT. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING WITH TWO AWNING WINDOWS AND ATTACHED ONE-CAR GARAGE WITH VERTICAL CEMENTITIOUS SIDED DOOR.





4985 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4985 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 4
BLOCK: 1
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF IS TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS PAINTED STONE WITH SECTION OF PLYWOOD SIDING CONTAINING GROUPING OF 3 WINDOWS - 1 FIXED, 1 AWNING, 1 ANGLED TRANSOM. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB WOOD DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD WITH VERTICAL FIXED WINDOWS AND ONE-CAR GARAGE WITH VERTICAL SIDED DOOR.





4990 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4990 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 3
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH TWO SLIDING WINDOWS WITH ANGLED TRANSOM WINDOWS. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS BRICK WITH TWO SMALL VINYL SLIDING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 10-PANEL WOOD DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD, ATTACHED ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH HORIZONTAL SLIDING WINDOW. ADDED CARPORT INTEGRATES WITH ROOF LINE.





4991 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4991 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 3
BLOCK: 1
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
LINEAR PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT, EAST AND WEST ELEVATIONS ARE PRIMARILY BRICK WITH NARROW SECTIONS OF VINYL SIDING. FRONT ENTRANCE HAS 18-PANEL DOOR AND SINGLE PANE SIDELIGHT. FRONT DOOR HAS A SINGLE PANE WINDOW IN THE MIDDLE PANEL OF THE SECOND ROW. ATTACHED ONE-CAR GARAGE ON WEST SIDE OF FRONT ELEVATION.





4995 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4995 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 2
BLOCK: 1
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO-CAR CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF IS TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VERTICAL WEATHERBOARD. SECONDARY WING CLAD IN VERTICAL WEATHERBOARD. ATTACHED GARAGE IN SECONDARY WING HAS BEEN CONVERTED TO LIVING SPACE WITH FIXED WINDOWS. CARPORT ADDITION INTEGRATES WITH PRIMARY ROOF LINE.





4996 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4996 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 2
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF VERTICAL WEATHERBOARD AND TWO GROUPS OF PAIRED WINDOWS. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS STONE WITH ONE SMALL AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS 10-PANEL WOOD DOOR, SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD WITH TRANSOM, ONE AWNING WINDOW AND ATTACHED ONE-CAR GARAGE WITH 16 PANEL METAL DOOR.





4998 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4998 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 1
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 2003
ARCHITECT/BUILDER:
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 01 EXCELLENT

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO AGE

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: GABLE
ROOF MATERIAL: 73 RUBBER
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: CASEMENT
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: 1-LIGHT FRENCH DOOR
DOOR MATERIAL: 50 METAL

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
TWO-STORY FRONT GABLED HOUSE. FRONT ELEVATION IS STONE WITH BAY WINDOW. EAST AND WEST ELEVATIONS ARE 6" LAP WEATHERBOARD SIDING. FRONT ENTRANCE IS SINGLE PANE FRENCH DOOR WITH SINGLE PANE SIDELIGHT, EACH WITH MATCHING PATTERNS IN THE GLASS. UPPER FLOOR CLAD IN 6" LAP WEATHERBOARD WITH CASEMENT WINDOWS. NON-CONTRIBUTING DUE TO AGE.





4999 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4999 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 1
BLOCK: 1
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: CROSS GABLE
ROOF MATERIAL: 63 ASPHALT
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
FRONT PORCH, EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
LINEAR PLAN. FLAT ROOF HAS BEEN ALTERED TO CROSS GABLED ROOF. ONE STORY HOME PRIMARILY CLAD WITH VINYL SIDING. FRONT ELEVATION IS STONE HALF WALL WITH VINYL SIDING ABOVE. ONE CAR ATTACHED GARAGE WITH VERTICAL SIDED DOOR. WINDOWS ON FRONT ELEVATION ARE GROUPED IN SETS OF THREE WITH 2 AWNING WINDOWS FLANKING 1 FIXED WINDOW.





5305 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5305 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 19
BLOCK: 7
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 50 METAL

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED RECESSED CARPORT PLAN. SLIGHT PITCH TO FLAT ROOF TO-
WARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE
WITH TWO SECTIONS OF VINYL SIDING EACH WITH ONE 1/1 HUNG
WINDOW. EAST ELEVATION IS MIX OF STONE AND VINYL SIDING.
WEST ELEVATION OF MAIN WING IS MIX OF STONE AND VINYL SIDING
WITH TWO WINDOW OPENINGS. FRONT ENTRANCE IS 6-PANEL METAL
DOOR. SIDELIGHT AND TRANSOM WINDOW FILLED. SECONDARY WING
IS MIX OF STONE AND VINYL SIDING WITH TWO WOOD SLAB DOORS
IN PARKING NICHE. CARPORT INTEGRATES WITH SECONDARY ROOFLINE.





5306 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5306 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 19
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 80 OTHER
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, TWO-CAR CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF PLYWOOD SIDING CONTAINING GROUPING OF 1 FIXED, 1 SQUARE AWNING AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS STONE WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING WITH 1 FIXED, 1 AWNING WINDOW. ONE-CAR GARAGE HAS 8-PANEL, 2-LIGHT WOOD GARAGE DOOR. CARPORT INTEGRATES WITH PERGOLA AND SECONDARY WING ROOFLINE.





5309 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5309 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 18
BLOCK: 7
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 80 OTHER
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH SECTION OF LAP SIDING CONTAINING GROUPING OF 1 FIXED, 1 SQUARE AWNING AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS BRICK WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING CONTAINING TWO-CAR GARAGE WITH ONE 16-PANEL METAL DOOR AND 1 VERTICAL CEMENTITIOUS SIDED DOOR.





5312 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5312 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 18
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 04 POOR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 42 SANDSTONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS SANDSTONE HALF WALL EXTENDING BEYOND CORNERS OF HOUSE WITH VERTICAL WEATHERBOARD ABOVE AND GROUPING OF 1 FIXED, 1 SQUARE AWNING AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING MAY HAVE HAD BREEZEWAY, SINCE ENCLOSED WITH ANGLED TRANSOM WINDOW. GARAGE WING IS VERTICAL WEATHERBOARD WITH MATCHING GARAGE DOOR.





5315 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5315 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 17
BLOCK: 7
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 04 POOR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK HALF WALL WITH VINYL SIDING ABOVE CONTAINING TWO GROUPINGS OF 2 FIXED, 1 AWNING WINDOW. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS VINYL SIDING. ORIGINAL WOOD PERGOLA ALONG WEST ELEVATION FILLED IN. FRONT ENTRANCE IS SLAB DOOR. SECONDARY WING IS VINYL SIDING. ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH WOOD SLAB DOOR. CARPORT INTEGRATES WITH MAIN ROOFLINE.





5316 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5316 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 17
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. ROOF APPEARS TO BE COMPLETELY FLAT. FRONT ELEVATION OF MAIN WING IS BRICK WITH SECTION OF VINYL SIDING CONTAINING GROUPING OF 1 FIXED, 1 SQUARE AWNING. EAST ELEVATION IS VINYL SIDING. WEST ELEVATION OF MAIN WING IS VINYL SIDING WITH 1 AWNING WINDOW NEAR FRONT DOOR. PERGOLA RUNS LENGTH OF WEST ELEVATION. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS VINYL SIDING WITH AWNING WINDOW. ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH SLAB DOOR. CARPORT HAS BRICK COLUMNS AT WEST END AND INTEGRATES WITH PERGOLA AND ROOFLINE.





5321 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5321 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 16
BLOCK: 7
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS LAP WEATHERBOARD SIDING WITH GROUPING OF 1 FIXED, 1 SQUARE SLIDING AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS BRICK, WINDOW OPENINGS FILLED WITH PLYWOOD SIDING. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS LAP SIDING, ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH SLIDING GLASS DOORS. CARPORT INTEGRATES WITH SECONDARY WING ROOFLINE.





5322 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5322 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 16
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 50 METAL

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED RECESSED CARPORT PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK HALF WALL EXTENDING BEYOND CORNERS OF HOUSE WITH VINYL SIDING ABOVE AND TWO GROUPINGS OF 2 FIXED, 1 AWNING. EAST ELEVATION IS MIX OF BRICK AND VINYL SIDING WITH 1/1 HUNG WINDOWS. WEST ELEVATION OF MAIN WING IS VINYL SIDING WITH PAIR OF 1/1 HUNG WINDOWS AT NW CORNER AND ONE 1/1 HUNG WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS 6-PANEL METAL DOOR. SECONDARY WING IS MIX OF BRICK AND VINYL SIDING WITH 6-LIGHT FIXED WINDOW AND GLASS BLOCK WINDOW. CARPORT INTEGRATES WITH ROOFLINE, BUILT-IN STORAGE CLOSET ON WEST SIDE.





5325 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5325 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 15
BLOCK: 7
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 20 WOOD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED BREEZEWAY PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF PLYWOOD SIDING CONTAINING GROUPING OF 1 FIXED, 1 SQUARE AWNING AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL WOOD SIDING. WEST ELEVATION OF MAIN WING IS VERTICAL WOOD SIDING WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDE-LIGHT AND TRANSOM WINDOW. FORMER BREEZEWAY IN SECONDARY WING HAS BEEN ENCLOSED WITH VERTICAL WEATHERBOARD SIDING AND ANGLED TRANSOM WINDOWS. ONE-CAR GARAGE WING IS VERTICAL WOOD SIDING WITH 10-PANEL, 2-LIGHT WOOD DOOR.





5328 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5328 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 15
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, TWO-CAR CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF VERTICAL VINYL SIDING CONTAINING 3-PANE VINYL SLIDING WINDOW AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL VINYL SIDING WITH ORIGINAL STEEL AWNING/FIXED WINDOWS. WEST ELEVATION OF MAIN WING IS STONE WITH PAIR OF STEEL AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS VERTICAL VINYL SIDING WITH 3-PANE VINYL SLIDING WINDOW, ONE-CAR GARAGE HAS VERTICAL VINYL SIDED DOOR. TWO-CAR CARPORT INTEGRATES WITH ROOFLINE.





5331 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5331 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 14
BLOCK: 7
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK LAID IN STACK BOND WITH TWO SYMMETRICAL SECTIONS OF PLYWOOD SIDING CONTAINING GROUPING OF 1 SQUARE FIXED AND 1 SQUARE AWNING WINDOW. ANGLED TRANSOM WINDOWS LIKELY FILLED. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS BRICK WITH GROUPING OF 1 FIXED, 1 AWNING WINDOW AT SW CORNER AND ONE AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR. SECONDARY WING IS VERTICAL WEATHERBOARD. ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH WOOD SLAB DOOR. CARPORT INTEGRATES WITH MAIN ROOFLINE.





5332 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5332 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 14
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
ORIGINAL WOOD RAFTER PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH TWO SECTIONS OF VERTICAL WEATHERBOARD CONTAINING GROUPING OF 1 SQUARE FIXED, 1 SQUARE AWNING AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS STONE WITH GROUPING OF 1 FIXED, 1 AWNING WINDOW NEAR FRONT DOOR. ORIGINAL WOOD RAFTER PERGOLA RUNS LENGTH OF WEST ELEVATION. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS VERTICAL WEATHERBOARD WITH AWNING WINDOW NEAR FRONT DOOR, ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH SLAB DOOR. SMALL BUMP-OUT ADDITION ON WEST ELEVATION CLAD IN VERTICAL WEATHERBOARD. CARPORT INTEGRATES WITH PERGOLA AND SECONDARY WING ROOFLINE.





5335 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5335 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 13
BLOCK: 7
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 80 OTHER
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH FULL-WIDTH ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS VERTICAL CEMENTITIOUS SIDING WITH GROUPING OF 3 WINDOWS - 2 FIXED, 1 SQUARE AWNING - AT SW CORNER AND GROUPING OF 1 FIXED, 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING WITH VINYL GARAGE DOORS.





5338 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5338 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 13
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT, DECK BETWEEN DRIVEWAY AND WEST ELEVATION.

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED RECESSED CARPORT PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH SECTION OF VERTICAL WEATHERBOARD CONTAINING GROUPING OF 1 SQUARE FIXED AND 1 SQUARE AWNING WINDOW. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS BRICK WITH PAIR OF SQUARE WINDOWS AT NW CORNER AND ONE AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR. SECONDARY WING IS MIX OF BRICK AND VERTICAL WEATHERBOARD WITH AWNING WINDOW OF DECORATIVE GLASS WITH GEOMETRIC PATTERN. LOUVERED PRIVACY SCREEN BUILT ACROSS BACK OF PARKING NICHE.





5341 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5341 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 12
BLOCK: 7
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: SHED
ROOF MATERIAL: 63 ASPHALT
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
SECOND STORY ADDITION, CARPORT W/ GARAGE DOOR

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN ALTERED WITH SECOND STORY ADDITION AND CON-
VERSION OF FLAT ROOF TO SHED ROOF. FRONT ELEVATION IS VERTICAL
WEATHERBOARD WITH PAIR OF SQUARE WINDOWS. EAST ELEVATION IS
VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS BRICK.
FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRAN-
SOM WINDOW. ONE-CAR ATTACHED GARAGE HAS VERTICAL WEATHER-
BOARD DOOR. ADDED CARPORT ALSO HAS OVERHEAD GARAGE DOOR.





5342 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5342 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 12
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 04 POOR

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT, HALF-STORY ADDITION ABOVE FRONT DOOR.

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
ALTERED L-SHAPED PLAN. SECONDARY WING REBUILT AS 1.5 STORY WITH FIXED TRANSOM WINDOWS AND PLASTIC DOME SKYLIGHTS. FRONT DOOR ORIENTATION CHANGED FROM WEST TO NORTH. SECONDARY WING BUMPED OUT APPROX 8' TOWARD CURBLINE WITH ADDED CARPORT, CREATING U-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF ON MAIN WING TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH GROUPING OF 7 WINDOWS - 3 FIXED, FOUR 1/1 HUNG IN ALTERNATING PATTERN. EAST ELEVATION IS MIX OF STONE AND VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS STONE. FRONT ENTRANCE IS 4-PANEL WOOD DOOR WITH THREE FIXED FLOOR-TO-CEILING WINDOWS TO EAST AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD.





5345 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5345 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 11
BLOCK: 7
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 04 POOR

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: SHED
ROOF MATERIAL: 63 ASPHALT
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
SECOND STORY ADDITION, ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN ALTERED WITH SECOND STORY ADDITION WITH SHED ROOF. FRONT ELEVATION IS BRICK WITH ONE 1/1 HUNG WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION IS VERTICAL WEATHERBOARD. ADDITION OF ATTACHED TWO-CAR GARAGE CLOSER TO STREET THAN FRONT BUILDING LINE.





5348 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5348 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 11
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: GLAZED PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED RECESSED CARPORT PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH TWO GROUPINGS OF 1 FIXED, 2 AWNING WINDOWS. EAST ELEVATION IS STONE. WEST ELEVATION OF MAIN WING IS STONE WITH FIXED WINDOW AT NW CORNER AND AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS 10-PANEL CARVED WOOD DOOR. SECONDARY WING IS MIX OF STONE AND VERTICAL WEATHERBOARD, RECESSED PARKING NICHE ENCLOSED. CARPORT INTEGRATES WITH MAIN ROOFLINE.





5351 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5351 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 10
BLOCK: 7
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: GABLE
ROOF MATERIAL: 63 ASPHALT
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 80 OTHER
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED RECESSED CARPORT PLAN. FLAT ROOF HAS BEEN ALTERED TO FRONT GABLE WITH HIPPED ROOF OVER CARPORT WING. FRONT ELEVATION OF MAIN WING IS BRICK WITH TWO GROUPINGS OF 1 FIXED, 2 AWNING WINDOWS. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS BRICK WITH GROUPING OF 1 SQUARE FIXED, 1 SQUARE AWNING WINDOW AT SW CORNER AND 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS WOOD PANEL DOOR WITH FAN LIGHT. SECONDARY WING IS MIX OF BRICK AND VERTICAL CEMENTITIOUS SIDING.





5352 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5352 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 10
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 80 OTHER
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
WOOD RAFTER PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. ROOF APPEARS TO BE COMPLETELY FLAT. FRONT ELEVATION OF MAIN WING IS BRICK WITH SECTION OF PLYWOOD SIDING WITH 1 FIXED, 1 SQUARE SLIDING WINDOW. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS VERTICAL CEMENTITIOUS SIDING WITH PAIRED WINDOWS NEAR FRONT DOOR. WOOD RAFTER PERGOLA RUNS LENGTH OF WEST ELEVATION. FRONT ENTRANCE IS 6-PANEL WOOD DOOR WITH SINGLE PANE SIDE-LIGHT. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING WITH AWNING WINDOW, ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH WOOD SLAB DOOR. CARPORT HAS TWO RECTANGULAR BRICK COLUMNS ON WEST SIDE, INTEGRATES WITH PERGOLA AND SECONDARY WING ROOFLINE.





5357 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5357 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 9
BLOCK: 7
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 80 OTHER
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: GLAZED PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, LATTICE

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS VERTICAL CEMENTITIOUS SIDING WITH TWO GROUPINGS OF 1 FIXED, 1 SQUARE AWNING WINDOW. DIAGONAL LATTICE ADDED BETWEEN WINDOW GROUPINGS. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS BRICK WITH GROUPING OF 1 FIXED, 1 AWNING WINDOW AND ONE AWNING WINDOW NEAR FRONT DOOR WITH DIAGONAL LATTICE BETWEEN GROUPINGS. FRONT ENTRANCE IS 6-PANEL GLAZED WOOD DOOR, SINGLE PANE SIDELIGHT, TRANSOM WINDOW FILLED. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING, ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH 6 PANEL METAL DOOR. CARPORT INTEGRATES WITH MAIN ROOFLINE.





5358 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5358 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 9
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO SOUTH FACING SOLAR ROOF PANELS

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS 6" VINYL SIDING WITH 2 GROUPINGS OF 1 FIXED, ONE SQUARE 1/1 HUNG WINDOW. EAST ELEVATION IS 6" VINYL SIDING. WEST ELEVATION OF MAIN WING IS STONE WITH SLIDING WINDOW NEAR FRONT DOOR. EXPOSED RAFTER TAILS ON WEST ELEVATION SAWN OFF. FRONT ENTRANCE IS 6-PANEL WOOD DOOR WITH SINGLE PANE SIDELIGHT, ANGLED TRANSOM WINDOW FILLED. SECONDARY WING IS 6" VINYL SIDING WITH TRANSOM WINDOWS, ONE-CAR GARAGE FILLED ALUMINUM WINDOW.





5361 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5361 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 8
BLOCK: 7
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, SHUTTERS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE HALF WALL WITH VERTICAL VINYL SIDING ABOVE AND GROUPING OF 1 SQUARE FIXED, 1 SQUARE AWNING WINDOW. EAST ELEVATION IS VERTICAL VINYL SIDING. WEST ELEVATION OF MAIN WING IS VERTICAL VINYL SIDING WITH GROUPING OF 1 FIXED, 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDE-LIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VERTICAL VINYL SIDING, ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH PAIR OF VINYL 1/1 HUNG WINDOWS. CARPORT INTEGRATES WITH MAIN ROOFLINE.





5364 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5364 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 8
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 80 OTHER
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO-CAR CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH SECTION OF PLYWOOD SIDING CONTAINING 1 SQUARE VINYL AWNING. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING WITH VINYL AWNING/FIXED WINDOWS. WEST ELEVATION OF MAIN WING IS VERTICAL CEMENTITIOUS SIDING WITH GROUPING OF 1 FIXED, 1 STEEL AWNING WINDOW AT NW CORNER AND PAIR OF STEEL AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING, ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH SLAB WOOD DOOR. CARPORT INTEGRATES WITH MAIN ROOFLINE.





5367 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5367 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 7
BLOCK: 7
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH TWO SYMMETRICAL SECTIONS OF PLYWOOD SIDING CONTAINING GROUPING OF 1 SQUARE FIXED, 1 SQUARE 1/1 HUNG WINDOW. ANGLED TRANSOM WINDOWS LIKELY FILLED. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS BRICK WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 12-PANEL WOOD DOOR WITH SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD, ONE-CAR GARAGE CONVERTED TO LIVING SPACE. CARPORT INTEGRATES WITH MAIN ROOFLINE, FEATURES BOXED COLUMNS.





5368 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5368 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 7
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 50 METAL

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED RECESSED CARPORT PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE HALF WALL EXTENDING BEYOND CORNERS OF HOUSE WITH VERTICAL WEATHERBOARD ABOVE CONTAINING TWO GROUPINGS OF 2 FIXED WINDOWS FLANKING 1 AWNING WINDOW. EAST ELEVATION IS STONE. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH GROUPING OF 1 SQUARE FIXED, 1 SQUARE AWNING WINDOW AT NW CORNER AND 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS 6-PANEL METAL DOOR. SECONDARY WING IS MIX OF STONE AND VERTICAL WEATHERBOARD WITH TWO STEEL AWNING WINDOWS - 1 NEAR FRONT DOOR, 1 IN RECESSED PARKING NICHE. CARPORT HAS BUILT-IN STORAGE CLOSET ON WEST SIDE.





5371 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5371 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 6
BLOCK: 7
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: SIDE GABLE
ROOF MATERIAL: 63 ASPHALT
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 80 OTHER
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. FLAT ROOF ALTERED TO SIDE GABLE ROOF. FRONT ELEVATION OF MAIN WING IS BRICK LAID IN STACK BOND WITH TWO SECTIONS OF VERTICAL CEMENTITIOUS SIDING. ONE SECTION HAS 1 SQUARE FIXED AND 1 SQUARE AWNING WINDOW. OTHER SECTION HAS TWO SQUARE AWNING WINDOWS FLANKING 1 FIXED WINDOW. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS BRICK WITH GROUPING OF 1 FIXED, 1 AWNING WINDOW AT SW CORNER AND 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH 9-LIGHT OCTAGON WINDOW. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING, ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH WOOD SLAB DOOR.





5374 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5374 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 6
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: GLAZED PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO-CAR CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH GROUPING OF 7 WINDOWS - 3 FIXED, 4 SQUARE AWNING IN ALTERNATING PATTERN. EAST ELEVATION IS VERTICAL VINYL SIDING. WEST ELEVATION OF MAIN WING IS STONE WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS GLAZED PANEL WOOD DOOR WITH MID-MODERN DESIGN, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS MIX OF STONE AND VERTICAL WEATHERBOARD WITH TRANSOM WINDOWS. ATTACHED GARAGE CONVERTED TO LIVING SPACE AND BUMPED OUT TOWARD CURB LINE APPROX 4'. TWO-CAR CARPORT INTEGRATES WITH MAIN ROOFLINE.





5377 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5377 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 5
BLOCK: 7
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: CROSS GABLE
ROOF MATERIAL: 63 ASPHALT
WALL MATERIAL, PRIMARY: 80 OTHER
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: GLAZED PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. FLAT ROOF HAS BEEN ALTERED TO CROSS GABLE ROOF. FRONT ELEVATION OF MAIN WING IS STONE WITH FULL-WIDTH ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS VERTICAL CEMENTITIOUS SIDING WITH GROUPING OF 3 WINDOWS - 2 FIXED, ONE 1/1 HUNG - AT SW CORNER AND 1 FIXED, 1 SLIDING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS GLAZED PANEL WOOD DOOR IN MID-MODERN PATTERN, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING, ONE-CAR GARAGE WITH VERTICAL WEATHERBOARD DOOR.





5378 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5378 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 5
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
VINYL-CLAD CHIMNEY ON WEST ELEVATION

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
ALTERED L-SHAPED PLAN. SECONDARY WING ADDITION UP TO FRONT BUILDING LINE OF MAIN WING CREATING U-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS VINYL SIDING WITH TWO GROUPINGS OF 2-PANE SLIDING WINDOWS AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS PAINTED BRICK. FRONT ENTRANCE ORIENTATION CHANGED FROM WEST TO NORTH AND MOVED FORWARD, SLAB DOOR WITH SINGLE PANE SIDELIGHT. FRONT ELEVATION OF SECONDARY WING ADDITION IS VINYL SIDING WITH GROUPING OF 2-PANE SLIDING WINDOW AND ANGLED TRANSOM. WEST ELEVATION IS VINYL SIDING AND SLIDING WINDOWS.





5383 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5383 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 4
BLOCK: 7
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH GROUPING OF 1 FIXED, 1 SQUARE SLIDING AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL VINYL SIDING. WEST ELEVATION OF MAIN WING IS STONE WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDE-LIGHT AND TRANSOM WINDOW. SECONDARY WING WAS POSSIBLY BREEZEWAY PLAN, NOW ENCLOSED WITH VERTICAL VINYL SIDING AND GROUPING OF 1 FIXED, 1 AWNING WINDOW. ONE-CAR GARAGE HAS VERTICAL VINYL DOOR.





5384 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5384 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 4
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ONE STORY

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH GROUPING OF 7 WINDOWS - 3 FIXED, 4 SQUARE AWNING IN ALTERNATING PATTERN. EAST ELEVATION IS VINYL SIDING. WEST ELEVATION OF MAIN WING IS STONE, WINDOWS NEAR FRONT DOOR FILLED. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS MIX OF STONE AND VINYL SIDING WITH TRANSOM WINDOWS. ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH SLAB WOOD DOOR.





5387 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5387 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 3
BLOCK: 7
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED RECESSED CARPORT PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS MIX OF STONE AND VERTICAL WEATHERBOARD WITH LINEAR GROUPING OF WINDOWS - 3 FIXED, 2 AWNING. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH VINYL SLIDING WINDOWS AT SW CORNER AND SMALL SLIDING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS 6-PANEL WOOD DOOR. SECONDARY WING IS MIX OF STONE AND VERTICAL WEATHERBOARD WITH VINYL 1/1 HUNG WINDOW. CARPORT INTEGRATES WITH SECONDARY WING ROOFLINE.





5390 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5390 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 3
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: CROSS GABLE
ROOF MATERIAL: 63 ASPHALT
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 50 METAL

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, TWO-CAR CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. ROOF ALTERED FROM FLAT TO CROSS GABLE. FRONT ELEVATION OF MAIN WING IS BRICK WITH SECTION OF PLYWOOD SIDING CONTAINING 3-PANE SLIDING WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS BRICK WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 6-PANEL METAL DOOR AND SINGLE PANE SIDELIGHT. SECONDARY WING IS VERTICAL WEATHERBOARD WITH GROUPING OF 1 FIXED, 1 STEEL AWNING WINDOW, ONE-CAR GARAGE HAS 16-PANEL METAL DOOR. FREESTANDING TWO-CAR WOOD-FRAMED CARPORT ADDED.





5393 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5393 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 2
BLOCK: 7
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 80 OTHER
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, WOOD RAFTER PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH GROUPING OF 1 FIXED, 1 SQUARE AWNING AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS VERTICAL CEMENTITIOUS SIDING WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. ORIGINAL WOOD RAFTER PERGOLA RUNS FULL LENGTH OF WEST ELEVATION. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING. TWO-CAR GARAGE HAS 10-PANEL, 2-LIGHT WOOD DOORS.





5394 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5394 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 2
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 80 OTHER
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO-CAR CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH TWO SECTIONS OF PLYWOOD SIDING CONTAINING 1 SQUARE VINYL 1/1 HUNG WINDOW. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING WITH 2 GROUPINGS OF ORIGINAL STEEL AWNING/FIXED WINDOWS AND BAY WINDOW ADDITION AT SE CORNER WITH 6/6 AND 4/4 VINYL HUNG WINDOWS. WEST ELEVATION OF MAIN WING IS VERTICAL CEMENTITIOUS SIDING WITH GROUPING OF 1 FIXED, 1 STEEL AWNING WINDOW AT NW CORNER AND PAIR OF STEEL AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING, ONE-CAR GARAGE CONVERTED TO LIVING SPACE AND BUMPED OUT APPROX 4' FOR STORAGE CLOSET CLAD IN VERTICAL WEATHERBOARD. ADDED TWO-CAR CARPORT INTEGRATES WITH MAIN ROOFLINE.





5397 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5397 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 1
BLOCK: 7
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH ONE SQUARE AWNING WINDOW. EAST ELEVATION IS STONE. WEST ELEVATION OF MAIN WING IS STONE WITH FULL-WIDTH ANGLED TRANSOM WINDOWS. PERGOLA RUNS LENGTH OF WEST ELEVATION. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING WAS LIKELY BREEZEWAY, NOW ENCLOSED WITH TRANSOM WINDOW. GARAGE WING IS VERTICAL WEATHERBOARD. ONE-CAR GARAGE HAS 16-PANEL, METAL DOOR.





5398 EAST 26TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5398 E 26 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 1
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: 9-LIGHT FRENCH
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH TWO SECTIONS OF VINYL SIDING CONTAINING GROUPING OF 1 SQUARE FIXED, 1 SQUARE 1/1 HUNG WINDOW, ANGLED TRANSOM WINDOWS LIKELY FILLED. EAST ELEVATION IS VINYL SIDING. WEST ELEVATION OF MAIN WING IS MIX OF STONE AND VINYL SIDING WITH GROUPING OF 1 SQUARE FIXED, 1 SLIDING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS 9-LIGHT FRENCH DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS VINYL SIDING WITH SLIDING WINDOW NEAR FRONT DOOR. ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH SLAB DOOR. WOOD-FRAMED CARPORT INTEGRATES WITH SECONDARY WING ROOFLINE.





4903 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4903 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 21
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE EXTENDING BEYOND CORNERS OF HOUSE WITH FULL-WIDTH ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH GROUPING OF THREE WINDOWS - 2 FIXED, 1 AWNING- AT SW CORNER AND GROUPING OF 1 FIXED, 1 AWNING NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD CONTAINING TWO-CAR GARAGE WITH VERTICAL SIDED WOOD DOORS.





4904 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4904 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 20
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 80 OTHER
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ONE-STORY

DECORATIVE DETAILS:
LATTICE SCREENING OVER WINDOWS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF VERTICAL CEMENTITIOUS SIDING CONTAINING GROUPING OF 1 FIXED, 1 SQUARE AWNING AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS STONE WITH TWO SMALL AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 24-PANEL WOOD DOOR, NO SIDELIGHT OR TRANSOM WINDOW. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING. ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH HORIZONTAL ALUMINUM SLIDING WINDOW AND WOOD SLAB DOOR.





4909 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4909 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 22
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 80 OTHER
WINDOW TYPE: CASEMENT
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB W/ WINDOW
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
LINEAR PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS PAINTED STONE WITH GROUPING OF 4 SINGLE PANE CASEMENTS WITH ANGLED TRANSOM WINDOW. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE DECORATIVE WINDOW, TRANSOM WINDOW HAS BEEN FILLED. ATTACHED TWO-CAR GARAGE HAS SINGLE 32-PANEL METAL DOOR. EAST AND WEST ELEVATIONS ARE VERTICAL CEMENTITIOUS SIDING.





4910 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4910 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 19
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS HALF BRICK WALL EXTENDING BEYOND CORNERS OF HOUSE WITH VERTICAL WEATHERBOARD ABOVE CONTAINING GROUPING OF 5 WINDOWS - 2 FIXED, 3 SQUARE 1/1 HUNG IN ALTERNATING PATTERN. EAST ELEVATION IS VERTICAL WEATHERBOARD, 2 GROUPINGS OF ORIGINAL STEEL AWNING/FIXED WINDOWS REMAIN. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH PAIR OF SMALL WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 6-PANEL WOOD DOOR WITH SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD CONTAINING ONE-CAR GARAGE WITH VERTICAL WOOD SIDED DOOR. CARPORT INTEGRATES WITH MAIN ROOFLINE.





4913 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4913 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 23
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, CARPORT

DECORATIVE DETAILS:
WOOD RAFTER PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH GROUPING OF 3 WINDOWS - 1 FIXED, 1 AWNING, 1 ANGLED TRANSOM. EAST ELEVATION IS STONE. WEST ELEVATION OF MAIN WING IS STONE WITH GROUPING OF 1 FIXED, 1 AWNING WINDOW NEAR FRONT DOOR. ORIGINAL WOOD RAFTER PERGOLA RUNS FULL LENGTH OF WEST ELEVATION. FRONT ENTRANCE IS 10-PANEL DOOR WITH SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD CONTAINING ONE-CAR GARAGE WITH VERTICAL SIDED DOOR. ADDED CARPORT INTEGRATES WITH PERGOLA AND MAIN ROOFLINE.





4914 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4914 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 18
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: 1-LIGHT FRENCH DOOR
DOOR MATERIAL: 50 METAL

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS VINYL SIDING WITH FULL-WIDTH ANGLED TRANSOM WINDOWS AND GROUPING OF 1 SQUARE FIXED, 1 SQUARE AWNING WINDOW. EAST ELEVATION IS STONE. WEST ELEVATION OF MAIN WING IS STONE WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 1-LIGHT FRENCH DOOR WITH DECORATIVE GLASS, MATCHING SIDELIGHT, AND SINGLE PANE TRANSOM WINDOW. SECONDARY WING IS VINYL SIDING. ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH 1-PANE FRENCH DOOR WITH DECORATIVE GLASS. CARPORT INTEGRATES WITH ROOFLINE.





4918 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4918 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 17
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH NARROW SECTION OF VINYL SIDING AND ONE SLIDING WINDOW. EAST ELEVATION IS VINYL SIDING. WEST ELEVATION OF MAIN WING IS STONE WITH FULL-WIDTH ANGLED TRANSOM WINDOWS. EXPOSED RAFTER TAILS HAVE BEEN BOXED IN. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VINYL SIDING WITH TRANSOM WINDOW AND ONE-CAR GARAGE WITH TWO-LIGHT WOOD PANEL DOOR.





4919 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4919 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 24
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, WOOD RAFTER PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED CARPORT PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK HALF WALL EXTENDING BEYOND CORNERS OF HOUSE WITH VERTICAL WEATHERBOARD ABOVE AND TWO SLIDING WINDOWS. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS BRICK WITH SLIDING WINDOWS. ORIGINAL WOOD RAFTER PERGOLA RUNS FULL LENGTH OF WEST ELEVATION. FRONT ENTRANCE IS 10-PANEL CARVED WOOD DOOR. SIDELIGHT AND TRANSOM WINDOW HAVE BEEN FILLED. SECONDARY WING IS MIX OF BRICK AND VERTICAL WEATHERBOARD WITH SLAB DOOR AND TRANSOM WINDOW. CARPORT INTEGRATES INTO MAIN ROOFLINE.





4922 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4922 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 16
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH GROUPING OF 1 FIXED, 1 SQUARE 1/1 HUNG, AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS BRICK WITH GROUPING OF 1 FIXED, 1 SLIDING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS VERTICAL WEATHERBOARD CONTAINING ONE-CAR GARAGE WITH VERTICAL WOOD SIDED DOOR. CARPORT INTEGRATES WITH MAIN ROOFLINE.





4923 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4923 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 25
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 80 OTHER
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH TWO NARROW SECTIONS OF PLYWOOD SIDING CONTAINING GROUPING OF 1 FIXED AND ONE 1/1 HUNG WINDOW, ANGLED TRANSOM WINDOWS HAVE BEEN FILLED. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS VERTICAL CEMENTITIOUS SIDING WITH 1/1 HUNG WINDOW AT SW CORNER AND ORIGINAL STEEL AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR. SECONDARY WING IS MIX OF VERTICAL CEMENTITIOUS SIDING AND BRICK WITH 1/1 HUNG WINDOW AND SLAB WOOD DOOR IN RECESSED PARKING NICHE UNDER CARPORT.





4928 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4928 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 15
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 80 OTHER
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ONE-STORY

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH GROUPING OF 7 WINDOWS - 3 FIXED, 4 SQUARE AWNING IN ALTERNATING PATTERN. EAST ELEVATION IS MIX OF STONE AND VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS STONE WITH TWO AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING. TWO-CAR GARAGE CONVERTED TO LIVING SPACE WITH ALUMINUM SLIDING WINDOWS.





4929 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4929 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 26
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY:
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED CARPORT PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH TWO SYMMETRICAL SECTIONS OF PLYWOOD SIDING EACH CONTAINING ONE SQUARE FIXED, ONE SQUARE 1/1 HUNG WINDOW. ANGLED TRANSOM WINDOWS HAVE BEEN FILLED. EAST ELEVATION IS STONE. WEST ELEVATION OF MAIN WING IS STONE WITH TWO WINDOW OPENINGS. FRONT ENTRANCE IS 6-PANEL DOOR, TRANSOM WINDOW HAS BEEN FILLED. SECONDARY WING IS MIX OF STONE AND LAP WEATHERBOARD SIDING WITH SLAB DOOR AND FILLED TRANSOM WINDOW. CARPORT INTEGRATES WITH MAIN ROOFLINE.





4932 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4932 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 14
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO-CAR CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE EXTENDING BEYOND CORNERS OF HOUSE WITH FULL-WIDTH ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH GROUPING OF 3 WINDOWS - 2 FIXED, ONE 1/1 HUNG - AT NW CORNER AND PAIR OF WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS MIX OF STONE AND VERTICAL WEATHERBOARD WITH TRANSOM WINDOWS. ONE-CAR GARAGE CONVERTED TO LIVING SPACE, NO FENESTRATION. TWO-CAR CARPORT INTEGRATES WITH MAIN ROOFLINE.





4933 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4933 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 27
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 80 OTHER
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: 9-LIGHT FRENCH DOOR
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS VERTICAL CEMENTITIOUS SIDING WITH FULL-WIDTH ANGLED TRANSOM WINDOWS AND SECTION OF PLYWOOD SIDING WITH PAIR OF SLIDING WINDOWS. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS BRICK WITH GROUPING OF TWO WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 9-LIGHT FRENCH DOOR WITH SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING WITH ONE-CAR GARAGE WITH VERTICAL CEMENTITIOUS SIDED DOOR. ADDED CARPORT INTEGRATES WITH MAIN ROOFLINE.





4936 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4936 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 13
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: 1-LIGHT FRENCH DOOR
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF PLYWOOD SIDING CONTAINING 1 FIXED, 1 VINYL 1/1 HUNG, AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS STONE WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 1-LIGHT WOOD FRENCH DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING. ONE-CAR GARAGE HAS BEEN BUMPED OUT APPROX 6' BUT STILL SET BACK FROM FRONT BUILDING LINE. GARAGE HAS 4-LIGHT WOOD PANEL DOOR. CARPORT INTEGRATES WITH SECONDARY ROOFLINE.





4937 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4937 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 28
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE EXTENDING BEYOND CORNERS OF HOUSE WITH FULL-WIDTH ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VINYL SIDING. WEST ELEVATION OF MAIN WING IS VINYL SIDING WITH GROUPING OF THREE WINDOWS AT SW CORNER - 2 FIXED AND ONE SLIDING WINDOW AND SLIDING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VINYL SIDING WITH GROUPING OF ONE FIXED AND ONE STEEL AWNING WINDOW AND ONE-CAR GARAGE WITH 16-PANEL METAL DOOR.





4938 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4938 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 12
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED CARPORT PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS PAINTED BRICK WITH TWO SYMMETRICAL SECTIONS OF PLYWOOD SIDING EACH CONTAINING 1 SQUARE FIXED AND 1 SQUARE AWNING WINDOW. ANGLED TRANSOM WINDOWS LIKELY FILLED. EAST ELEVATION IS PAINTED BRICK. WEST ELEVATION OF MAIN WING IS PAINTED BRICK WITH UPPER SECTION OF VERTICAL WEATHERBOARD CONTAINING GROUPING OF 1 FIXED, 1 AWNING WINDOW AT NW CORNER AND 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS MIX OF PAINTED BRICK AND WOOD LAP SIDING CONTAINING SLAB WOOD DOOR. CARPORT INTEGRATES WITH MAIN ROOFLINE.





4943 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4943 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 29
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH GROUPING OF 7 WINDOWS - 3 FIXED, 4 SQUARE AWNING WINDOWS IN ALTERNATING PATTERN. EAST ELEVATION IS MIX OF STONE AND VERTICAL VINYL SIDING. WEST ELEVATION OF MAIN WING IS STONE WITH TWO SMALL AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VERTICAL VINYL SIDING CONTAINING TWO-CAR GARAGE WITH VERTICAL CEMENTITIOUS SIDED DOORS.





4944 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4944 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 11
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED RECESSED CARPORT PLAN. SLIGHT PITCH TO FLAT ROOF TO-
WARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE
WITH TWO SYMMETRICAL SECTIONS OF PLYWOOD SIDING CONTAIN-
ING 1 SQUARE 1/1 HUNG WINDOW. EAST ELEVATION IS STONE. WEST
ELEVATION OF MAIN WING IS STONE WITH VINYL SLIDING WINDOW
AT NW CORNER AND SMALL SLIDING WINDOW NEAR FRONT DOOR.
FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT. SEC-
ONDARY WING IS MIX OF STONE AND VERTICAL WEATHERBOARD WITH
RECESSED PARKING NICHE AND SLAB WOOD DOOR. CARPORT IS ORIG-
INAL AND INTEGRATES WITH SECONDARY WING ROOFLINE.





4948 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4948 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 10
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH SECTION OF VERTICAL WEATHERBOARD CONTAINING TWO GROUPINGS OF 1 SQUARE AWNING AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS BRICK WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD CONTAINING ONE-CAR GARAGE WITH 2-LIGHT WOOD DOOR. CARPORT INTEGRATES WITH SECONDARY ROOFLINE.





4949 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4949 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 30
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 50 METAL

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, TWO-CAR CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH TWO LINEAR GROUPINGS OF 3 WINDOWS - 2 FIXED AND 1 AWNING. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS BRICK WITH GROUPING OF 1 FIXED, 1 AWNING WINDOW AT SW CORNER AND 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS 6-PANEL METAL DOOR WITH SINGLE PANE SIDELIGHT. TRANSOM WINDOW HAS BEEN FILLED. SECONDARY WING IS VINYL SIDING WITH ONE-CAR GARAGE BUMPOUT ADDITION WITH 1 6-PANEL METAL DOOR. TWO-CAR CARPORT HAS BEEN ADDED.





4953 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4953 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 31
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, WOOD RAFTER PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF PLYWOOD SIDING CONTAINING GROUPING OF THREE WINDOWS - 1 FIXED, 1 SQUARE AWNING, 1 ANGLED TRANSOM. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH TWO SMALL AWNING WINDOWS NEAR FRONT DOOR. ORIGINAL WOOD RAFTER PERGOLA RUNS FULL LENGTH OF WEST ELEVATION. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD WITH TWO ANGLED TRANSOM WINDOWS AND ONE-CAR GARAGE WITH VERTICAL WOOD SIDED DOOR.





4954 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4954 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 9
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 80 OTHER
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED CARPORT PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK HALF WALL EXTENDING BEYOND CORNERS OF HOUSE WITH VERTICAL CEMENTITIOUS SIDING ABOVE CONTAINING TWO GROUPINGS OF 2 AWNING WINDOWS FLANKING 1 FIXED WINDOW. EAST ELEVATION IS BRICK WITH REPLACEMENT 1/1 VINYL HUNG WINDOWS. WEST ELEVATION OF MAIN WING IS BRICK WITH GROUPING OF 1 FIXED, 1 AWNING WINDOW AT NW CORNER AND ONE AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS 6 PANEL WOOD DOOR. SECONDARY WING IS MIX OF BRICK AND VERTICAL CEMENTITIOUS SIDING. CARPORT INTEGRATES WITH MAIN ROOFLINE.





4958 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4958 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 8
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 80 OTHER
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, TWO-CAR CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH GROUPING OF 7 WINDOWS - 3 STEEL FIXED, 4 SQUARE 1/1 VINYL IN ALTERNATING PATTERN. EAST ELEVATION IS MIX OF STONE AND VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS STONE WITH PAIR OF SLIDING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING WITH GROUPING OF 2 SQUARE AWNING WINDOWS FLANKING 1 FIXED WINDOW. ONE-CAR GARAGE HAS METAL DOOR. FREE-STANDING TWO-CAR METAL CARPORT ADDED.





4959 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4959 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 32
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 80 OTHER
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, WOOD RAFTER PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED CARPORT PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS VERTICAL CEMENTITIOUS SIDING WITH TWO SECTIONS OF PLYWOOD SIDING CONTAINING PAIR OF SQUARE WINDOWS - 1 FIXED, 1 AWNING. ANGLED TRANSOM WINDOWS HAVE LIKELY BEEN FILLED. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS BRICK WITH SECTION OF PLYWOOD SIDING CONTAINING 1 FIXED AND 2 AWNING WINDOWS. ORIGINAL WOOD RAFTER PERGOLA RUNS FULL LENGTH OF WEST ELEVATION. FRONT ENTRANCE IS SLAB DOOR WITH SIDELIGHT. TRANSOM WINDOW HAS BEEN FILLED. SECONDARY WING IS MIX OF BRICK AND HORIZONTAL CEMENTITIOUS SIDING WITH SLAB DOOR. CARPORT INTEGRATES WITH PERGOLA AND MAIN ROOFLINE.





4962 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4962 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 7
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO-CAR CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF VERTICAL WEATHERBOARD CONTAINING 1 FIXED, 1 SQUARE AWNING AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS STONE WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS VERTICAL WEATHERBOARD WITH TRANSOM WINDOWS. ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH 6-PANEL METAL DOOR. FREESTANDING TWO-CAR CARPORT ADDED.





4963 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4963 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 33
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, WOOD RAFTER PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED CARPORT PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH TWO SYMMETRICAL SECTIONS OF PLYWOOD SIDING EACH WITH PAIR OF SQUARE WINDOWS, 1 FIXED 1 AWNING. ANGLED TRANSOM WINDOWS LIKELY FILLED. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS BRICK WITH GROUPING OF 1 FIXED, 1 AWNING WINDOW AT SW CORNER AND GLASS BLOCK WINDOW NEAR DOOR. ORIGINAL WOOD RAFTER PERGOLA RUNS FULL LENGTH OF WEST ELEVATION. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDE-LIGHT, TRANSOM WINDOW FILLED. SECONDARY WING IS MIX OF BRICK AND VERTICAL WEATHERBOARD WITH SLAB DOOR AND TRANSOM. CARPORT INTEGRATES WITH PERGOLA AND MAIN ROOFLINE.





4967 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4967 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 34
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 80 OTHER
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE, CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH NARROW SECTION OF PLYWOOD SIDING CONTAINING SQUARE 1/1 HUNG WINDOW. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS VERTICAL CEMENTITIOUS SIDING WITH TWO SLIDING WINDOWS. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING CONTAINING TWO-CAR GARAGE WITH VERTICAL CEMENTITIOUS SIDED DOORS. FREESTANDING METAL CARPORT ADDED.





4968 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4968 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 6
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: GLAZED PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, TWO-CAR CARPORT, FRONT CHIMNEY

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH GROUPING OF 7 WINDOWS - 3 FIXED, 4 SQUARE 1/1 HUNG IN ALTERNATING PATTERN. EAST ELEVATION IS MIX OF STONE AND VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS STONE WITH PAIR OF STEEL AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 6-PANEL GLAZED WOOD DOOR WITH SINGLE PANE SIDE-LIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD WITH TWO STEEL AWNING WINDOWS FLANKING STONE CHIMNEY. ONE-CAR GARAGE HAS WOOD PANEL DOOR. FREE-STANDING TWO-CAR CARPORT ADDED.





4973 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4973 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 35
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO-CAR CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS PAINTED BRICK WITH TWO SYMMETRICAL SECTIONS OF PATCHED BRICK EACH CONTAINING 1 SQUARE FIXED AND 1 SQUARE AWNING WINDOW. ANGLED TRANSOM WINDOWS LIKELY FILLED. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS BRICK WITH GROUPING OF 1 FIXED, 1 AWNING WINDOW AT SW CORNER AND 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE ORIENTATION HAS BEEN CHANGED FROM WEST-FACING TO SOUTH-FACING. FRONT DOOR IS WOOD SLAB WITH THREE DECORATIVE WINDOWS. SECONDARY WING HAS BEEN BUMPED OUT AND CLAD IN VERTICAL VINYL SIDING. ADDED CARPORT INTEGRATES WITH MAIN ROOFLINE.





4974 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4974 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 5
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH TWO SLIDING WINDOWS. ANGLED TRANSOM WINDOWS LIKELY FILLED. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS BRICK WITH PAIR OF WINDOWS AT NW CORNER AND AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE ORIENTATION ALTERED TO FACE NORTH. FRONT DOOR IS WOOD SLAB WITH SECURITY BAR STORM DOOR. SECONDARY WING HAS BEEN BUMPED OUT APPROX 3-4' ACROSS FULL WIDTH OF NORTH ELEVATION CLAD IN VERTICAL VINYL SIDING. ADDED CARPORT INTEGRATES WITH MAIN ROOFLINE.





4977 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4977 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 36
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
BAY WINDOW ADDITION

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF VERTICAL VINYL SIDING CONTAINING 1 FIXED, ONE 1/1 ALUMINUM HUNG AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL VINYL SIDING. WEST ELEVATION OF MAIN WING IS STONE WITH TWO ORIGINAL STEEL AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING VERTICAL VINYL SIDING WITH ADDED BAY WINDOW BUMPOUT OF THREE 6/6 VINYL HUNG WINDOWS. ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH METAL PANEL DOOR.





4980 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4980 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 4
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED CARPORT PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK HALF WALL EXTENDING BEYOND CORNERS OF HOUSE WITH VINYL SIDING ABOVE CONTAINING TWO GROUPINGS OF 2 AWNING WINDOWS FLANKING 1 FIXED WINDOW. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS BRICK WITH PAIRED WINDOWS AT NW CORNER AND 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS MIX OF BRICK AND VINYL SIDING WITH SLAB WOOD DOOR AND MID-MODERN PATTERN WOOD SCREEN DOOR. CARPORT INTEGRATES WITH MAIN ROOFLINE.





4983 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: BUTTERFLY HOUSE

ADDRESS: 4983 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 37
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: BUTTERFLY
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 42 SANDSTONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
BUTTERFLY ROOF, TWO-CAR CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
CUSTOM BUILT L-SHAPED PLAN WITH INTEGRAL TWO-CAR CARPORT UNDER PRIMARY ROOFLINE. "BUTTERFLY" ROOF HAS INVERTED RIDGE-LINE PITCHING INWARD FROM SIDE ELEVATIONS TOWARD CENTER OF HOUSE. FRONT ELEVATION OF MAIN WING IS SANDSTONE WITH TWO GROUPINGS OF 2 FIXED WINDOWS FLANKING TWO 1/1 HUNG WINDOWS, AND FULL-WIDTH ANGLED TRANSOM WINDOWS. EAST ELEVATION IS SANDSTONE. WEST ELEVATION OF MAIN WING IS SANDSTONE. FRONT ENTRANCE IS 9-PANEL WOOD DOOR. SECONDARY WING IS VERTICAL WEATHERBOARD WITH TWO GROUPINGS OF TWO 1/1 HUNG WINDOWS FLANKING ONE FIXED WINDOW.





4986 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4986 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 3
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 42 SANDSTONE
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, CARPORT

DECORATIVE DETAILS:
PATTERNED CINDER BLOCK WALL

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS SANDSTONE WITH SECTION OF VERTICAL VINYL SIDING COVERING FRONT WINDOW OPENINGS. EAST ELEVATION IS VERTICAL VINYL SIDING. WEST ELEVATION OF MAIN WING IS MIX OF SANDSTONE AND VERTICAL VINYL SIDING WITH SLIDING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB WOOD DOOR WITH SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL VINYL SIDING WITH ANGLED TRANSOM WINDOWS. ONE-CAR GARAGE HAS BEEN BUMPED OUT APPROX 6'. GARAGE HAS 24-PANEL METAL DOOR. ADDED CARPORT INTEGRATES WITH SECONDARY WING ROOFLINE.





4987 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4987 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 38
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 42 SANDSTONE
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO-CAR CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS SANDSTONE WITH SECTION OF VINYL SIDING CONTAINING GROUPING OF 1 FIXED, ONE 1/1 HUNG AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VINYL SIDING. WEST ELEVATION OF MAIN WING IS VINYL SIDING WITH SMALL AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS 8-PANEL DOOR WITH SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VINYL SIDING WITH TRANSOM WINDOW. ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH VINYL SLIDING WINDOW. FREESTANDING CARPORT ADDED.





4992 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4992 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 2
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 50 METAL

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
FISH SCALE VINYL SHINGLES

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE HALF WALL EXTENDING BEYOND CORNERS OF HOUSE WITH TWO GROUPINGS OF 1 FIXED, 1 SQUARE 1/1 HUNG VINYL WINDOWS. ANGLED TRANSOM WINDOWS ON FRONT ELEVATION FILLED AND CLAD WITH VINYL FISH SCALE SHINGLES. EAST ELEVATION IS VINYL SIDING. WEST ELEVATION OF MAIN WING IS VINYL SIDING WITH VINYL SLIDING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS 6-PANEL METAL DOOR WITH SINGLE PANE AND PANELED SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VINYL SIDING WITH ANGLED TRANSOM WINDOW. ONE-CAR GARAGE ADDITION BUMPED OUT TO FRONT BUILDING LINE WITH VINYL SIDING, VINYL FISHSCALE SHINGLES ABOVE 4-LIGHT METAL PANEL DOOR.





4993 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4993 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 39
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: PANEL W/ FAN LIGHT
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, WOOD RAFTER PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF VINYL SIDING CONTAINING 1 FIXED, 1 SQUARE 1/1 VINYL HUNG, AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VINYL SIDING. WEST ELEVATION OF MAIN WING IS VINYL SIDING. ORIGINAL WOOD RAFTER PERGOLA RUNS FULL LENGTH OF WEST ELEVATION. FRONT ENTRANCE IS PANEL DOOR WITH FAN LIGHT, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VINYL SIDING WITH ALUMINUM CASEMENT WINDOWS AND ONE-CAR GARAGE WITH METAL DOOR. FREESTANDING CARPORT ADDED.





4997 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4997 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 40
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, FRONT CHIMNEY

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH GROUPING OF 7 WINDOWS - 3 FIXED, 4 SQUARE AWNING IN ALTERNATING PATTERN. EAST ELEVATION IS MIX OF STONE AND VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS STONE WITH TWO SMALL AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING WITH 4 CASEMENT WINDOWS AND ADDITION OF FIREPLACE CHIMNEY. ATTACHED ONE-CAR GARAGE HAS VERTICAL CEMENTITIOUS SIDED DOOR.





4998 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4998 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 1
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 42 SANDSTONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO-CAR CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS SANDSTONE WALL EXTENDING BEYOND CORNERS OF HOUSE WITH FULL-WIDTH ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VINYL SIDING. WEST ELEVATION OF MAIN WING IS VINYL SIDING WITH GROUPING OF 3 WINDOWS - 2 FIXED , 1 SQUARE AWNING - AT NW CORNER AND GROUPING OF 1 FIXED, 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS VINYL SIDING WITH GROUPING OF TWO AWNING WINDOWS FLANKING FIXED WINDOW. ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH ALUMINUM SLIDING WINDOWS. FREESTANDING TWO-CAR METAL CARPORT ADDED.





5303 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5303 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 20
BLOCK: 9
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 50 METAL

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, TWO-CAR CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS PAINTED STONE WITH GROUPING OF 3 WINDOWS - 1 FIXED, 1 SQUARE 1/1 HUNG AND 1 ANGLED TRANSOM. EAST ELEVATION IS VINYL SIDING. WEST ELEVATION OF MAIN WING IS PAINTED STONE WITH PAIR OF SLIDING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 6-PANEL METAL DOOR WITH SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VINYL SIDING WITH 1 FIXED, 1 SLIDING WINDOW AND ONE-CAR GARAGE WITH 16-PANEL METAL DOOR. FREESTANDING TWO-CAR METAL CARPORT ADDED.





5308 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: TOM CARTER RESIDENCE

ADDRESS: 5308 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 16
BLOCK: 11
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE, INTERIOR BRICK CHIMNEY

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
CUSTOM-BUILT L-SHAPED PLAN, LARGER THAN TYPICAL HOUSES IN DISTRICT. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH SECTION OF VERTICAL WEATHERBOARD CONTAINING PAIRED SQUARE WINDOWS, ALUMINUM 1/1 HUNG. EAST ELEVATION IS VERTICAL WEATHERBOARD WITH 1/1 HUNG AND FIXED WINDOWS. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT AND PERIOD WOOD LOUVERED SCREEN DOOR. SECONDARY WING IS MIX OF BRICK AND VERTICAL WEATHERBOARD WITH 3 SQUARE 4" X 4" WOOD COLUMNS, INTERIOR BRICK CHIMNEY, AND TWO CAR-GARAGE EACH WITH VERTICAL WEATHERBOARD DOORS. WEST GARAGE DOOR HAS ACCESS DOOR ADDED IN MATCHING SIDING.





5311 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5311 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 21
BLOCK: 9
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO STYLE

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: RANCH

FOUNDATION MATERIAL: 30 BRICK
ROOF TYPE: HIPPED
ROOF MATERIAL: 63 ASPHALT
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY:
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED RANCH HOUSE CLAD IN BRICK WITH SINGLE PANE PICTURE WINDOW FLANKED BY 1/1 HUNG WINDOWS ON FRONT ELEVATION. SMALL FRONT PORCH/STOOP HAS WROUGHT IRON RAILING. ATTACHED TWO-CAR GARAGE HAS 24-PANEL METAL DOOR.





5312 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5312 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 15
BLOCK: 11
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO-CAR CARPORT

DECORATIVE DETAILS:
PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS PAINTED STONE WITH 2 SYMMETRICAL GROUPINGS OF 1 FIXED, 1 SQUARE 1/1 HUNG, AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS MIX OF PAINTED STONE AND VERTICAL VINYL SIDING. WEST ELEVATION OF MAIN WING IS MIX OF PAINTED STONE AND VERTICAL VINYL SIDING WITH TWO SLIDING WINDOWS NEAR FRONT DOOR. RAFTER PERGOLA RUNS LENGTH OF WEST ELEVATION. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS VERTICAL VINYL SIDING WITH PAIRED 2/2 ALUMINUM HUNG WINDOWS AND WOOD SLAB DOOR. TWO-CAR CARPORT INTEGRATED WITH PERGOLA AND SECONDARY WING ROOFLINE.





5315 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5315 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 22
BLOCK: 9
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO STYLE

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: RANCH


FOUNDATION MATERIAL: 30 BRICK
ROOF TYPE: HIPPED
ROOF MATERIAL: 63 ASPHALT
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY:
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED RANCH HOUSE. ATTACHED TWO-CAR GARAGE HAS 2-LIGHT PANEL METAL DOOR. ENTRY STOOP HAS NO RAILINGS. EXPOSED RAFTER TAILS HAVE ROUNDED ENDS.





5321 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5321 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 23
BLOCK: 9
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
DETACHED TWO CAR GARAGE AT FRONT OF PROPERTY

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH GROUPING OF 7 WINDOWS - 3 FIXED, 4 SQUARE AWNING. EAST ELEVATION IS MIX OF BRICK AND VINYL SIDING. WEST ELEVATION OF MAIN WING IS BRICK WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS MIX OF BRICK AND VINYL SIDING WITH 2 FIXED, 1 AWNING WINDOW. ATTACHED GARAGE CONVERTED TO LIVING SPACE WITH SLIDING GLASS DOOR. DETACHED TWO-CAR GARAGE BUILT IN DRIVEWAY IN FRONT OF SECONDARY WING AND UP TO FRONT BUILDING LINE. GARAGE CLAD IN VINYL SIDING WITH FLAT ROOF AND ONE 5-LIGHT PANEL WOOD DOOR.





5325 EAST 27TH STREET

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5325 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 24
BLOCK: 9
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: HIPPED
ROOF MATERIAL: 63 ASPHALT
WALL MATERIAL, PRIMARY: 80 OTHER
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, PATTERNED BLOCK WALL NEAR ENTRY

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. ROOF ALTERED FROM FLAT TO HIPPED. FRONT ELEVATION OF MAIN WING IS PAINTED STONE WITH ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS VERTICAL CEMENTITIOUS SIDING WITH PAIR OF 1/1 HUNG WINDOWS AT SW CORNER AND SLIDING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH MATCHING STAINED GLASS SIDELIGHT AND TRANSOM WINDOWS. DECORATIVE PATTERN BLOCK WALL AT ENTRY FOR PRIVACY. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING, TWO-CAR GARAGE HAS ONE METAL PANEL DOOR.





5397 EAST 27TH STREET



PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: FIFTY-THREE HUNDRED CLUB POOL

ADDRESS: 5397 E 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 37-38
BLOCK: 9
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: U STRUCTURE
HISTORIC FUNCTION: 08F OUTDOOR RECREATION
CURRENT FUNCTION: 08F OUTDOOR RECREATION

AREA OF SIGNIFICANCE, PRIMARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

AREA OF SIGNIFICANCE, SECONDARY:
30 ARCHITECTURE

YEAR BUILT: 1958
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 04 POOR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT


ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY:
WINDOW TYPE:
WINDOW MATERIAL:
DOOR TYPE:
DOOR MATERIAL:

EXTERIOR FEATURES:
FLAT-ROOF CANOPY, ELEVATED SUNBATHING DECK

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
NEIGHBORHOOD POOL ON CORNER LOT WITH CHAIN LINK FENCE ON SOUTH AND EAST SIDES OF PROPERTY. CLUBHOUSE BUILDING IS BRICK WITH FLAT ROOF AND EXPOSED RAFTER TAILS. SQUARE WINDOWS ON WEST, SOUTH AND EAST ELEVATIONS FILLED WITH PLYWOOD SIDING. FLAT ROOF CANOPY EXTENDS NORTH FROM CLUBHOUSE, SHELTERING PICNIC TABLES AND CUBBYHOLE STORAGE. AT NW CORNER OF LOT, ELEVATED SUNBATHING DECK WITH BLOCK RETAINING WALL LAID IN STACK BOND. POLYGON-SHAPED POOL HAS NORTH-SOUTH ORIENTATION. PUMP HOUSE AT NE CORNER OF LOT HAS CONCRETE BLOCK WALLS, FLAT ROOF, AND TWO SMALL WINDOWS FACING POOL.



2736 SOUTH DARLINGTON AVENUE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 2736 S DARLINGTON AV E
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 1
BLOCK: 6
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1957
ARCHITECT/BUILDER: HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO STYLE

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: RANCH

FOUNDATION MATERIAL: 43 LIMESTONE
ROOF TYPE: HIPPED
ROOF MATERIAL: 63 ASPHALT
WALL MATERIAL, PRIMARY: 43 LIMESTONE
WALL MATERIAL, SECONDARY:
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
ONE-STORY RANCH OF CUT LIMESTONE WALLS WITH ALUMINUM SLID-
ING WINDOWS AND ATTACHED TWO-CAR GARAGE WITH 32-PANEL
METAL DOOR ON NORTH ELEVATION. FRONT ENTRANCE IS SLAB DOOR
WITH SINGLE PANE SIDELIGHT.





4903 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4903 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 20
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE, TWO-CAR CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH NARROW SECTION OF PLYWOOD SIDING CONTAINING SQUARE AWNING WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH GROUPING OF 1 FIXED, 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD AND TWO-CAR GARAGE. WEST BAY HAS VERTICAL SIDED WOOD DOOR. EAST BAY CONVERTED TO LIVING SPACE. TWO-CAR CARPORT ADDED.





4904 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4904 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 20
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
FORMER L-SHAPED PLAN WITH TWO-CAR GARAGE ADDITION IN SECONDARY WING BRINGING GARAGE DOOR UP TO FRONT BUILDING LINE. FRONT ENTRANCE HAS BEEN RELOCATED TO WEST ELEVATION OF HOUSE, CONSISTS OF 24 PANEL CARVED WOOD DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW (LIKELY THE ORIGINAL MATERIALS). FRONT ELEVATION IS STONE WITH ONE ANGLED TRANSOM WINDOW. WINDOWS BELOW TRANSOM HAVE BEEN FILLED. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION IS STONE. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS, ROOFLINE ALTERED SLIGHTLY WITH SAME PITCH BUT EXTENDED TO GARAGE ADDITION.





4909 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4909 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 21
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
LINEAR/COURTYARD PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION IS PRIMARILY STONE WITH NARROW SECTION OF PLYWOOD SIDING CONTAINING SQUARE 1/1 HUNG WINDOW WITH ANGLED TRANSOM WINDOW. RECESSED FRONT ELEVATION IS VERTICAL WEATHERBOARD WITH ANGLED TRANSOM WINDOWS. GARAGE WING IS VERTICAL WEATHERBOARD. ATTACHED ONE-CAR GARAGE HAS 16-PANEL METAL DOOR. EAST AND WEST ELEVATIONS ARE VERTICAL WEATHERBOARD. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW.





4910 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4910 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 19
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE EXTENDING BEYOND CORNERS OF HOUSE WITH FULL-WIDTH ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH GROUPING OF THREE WINDOWS - 2 FIXED, 1 SQUARE AWNING - AT NW CORNER AND GROUPING OF 1 FIXED, 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH THREE CIRCULAR WINDOWS, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD CONTAINING ONE-CAR GARAGE WITH 16-PANEL METAL DOOR.





4913 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4913 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 22
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH NARROW SECTION OF VINYL SIDING CONTAINING SQUARE AWNING WINDOW. EAST ELEVATION IS VINYL SIDING. WEST ELEVATION OF MAIN WING IS STONE WITH FULL-WIDTH TRANSOM WINDOWS. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VINYL SIDING WITH TRANSOM WINDOW. ATTACHED ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH ALUMINUM SLIDING WINDOWS. ADDED CARPORT INTEGRATES WITH MAIN ROOF LINE.





4914 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4914 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 18
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SLIDING/HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS VINYL SIDING CONTAINING TWO GROUPINGS OF 1 FIXED, ONE 1/1 ALUMINUM HUNG, AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS MIX OF STONE AND VINYL SIDING WITH VINYL SLIDING WINDOWS. WEST ELEVATION OF MAIN WING IS MIX OF STONE AND VINYL SIDING WITH TWO SLIDING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VINYL SIDING WITH SLIDING WINDOWS AND ONE-CAR GARAGE WITH WOOD PANEL DOOR.





4919 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4919 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 23
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
GROUPING OF 4 WINDOWS, FRONT ELEVATION

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF VERTICAL WEATHERBOARD AND PLYWOOD SIDING CONTAINING GROUPING OF 1 SQUARE FIXED, 1 SQUARE AWNING, 2 ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS MIX OF STONE AND VERTICAL WEATHERBOARD WITH GROUPING OF 1 FIXED, 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD. ATTACHED ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH PAIR OF 2/2 ALUMINUM HUNG WINDOWS.





4920 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4920 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 17
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY:
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, TWO-CAR CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
LINEAR PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION IS BRICK WITH TWO SMALL VINYL SLID-ING WINDOWS. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT WITH COLORED GLASS. ATTACHED ONE-CAR GARAGE HAS VERTICAL SIDED WOOD DOOR. FREESTANDING TWO-CAR CARPORT ADDED. EAST AND WEST ELEVATIONS ARE BRICK.





4922 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4922 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 16
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO-CAR CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE EXTENDING BEYOND CORNERS OF HOUSE WITH FULL-WIDTH ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VINYL SIDING. WEST ELEVATION OF MAIN WING IS VINYL SIDING WITH GROUPING OF 3 WINDOWS - 2 FIXED, 1 SQUARE AWNING - AT NW CORNER AND GROUPING OF 1 FIXED, 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS MIX OF VERTICAL WEATHERBOARD AND VINYL SIDING. ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH SINGLE PANE FIXED WINDOW AND SMALL BUMP-OUT STORAGE CLOSET. FREE-STANDING METAL TWO-CAR CARPORT ADDED.





4923 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4923 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 24
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF VINYL SIDING CONTAINING PAIR OF AWNING WINDOWS WITH ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VINYL SIDING. WEST ELEVATION OF MAIN WING IS STONE WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS VINYL SIDING WITH TWO ALUMINUM SLIDING WINDOWS AND ATTACHED ONE-CAR GARAGE WITH VINYL SIDED DOOR.





4928 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4928 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 15
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE HALF WALL EXTENDING BEYOND CORNERS OF HOUSE WITH VERTICAL WEATHERBOARD ABOVE CONTAINING TWO GROUPINGS OF 1 FIXED, 1 AWNING WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH TWO AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD. ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH CLEAR-VIEW SLIDING GLASS DOORS. ADDED CARPORT INTEGRATES WITH MAIN ROOFLINE.





4929 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4929 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 25
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH FULL-WIDTH FIXED ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VINYL SIDING. WEST ELEVATION OF MAIN WING IS VINYL SIDING WITH GROUPING OF THREE WINDOWS - 1 FIXED, 1 SQUARE AWNING, 1 TRANSOM - AT SW CORNER AND PAIRED WINDOWS - 1 FIXED, 1 AWNING - NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS VINYL SIDING CONTAINING ATTACHED ONE-CAR GARAGE WITH METAL DOOR.





4932 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4932 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 14
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 01 EXCELLENT

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH SECTION OF VERTICAL WEATHERBOARD CONTAINING TWO SQUARE AWNING WINDOWS. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH TWO GROUPINGS OF 1 FIXED, 1 AWNING WINDOW. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD CONTAINING TWO-CAR GARAGE WITH VERTICAL SIDED WOOD DOORS. ROOF LINE ABOVE SECONDARY WING HAS BEEN BUILT UP NOMINALLY, NOT MATERIAL CHANGE TO STRUCTURE.





4933 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4933 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 26
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH NARROW SECTION OF PLYWOOD SIDING CONTAINING SQUARE 1/1 HUNG WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH GROUP-ING OF THREE WINDOWS - 1 FIXED, ONE 1/1 HUNG, 1 TRANSOM - AT SW CORNER AND ORIGINAL STEEL AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATH-ERBOARD. ATTACHED ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH ALUMINUM SLIDING WINDOWS. ADDED CARPORT INTEGRATES WITH MAIN ROOFLINE.





4936 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4936 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 13
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 55 ALUMINUM
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF VERTICAL ALUMINUM SIDING CONTAINING GROUPING OF 1 FIXED, 1 SQUARE AWNING AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL ALUMINUM SIDING. WEST ELEVATION OF MAIN WING IS STONE WITH TWO SMALL AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL ALUMINUM SIDING CONTAINING TWO-CAR GARAGE WITH 16-PANEL METAL DOORS.





4939 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4939 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 27
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: 2-LIGHT PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
GROUPING OF 4 WINDOWS, FRONT ELEVATION

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF VERTICAL WEATHERBOARD AND PLYWOOD SIDING CONTAINING GROUPING OF 4 WINDOWS - 1 SQUARE FIXED, 1 SQUARE AWNING AND 2 ANGLED TRANSOMS. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS MIX OF STONE AND VERTICAL WEATHERBOARD WITH PAIR OF WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 2-LIGHT PANEL DOOR WITH TRANSOM WINDOW, SIDELIGHT HAS BEEN FILLED. SECONDARY WING IS VERTICAL WEATHERBOARD. ATTACHED GARAGE CONVERTED TO LIVING SPACE, NO WINDOWS.





4940 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4940 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 12
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB W/OVAL WINDOW
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ONE STORY

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
LINEAR/COURTYARD PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION IS STONE HALF WALL EXTENDING BEYOND CORNERS OF HOUSE WITH VERTICAL WEATHERBOARD ABOVE CONTAINING GROUPING OF 1 FIXED, 1 SQUARE AWNING, AND 1 ANGLED TRANSOM WINDOW. RECESSED FRONT ELEVATION IS STONE WITH ANGLED TRANSOM WINDOWS. FRONT ENTRANCE IS WOOD DOOR WITH OVAL WINDOW, SIDELIGHT WITH MATCHING GLASS PATTERN AND ANGLED TRANSOM WINDOW. GARAGE WING IS VERTICAL WEATHERBOARD, ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH 3 SINGLE-PANE WOOD FRENCH DOORS.





4945 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4945 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 28
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 42 SANDSTONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, WOOD RAFTER PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS SANDSTONE HALF WALL EXTENDING BEYOND CORNERS OF HOUSE WITH VERTICAL WEATHERBOARD ABOVE CONTAINING TWO GROUPINGS OF 1 FIXED, 1 SQUARE AWNING WINDOW, ANGLED TRANSOM WINDOWS FILLED. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH ONE AWNING WINDOW NEAR FRONT DOOR. ORIGINAL WOOD RAFTER PERGOLA RUNS LENGTH OF WEST ELEVATION. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD WITH ANGLED TRANSOM WINDOW AND ONE-CAR GARAGE WITH 20-PANEL WOOD DOOR.





4946 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4946 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 11
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 80 OTHER
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
FRONT STONE CHIMNEY

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
LINEAR PLAN WITH FRONT STONE CHIMNEY UNUSUAL FOR DISTRICT. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION IS STONE WITH SECTION OF PLYWOOD SIDING CONTAINING GROUPING OF 1 SQUARE FIXED AND ONE SQUARE AWNING WINDOW - ANGLED TRANSOM WINDOW FILLED. RECESSED FRONT ELEVATION IS VERTICAL CEMENTITIOUS SIDING WITH PAIR OF SQUARE AWNING WINDOWS. FRONT ENTRANCE IS RECESSED DOWN CORRIDOR, 21-PANEL CARVED WOOD DOOR WITH SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. EAST AND WEST ELEVATIONS ARE VERTICAL CEMENTITIOUS SIDING. SCREENED PORCH HAS BEEN ADDED TO REAR OF HOUSE.





4948 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4948 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 10
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE EXTENDING BEYOND CORNERS OF HOUSE WITH FULL-WIDTH ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH GROUPING OF 3 WINDOWS - 2 FIXED, 1 SQUARE AWNING - AT NW CORNER AND GROUPING OF 1 FIXED, 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD WITH HORIZONTAL ALUMINUM SLIDING WINDOWS AND ONE-CAR GARAGE WITH 16-PANEL METAL DOOR.





4949 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4949 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 29
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: 9-LIGHT FRENCH DOOR
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH NARROW SECTION OF LAP SIDING CONTAINING ONE SQUARE AWNING WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH GROUPING OF 3 WINDOWS - 1 FIXED, 1 SQUARE AWNING, 1 TRANSOM - AT SW CORNER AND PAIR OF WINDOWS - 1 FIXED, 1 AWNING - NEAR FRONT DOOR. FRONT ENTRANCE IS 9-LIGHT FRENCH DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARAY WING IS VERTICAL WEATHERBOARD CONTAINING ATTACHED ONE-CAR GARAGE WITH 16-PANEL METAL DOOR.





4953 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4953 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 30
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH TWO NARROW SECTIONS AT CORNERS OF PLYWOOD SIDING CONTAINING SQUARE AWNING WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH PAIR OF WINDOWS - 1 FIXED, 1 AWNING - AT SW CORNER AND GLASS BLOCK WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS VERTICAL WEATHERBOARD CONTAINING ATTACHED TWO-CAR GARAGE WITH 16-PANEL VINYL DOORS.





4954 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4954 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 9
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF PLYWOOD SIDING CONTAINING GROUPING OF 1 FIXED, ONE AWNING, AND ONE ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS STONE WITH TWO AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 2-PANEL DOOR WITH SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD WITH TRANSOM WINDOW CONTAINING ONE-CAR GARAGE WITH VERTICAL SIDED DOOR. ADDED CARPORT INTEGRATES WITH MAIN ROOF LINE.





4959 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4959 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 31
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH GROUPING 7 WINDOWS - 5 FIXED, 2 SLIDING. EAST ELEVATION IS MIX OF STONE AND VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS STONE WITH PAIR OF WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR - SIDELIGHT AND ANGLED TRANSOM WINDOW HAVE BEEN FILLED. SECONDARY WING IS VERTICAL WEATHERBOARD. GARAGE CONVERTED TO LIVING SPACE WITH VINYL SLIDING WINDOWS AND 4 PANEL METAL DOOR. FREESTANDING CARPORT ADDED.





4960 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4960 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 8
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH PAIR OF 1/1 VINYL HUNG WINDOWS. EAST ELEVATION IS MIX OF STONE AND VERTICAL WEATHERBOARD WITH VINYL 1/1 WINDOWS. WEST ELEVATION OF MAIN WING IS MIX OF STONE AND VERTICAL WEATHERBOARD WITH 2 ORIGINAL STEEL AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 2-PANEL DOOR WITH SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD CONTAINING ONE-CAR GARAGE WITH METAL PANEL DOOR. ADDED CARPORT INTEGRATES WITH MAIN ROOFLINE.





4963 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4963 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 32
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, SHUTTERS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH NARROW SECTION OF VERTICAL WEATHERBOARD CONTAINING SQUARE WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD, SMALL ADDITION TO NE CORNER WITH SHED ROOF, RAFTER TAILS HAVE BEEN BOXED. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH SMALL BUMPOUT TOWARD DRIVEWAY. FRONT ENTRANCE IS 6-PANEL DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD CONTAINING ONE-CAR GARAGE WITH 8 PANEL VINYL DOOR. ADDED CARPORT INTEGRATES WITH MAIN ROOFLINE.





4966 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4966 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 7
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 20 WOOD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH FULL-WIDTH ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VERTICAL WOOD SIDING. WEST ELEVATION OF MAIN WING IS VERTICAL WOOD SIDING WITH GROUPING OF 3 WINDOWS - TWO FIXED, 1 AWNING - AT NW CORNER. FRONT ENTRANCE IS 6-PANEL WOOD DOOR WITH SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WOOD SIDING CONTAINING TWO-CAR GARAGE WITH 16-PANEL METAL DOORS.





4969 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4969 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 33
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO-CAR CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE HALF WALL EXTENDING BEYOND CORNERS OF HOUSE WITH VERTICAL WEATHERBOARD ABOVE CONTAINING TWO SLIDING WINDOWS. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH SLIDING WINDOW AT SW CORNER AND SMALL SLIDING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS 15-PANEL DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS VERTICAL WEATHERBOARD. TWO-CAR GARAGE CONVERTED TO LIVING SPACE WITH TWO GROUPINGS OF 3 TRANSOM WINDOWS. TWO-CAR CARPORT ADDED.





4970 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4970 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 6
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 61 STUCCO
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 50 METAL

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH FULL-WIDTH ANGLED TRANSOM WINDOWS. EAST ELEVATION IS STUCCO WITH ORIGINAL GROUPINGS OF STEEL AWNING/FIXED WINDOWS. WEST ELEVATION OF MAIN WING IS STUCCO WITH VINYL SLIDING WINDOWS TRIMMED WITH CAPITAL. FRONT ENTRANCE IS PANEL FIBERGLASS DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS STUCCO CONTAINING ONE-CAR GARAGE WITH 16-PANEL METAL DOOR.





4973 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4973 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 34
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: CASEMENT/HUNG
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF VERTICAL WEATHERBOARD CONTAINING WINDOW BAY WITH CASEMENTS. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS MIX OF STONE AND VERTICAL WEATHERBOARD WITH ALUMINUM 1/1 HUNG WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD. ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH WINDOW BAY WITH 2 FIXED AND ONE 1/1 HUNG ALUMINUM WINDOWS. FREESTANDING CARPORT ADDED.





4976 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4976 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 5
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 80 OTHER
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
LINEAR/COURTYARD PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION IS STONE HALF WALL EXTENDING BEYOND CORNERS OF HOUSE WITH VERTICAL CEMENTITIOUS SIDING ABOVE CONTAINING GROUPING OF 1 FIXED, 1 SQUARE AWNING, AND 1 ANGLED TRANSOM WINDOW. RECESSED FRONT ELEVATION IS STONE WITH ANGLED TRANSOM WINDOWS. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. GARAGE WING IS VERTICAL CEMENTITIOUS SIDING WITH 4-LIGHT WOOD GARAGE DOOR. EAST AND WEST ELEVATIONS VERTICAL CEMENTITIOUS SIDING.





4979 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4979 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 35
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 80 OTHER
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ONE-STORY

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH FULL-WIDTH FIXED ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS VERTICAL CEMENTITIOUS SIDING WITH SLIDING WINDOW AT SW CORNER AND SLIDING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS 1-LIGHT PANEL DOOR. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING. ATTACHED 2-CAR GARAGE CONVERTED TO LIVING SPACE, ONE VERTICAL SINGLE PANE WINDOW IN WEST BAY.





4982 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4982 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 4
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: AWNING/HUNG/SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF PLYWOOD SIDING CONTAINING GROUPING OF 1 FIXED, ONE 1/1 VINYL HUNG, AND ONE ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD WITH ORIGINAL STEEL AWNING/FIXED WINDOWS EXCEPT FOR ONE 1/1 HUNG WINDOW AT NE CORNER. WEST ELEVATION OF MAIN WING IS STONE WITH TWO VINYL SLIDING WINDOWS NEAR FRONT DOOR. SECONDARY WING IS VERTICAL WEATHERBOARD. EAST BAY OF FORMER TWO-CAR GARAGE CONVERTED TO LIVING SPACE WITH VINYL SLIDING WINDOW. WEST BAY HAS VERTICAL SIDED WOOD GARAGE DOOR.





4983 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4983 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 36
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 04 POOR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 50 METAL

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH TWO GROUPINGS OF 2 FIXED, 1 SQUARE AWNING AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS MIX OF STONE AND VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS MIX OF STONE AND VERTICAL WEATHERBOARD WITH TWO SMALL AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 6-PANEL METAL DOOR WITH SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD CONTAINING ONE-CAR GARAGE WITH METAL DOOR.





4988 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4988 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 3
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 80 OTHER
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, CARPORT W/ WOOD TRUSS ROOF

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH SECTION OF VERTICAL CEMENTITIOUS AND PLYWOOD SIDING CONTAINING GROUPING OF 1 SQUARE FIXED, ONE 1/1 ALUMINUM HUNG, AND TWO ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS MIX OF BRICK AND VERTICAL CEMENTITIOUS SIDING WITH SMALL PAIR OF WINDOWS - 1 FIXED, 1 SLIDING - NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING CONTAINING ONE-CAR GARAGE WITH VERTICAL SIDED WOOD DOOR. CARPORT WITH EXPOSED WOOD TRUSSES ADDED ON TOP OF THE MAIN ROOFLINE.





4989 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4989 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 37
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO-CAR CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH GROUPING OF 7 WINDOWS - 3 FIXED, 4 SQUARE AWNING IN ALTERNATING PATTERN. EAST ELEVATION IS MIX OF STONE AND VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS STONE WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS MIX OF STONE AND VERTICAL WEATHERBOARD, ATTACHED GARAGE CONVERTED TO LIVING SPACE WITH SINGLE PANE FIXED WINDOW. ADDED CARPORT INTEGRATES WITH MAIN ROOFLINE.





4993 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4993 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 38
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: HIPPED
ROOF MATERIAL: 63 ASPHALT
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ALTERED ROOF

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
LINEAR/COURTYARD PLAN. FLAT ROOF HAS BEEN ALTERED TO HIPPED ROOF. FRONT ELEVATION IS BRICK WITH NARROW SECTION OF PLY-WOOD SIDING CONTAINING SQUARE SLIDING WINDOW AND ANGLED TRANSOM WINDOW. RECESSED FRONT ELEVATION IS VERTICAL WEATHERBOARD WITH ANGLED TRANSOM WINDOWS. FRONT ENTRANCE IS 15-PANEL DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. GARAGE WING IS VERTICAL WEATHERBOARD, ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH PAIR OF 2/2 ALUMINUM HUNG WINDOWS. EAST AND WEST ELEVATIONS ARE VERTICAL WEATHERBOARD.





4994 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4994 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 2
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 80 OTHER
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO-CAR CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF PLYWOOD SIDING CONTAINING GROUPING OF 1 FIXED, ONE 1/1 VINYL HUNG, AND ONE ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING WITH ORIGINAL STEEL AWNING/FIXED WINDOW GROUPINGS. WEST ELEVATION OF MAIN WING IS STONE WITH TWO AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING. ATTACHED TWO-CAR GARAGE CONVERTED TO LIVING SPACE WITH TWO PAIRS OF 1/1 VINYL HUNG WINDOWS. FREESTANDING CARPORT ADDED.





4998 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4998 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 1
BLOCK: 4
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK HALF WALL EXTENDING BEYOND CORNERS OF HOUSE WITH VERTICAL WEATHERBOARD ABOVE CONTAINING TWO GROUPINGS OF 1 SQUARE FIXED, 1 SQUARE AWNING WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH GROUPINGS OF FIXED/AWNING WINDOWS. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD CONTAINING TWO-CAR GARAGE WITH VERTICAL SIDED WOOD DOORS.





4999 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4999 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 39
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO-CAR CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH PAIR OF 1/1 HUNG WINDOWS AT SE CORNER. FULL-WIDTH ANGLED TRANSOM WINDOWS MAY HAVE BEEN FILLED WITH VINYL SIDING. EAST ELEVATION IS VINYL SIDING. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH GROUPING OF 3 ALUMINUM WINDOWS AT SW CORNER AND GROUPING OF ORIGINAL STEEL AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 10-PANEL CARVED WOOD DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS VERTICAL WEATHERBOARD WITH 1/1 HUNG WINDOW. ATTACHED GARAGE CONVERTED TO LIVING SPACE WITH 15-LIGHT VINYL FRENCH DOOR. ADDED CARPORT INTEGRATES WITH MAIN ROOFLINE.





5305 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5305 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 20
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH GROUPING OF 1 FIXED, 1 SQUARE AWNING AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS STONE WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD WITH 1 FIXED, 1 AWNING WINDOW AND ONE-CAR GARAGE WITH 2-LIGHT WOOD PANEL DOOR.





5306 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5306 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 19
BLOCK: 9
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 42 SANDSTONE
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 50 METAL

EXTERIOR FEATURES:
SECOND STORY ADDITION, CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED RECESSED CARPORT PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS SANDSTONE HALF WALL EXTENDING BEYOND CORNERS OF HOUSE WITH VERTICAL VINYL SIDING ABOVE AND 4 FIXED WINDOWS. EAST ELEVATION IS VERTICAL VINYL SIDING WITH SLIDING WINDOWS. WEST ELEVATION OF MAIN WING IS VERTICAL VINYL SIDING WITH ONE SLIDING WINDOW AT NW CORNER AND 1 SLIDING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS 9-PANEL METAL DOOR. SECONDARY WING IS MIX OF SANDSTONE AND VERTICAL VINYL SIDING WITH TWO 6/6 VINYL HUNG WINDOWS. ORIGINAL CARPORT INTEGRATES WITH SECONDARY WING ROOFLINE. SECOND STORY ADDITION AT SOUTH ELEVATION IS VERTICAL WEATHERBOARD WITH FRONT-GABLED ROOF AND NO FENESTRATION FACING STREET. SMALL ADDITION TO WEST SIDE OF SECOND STORY HAS SHED ROOF.





5311 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5311 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 21
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH GROUPING OF 7 WINDOWS - 3 FIXED, 4 SQUARE AWNING IN ALTERNATING PATTERN. EAST ELEVATION IS MIX OF STONE AND VINYL SIDING. WEST ELEVATION OF MAIN WING IS STONE WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS MIX OF STONE AND VINYL SIDING, WITH GROUPING OF 1 FIXED, 2 AWNING WINDOWS AND ONE-CAR GARAGE WITH 16-PANEL METAL DOOR.





5312 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5312 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 18
BLOCK: 9
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS PAINTED STONE WITH THREE ANGLED TRANSOM WINDOWS. EAST ELEVATION IS PAINTED BRICK WITH A GROUPING OF 3 WINDOWS - 2 FIXED, ONE 1/1 HUNG. WEST ELEVATION OF MAIN WING IS PAINTED BRICK WITH PAIR OF WINDOWS - 1 FIXED, ONE 1/1 HUNG - AT NW CORNER AND PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS PAINTED BRICK WITH 1 FIXED, 1 AWNING WINDOW AND ONE-CAR GARAGE WITH 2-LIGHT WOOD PANEL DOOR. COMBINATION OF STONE AND BRICK UNUSUAL FOR DISTRICT.





5314 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5314 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 17
BLOCK: 9
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: HIPPED
ROOF MATERIAL: 63 ASPHALT
WALL MATERIAL, PRIMARY: 42 SANDSTONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
FRONT CHIMNEY

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
ALTERED L-SHAPED PLAN. ROOF PITCH ALTERED FROM FLAT TO HIPPED. FRONT ELEVATION OF MAIN WING IS SANDSTONE WITH 4 SLIDING WINDOWS. WEST ELEVATION OF MAIN WING CONTAINS 1 SLIDING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS 21-PANEL WOOD DOOR. SECONDARY WING HAS BEEN ALTERED WITH ADDITION UP TO FRONT BUILDING LINE CLAD IN 7" LAP WEATHERBOARD SIDING WITH NO FENESTRATION FACING STREET.





5315 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5315 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 22
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED RECESSED CARPORT PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH 2 SECTIONS OF PLYWOOD SIDING CONTAINING GROUPING OF 1 SQUARE FIXED, 1 SQUARE AWNING WINDOW. ANGLED TRANSOM WINDOWS FILLED. EAST ELEVATION IS STONE. WEST ELEVATION OF MAIN WING IS STONE WITH 1 FIXED, 1 AWNING WINDOW AT SW CORNER AND 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS 8-PANEL WOOD DOOR. SECONDARY WING IS MIX OF STONE AND VERTICAL WEATHERBOARD. RECESSED PARKING NICHE CONVERTED TO LIVING SPACE WITH PAIR OF CLEAR-VIEW 1-LIGHT FRENCH DOORS. CARPORT INTEGRATES WITH SECONDARY WING ROOFLINE.





5321 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5321 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 23
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF PLYWOOD SIDING CONTAINING GROUPING OF 1 FIXED, 1 SQUARE AWNING AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS MIX OF STONE AND VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS STONE WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS VERTICAL WEATHERBOARD WITH 1 FIXED, 1 AWNING WINDOW AND ONE-CAR GARAGE WITH 8-PANEL, 2-LIGHT WOOD DOOR.





5322 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5322 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 16
BLOCK: 9
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: SHED
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
SECOND STORY ADDITION, ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
ALTERED L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF OVER MAIN WING TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH GROUPING OF 7 WINDOWS - 3 FIXED, 4 SQUARE SLIDING IN ALTERNATING PATTERN. EAST ELEVATION IS MIX OF BRICK AND VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS BRICK. FRONT ENTRANCE IS 12-PANEL WOOD DOOR WITH SINGLE PANE SIDELIGHT. ORIGINAL PORTION OF SECONDARY WING IS BRICK WITH TRANSOM WINDOW. SECONDARY WING HAS BEEN ALTERED WITH ADDITION OF SECOND STORY AND ATTACHED ONE-CAR GARAGE BUILT NEARLY TO FRONT BUILDING LINE. ADDITION CLAD IN WEATHERBOARD WITH DIAGONAL ORIENTATION. SECOND FLOOR WINDOWS ARE SINGLE PANE WITH DIAGONAL SLANT. ROOF OF SECOND STORY IS FLAT AT FRONT AND SHED AT REAR.





5325 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5325 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 24
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: 1-LIGHT FRENCH DOOR
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO-CAR CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS PAINTED BRICK WITH 2 SECTIONS OF VERTICAL WEATHERBOARD SIDING EACH CONTAINING 1 SLIDING WINDOW, ANGLED TRANSOM WINDOWS FILLED. EAST ELEVATION IS VERTICAL WEATHERBOARD, SLIDING GLASS DOOR ADDED TO NE CORNER OF HOUSE. WEST ELEVATION OF MAIN WING IS VERTICAL CEMENTITIOUS SIDING WITH PAIR OF SLIDING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS CLEAR-VIEW 1-LIGHT WOOD DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING HAS BEEN BUMPED-OUT APPROXIMATELY 10' TOWARD CURB, STILL SETS BACK FROM FRONT BUILDING LINE. SECONDARY WING CONTAINS LIVING SPACE, CLAD IN VERTICAL WEATHERBOARD WITH SLIDING WINDOWS. TWO-CAR CARPORT INTEGRATES WITH MAIN ROOFLINE.





5328 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5328 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 15
BLOCK: 9
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 04 POOR

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: HIPPED
ROOF MATERIAL: 63 ASPHALT
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
ALTERED L-SHAPED PLAN. ROOF PITCH ALTERED FROM FLAT TO HIPPED. FRONT ELEVATION OF MAIN WING IS STONE WITH TWO GROUPINGS OF 3 WINDOWS - 1 FIXED, 2 AWNING. EAST ELEVATION IS STONE. WEST ELEVATION OF MAIN WING IS STONE WITH 1 AWNING WINDOW NEAR FRONT DOOR, PAIR OF SQUARE WINDOWS FILLED IN AT NW CORNER. FRONT ENTRANCE IS SLAB DOOR. SECONDARY WING IS VERTICAL WEATHERBOARD WITH 1 AWNING WINDOW, ALTERED BY ADDITION OF ONE-CAR GARAGE BUILT TO FRONT BUILDING LINE WITH 2-LIGHT WOOD PANEL DOOR.





5331 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5331 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 25
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 80 OTHER
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: GLAZED PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE HALF WALL EXTENDING BEYOND CORNERS OF HOUSE WITH VERTICAL CEMENTITIOUS SIDING ABOVE CONTAINING 2 GROUPINGS OF 1 FIXED, 1 SQUARE AWNING AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS VERTICAL CEMENTITIOUS SIDING WITH ONE AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS 6-PANEL GLAZED WOOD DOOR WITH SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING WITH ANGLED TRANSOM WINDOW AND ONE-CAR GARAGE WITH 2-LIGHT WOOD PANEL DOOR.





5332 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5332 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 14
BLOCK: 9
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: CROSS GABLE
ROOF MATERIAL: 63 ASPHALT
WALL MATERIAL, PRIMARY: 80 OTHER
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO-CAR CARPORT

DECORATIVE DETAILS:
WOOD RAFTER PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. ROOF ALTERED FROM FLAT TO CROSS GABLE WITH TWO FRONT GABLE ENDS. FRONT ELEVATION OF MAIN WING IS STONE WITH TWO SYMMETRICAL GROUPINGS OF 1 FIXED, 1 SQUARE 1/1 HUNG, AND 1 ANGLED TRANSOM WINDOW (FOLLOWING ORIGINAL ROOFLINE). EAST ELEVATION IS MIX OF STONE AND VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS VERTICAL CEMENTITIOUS SIDING WITH PAIR OF 1/1 HUNG WINDOWS NEAR FRONT DOOR. WOOD PERGOLA RUNS LENGTH OF WEST ELEVATION. FRONT ENTRANCE IS 8-PANEL DOOR WITH SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING WITH WOOD SLAB DOOR. TWO-CAR WOOD-FRAMED CARPORT ADDED WITH FRONT GABLE ROOF.





5337 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5337 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 26
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, SMALL FRONT WOOD DECK

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. ROOF APPEARS COMPLETELY FLAT. FRONT ELEVATION OF MAIN WING IS BRICK WITH SECTION OF VERTICAL WEATHERBOARD CONTAINING GROUPING OF 1 FIXED, 1 SQUARE AWNING WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING HAS BEEN BUMPED OUT TO FRONT BUILDING LINE, LIKELY RESULT OF ENCLOSING ORIGINAL CARPORT. GARAGE WING MIX OF BRICK AND VERTICAL WEATHERBOARD WITH ONE-CAR BAY WITH 16-PANEL METAL DOOR.





5338 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5338 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 13
BLOCK: 9
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 80 OTHER
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO-CAR CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED RECESSED CARPORT PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SIX SLIDING WINDOWS. EAST ELEVATION IS STONE WITH 1/1 HUNG VINYL WINDOWS. WEST ELEVATION OF MAIN WING IS VERTICAL CEMENTITIOUS SIDING WITH PAIR OF SQUARE WINDOWS - 1 FIXED, ONE 1/1 HUNG - AT NW CORNER AND 1 SLIDING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB 1-LIGHT DOOR. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING WITH 1/1 HUNG VINYL WINDOW. RECESSED PARKING NICHE CONVERTED TO LIVING SPACE WITH SLAB WOOD DOOR. CARPORT EXPANDED TO INTEGRATE WITH MAIN ROOFLINE.





5341 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5341 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 27
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: GABLE
ROOF MATERIAL: 63 ASPHALT
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 42 SANDSTONE
WINDOW TYPE: 6/4 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 50 METAL

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, CARPORT

DECORATIVE DETAILS:
SHUTTERS

DESCRIPTION OF RESOURCE:
ALTERED L-SHAPED PLAN. ROOF ALTERED FROM FLAT TO FRONT GABLE. FRONT ELEVATION OF MAIN WING IS MIX OF SANDSTONE AND VERTICAL WEATHERBOARD. WINDOW OPENINGS ENLARGED FOR TWO 6/4 VINYL HUNG WINDOWS. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING WITH VINYL 4/4 HUNG WINDOWS. WEST ELEVATION OF MAIN WING HAS BEEN BUMPED OUT APPROX 6' TO WEST, CLAD IN VERTICAL WEATHERBOARD WITH ENLARGED WINDOW OPENINGS CONTAINING 1/1 VINYL HUNG WINDOWS. FRONT ENTRANCE IS PANEL METAL DOOR WITH 1-LIGHT WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD, ONE-CAR GARAGE HAS 16-PANEL METAL DOOR. CARPORT IS UNDER PRIMARY ROOFLINE.





5342 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5342 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 12
BLOCK: 9
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 80 OTHER
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, FRONT CHIMNEY

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH GROUPING OF 1 FIXED, 1 SQUARE AWNING, 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS STONE WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING WITH FRONT-FACING CUT STONE CHIMNEY, POSSIBLE ADDITION, FLANKED BY TWO NARROW FIXED WINDOWS. ONE-CAR GARAGE HAS 16-PANEL METAL DOOR.





5347 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5347 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 28
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH TWO SECTIONS OF VERTICAL VINYL SIDING CONTAINING GROUPING OF 1 SQUARE FIXED, 1 SQUARE AWNING, 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS MIX OF BRICK AND VERTICAL VINYL SIDING. WEST ELEVATION OF MAIN WING IS BRICK WITH 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS 12-PANEL WOOD DOOR AND SINGLE PANE SIDELIGHT, REORIENTED FROM WEST-FACING TO SOUTH FACING. SECONDARY WING IS VERTICAL VINYL SIDING, ORIGINAL CARPORT LIKELY ENCLOSED TO CREATE ATTACHED GARAGE BUILT EVEN WITH FRONT BUILDING LINE. ONE-CAR GARAGE HAS 4-LIGHT WOOD PANEL DOOR.





5348 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5348 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 11
BLOCK: 9
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 30 BRICK
ROOF TYPE: GABLE
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO-CAR GARAGE ADDITION CLOSEST ELEMENT TO STREET

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
ALTERED L-SHAPED PLAN. ROOF IS FRONT GABLE WITH FLAT ROOF OVER GARAGE ADDITION. FRONT ELEVATION OF MAIN WING IS BRICK, NO FENESTRATION, SET BACK FROM STREET FARTHER THAN ANY HOUSE ON BLOCK. TWO VENTS ON FRONT ELEVATION INDICATE CRAWL SPACE UNDER HOUSE. PARTIAL DEMOLITION OF ORIGINAL STRUCTURE? ADDITION OF TWO-CAR GARAGE WITH PANEL METAL DOOR BUILT APPROXIMATELY TO FRONT SETBACK LINE OF HOUSES ON SAME SIDE OF STREET.





5351 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5351 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 29
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 80 OTHER
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO-STORY ADDITION ACROSS NORTH ELEVATION, CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED RECESSED CARPORT PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH TWO SYMMETRICAL SECTIONS OF VERTICAL CEMENTITIOUS SIDING EACH CONTAINING 1 SQUARE AWNING WINDOW. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS BRICK WITH GROUPING OF 1 SQUARE FIXED, 1 SQUARE AWNING WINDOW AT SW CORNER AND 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS 4-PANEL WOOD DOOR. SECONDARY WING IS MIX OF BRICK AND VERTICAL CEMENTITIOUS SIDING WITH 1 AWNING WINDOW NEAR FRONT DOOR. RECESSED PARKING NICHE CONVERTED TO LIVING SPACE WITH VINYL AWNING WINDOW. CARPORT INTEGRATES WITH SECONDARY ROOFLINE. TWO-STORY ADDITION AT REAR (NORTH) ELEVATION OF PROPERTY WITH FOUR SINGLE PANE WINDOWS.





5354 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5354 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 10
BLOCK: 9
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 04 POOR

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS PAINTED STONE HALF WALL EXTENDING BEYOND CORNERS OF HOUSE WITH VERTICAL CEMENTITIOUS SIDING ABOVE AND 4 FIXED, 2 AWNING WINDOWS. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS VERTICAL CEMENTITIOUS SIDING WITH PAIRED WINDOWS AT NW CORNER AND PAIRED AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE ORIENTATION ALTERED TO FACE NORTH, 8-PANEL CARVED WOOD DOOR. WALL SURROUNDING FRONT DOOR CLAD IN CEDAR SHAKE. SECONDARY WING ALTERED WITH ADDITION OF TWO-CAR GARAGE BUILT TO FRONT BUILDING LINE WITH ONE 4-LIGHT PANEL WOOD DOOR. EVIDENCE OF WOOD PERGOLA EXISTS, ROOFED WITH TRANSLUCENT MATERIAL.





5357 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5357 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 30
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: HIPPED
ROOF MATERIAL: 63 ASPHALT
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: PANEL
DOOR MATERIAL: 50 METAL

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. ROOF ALTERED FROM FLAT TO HIPPED. FRONT ELEVATION OF MAIN WING IS BRICK WITH 2 GROUPINGS OF 1 SQUARE FIXED, 1 SQUARE 1/1 HUNG WINDOW, ANGLED TRANSOM WINDOWS FILLED. EAST ELEVATION IS MIX OF BRICK AND VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS MIX OF BRICK AND VERTICAL WEATHERBOARD WITH GROUPING OF 1 FIXED, 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS 6-PANEL METAL DOOR AND SINGLE PANE SIDELIGHT. SECONDARY WING IS VERTICAL WEATHERBOARD WITH AWNING WINDOW NEAR FRONT DOOR. CARPORT INTEGRATES WITH SECONDARY WING ROOFLINE.





5358 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5358 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 9
BLOCK: 9
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 04 POOR

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 50 METAL

EXTERIOR FEATURES:
TWO-CAR GARAGE ADDITION UP TO FRONT BUILDING LINE

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH TWO SYMMETRICAL GROUPINGS OF 1 FIXED, 1 AWNING, 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS MIX OF STONE AND VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS STONE. FRONT ENTRANCE IS PANEL METAL DOOR WITH OVAL WINDOW. SECONDARY WING ALTERED WITH ADDITION OF TWO-CAR GARAGE BUILT TO FRONT BUILDING LINE WITH SINGLE 32-PANEL METAL DOOR.





5363 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5363 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 31
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, PERIOD LIGHT FIXTURE AT FRONT ENTRY

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH GROUPING OF 7 WINDOWS - 3 FIXED, 4 SQUARE AWNING. EAST ELEVATION IS MIX OF STONE AND VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS STONE WITH 1 AWNING WINDOW AND 1 GLASS BLOCK WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS MIX OF STONE AND VERTICAL WEATHERBOARD WITH 2 FIXED, 1 AWNING WINDOW AND ONE-CAR GARAGE WITH 8-PANEL WOOD DOOR.





5367 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5367 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 32
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 80 OTHER
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED RECESSED CARPORT PLAN. SLIGHT PITCH TO FLAT ROOF TO-
WARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK
HALF WALL EXTENDING BEYOND CORNERS OF HOUSE WITH VERTI-
CAL CEMENTITIOUS SIDING ABOVE CONTAINING 2 GROUPINGS OF 2
FIXED, 1 AWNING WINDOW. EAST ELEVATION IS BRICK. WEST ELEV-
ATION OF MAIN WING IS VERTICAL CEMENTITIOUS SIDING WITH PAIRED
SQUARE WINDOWS AT SW CORNER AND 1 AWNING WINDOW NEAR
FRONT DOOR. FRONT ENTRANCE IS 6-PANEL WOOD DOOR. SECOND-
ARY WING IS MIX OF BRICK AND VERTICAL CEMENTITIOUS SIDING WITH
AWNING WINDOW NEAR FRONT DOOR. RECESSED PARKING NICHE
ENCLOSED. CARPORT INTEGRATES WITH SECONDARY WING ROOFLINE.





5373 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5373 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 33
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: CROSS GABLE
ROOF MATERIAL: 63 ASPHALT
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO-STORY ADDITION AT NE CORNER, ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. ROOF ALTERED FROM FLAT TO CROSS GABLE. FRONT ELEVATION OF MAIN WING IS STONE WITH ORIGINAL STEEL AWNING/FIXED WINDOWS. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS STONE WITH TWO AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS VERTICAL WEATHERBOARD WITH 3 FLOOR-TO-CEILING 1/1 HUNG WINDOWS AND ONE-CAR GARAGE WITH 8-PANEL, 2-LIGHT WOOD DOOR. SECOND STORY ADDITION IS SQUARE TOWER, VERTICAL WEATHERBOARD WITH 3 PAIRS OF 1/1 HUNG WINDOWS.





5377 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5377 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 34
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
TWO-CAR CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH 2 SYMMETRICAL SECTIONS OF PLYWOOD SIDING CONTAINING 1 SQUARE AWNING WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH GROUPING OF 1 FIXED, 1 AWNING WINDOW AT SW CORNER AND TWO AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS VERTICAL WEATHERBOARD. ATTACHED GARAGE CONVERTED TO LIVING SPACE WITH WOOD SLAB DOOR. TWO-CAR WOOD-FRAMED CARPORT INTEGRATES WITH MAIN ROOFLINE.





5383 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5383 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 35
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 80 OTHER
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: GLAZED PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, TWO-CAR CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH GROUPING OF 7 WINDOWS - 3 FIXED, 4 SQUARE AWNING. EAST ELEVATION IS MIX OF STONE AND VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS STONE WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS GLAZED PANEL WOOD DOOR WITH 4-PANE FAN LIGHT, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS MIX OF STONE AND VERTICAL CEMENTITIOUS SIDING WITH 2 FIXED AND 1 AWNING WINDOW AND ONE-CAR GARAGE WITH 2-LIGHT WOOD PANEL DOOR. ADDED TWO-CAR CARPORT INTEGRATES WITH MAIN ROOFLINE.





5389 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5389 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 36
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED RECESSED CARPORT PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH 2 SECTIONS OF VERTICAL WEATHERBOARD SIDING EACH CONTAINING GROUPING OF 1 SQUARE FIXED, 1 SQUARE 1/1 HUNG WINDOW, ANGLED TRANSOM WINDOWS LIKELY FILLED. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH PAIR OF 1 SQUARE FIXED, 1 SQUARE 1/1 HUNG WINDOW AT SW CORNER AND 1 SLIDING VINYL WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR. SECONDARY WING IS MIX OF BRICK AND VERTICAL WEATHERBOARD WITH 1 VINYL SLIDING WINDOW. CARPORT INTEGRATES WITH SECONDARY WING ROOFLINE.





5393 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5393 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 37
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 80 OTHER
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH GROUPING OF 7 WINDOWS - 3 FIXED, 4 SQUARE AWNING. EAST ELEVATION IS MIX OF BRICK AND VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS BRICK WITH 2 AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 9-PANEL WOOD DOOR, SINGLE PANE SIDE-LIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS MIX OF BRICK AND VERTICAL CEMENTITIOUS SIDING WITH 2 FIXED, 1 AWNING WINDOW AND ONE-CAR GARAGE WITH 2-LIGHT WOOD PANEL DOOR.





5397 EAST 26TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5397 E 26 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 38
BLOCK: 8
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: GLAZED PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE HALF WALL EXTENDING BEYOND CORNERS OF HOUSE WITH VERTICAL WEATHERBOARD ABOVE CONTAINING 2 GROUPINGS OF 1 FIXED, 1 SQUARE AWNING AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH 1 AWNING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS 10-PANEL GLAZED WOOD DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING MAY HAVE BEEN BREEZEWAY MODEL, SINCE ENCLOSED WITH VERTICAL WEATHERBOARD AND ANGLED TRANSOM WINDOW. ONE-CAR GARAGE HAS 2-LIGHT WOOD PANEL DOOR. SMALL STORAGE CLOSET ADDITION TO GARAGE WING HAS STONE ACCENT.





5135 EAST 27TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5135 E 27 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 32
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 80 OTHER
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, WOOD RAFTER PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH SECTION OF VERTICAL CEMENTITIOUS SIDING CONTAINING GROUPING OF ONE SQUARE 1/1 HUNG AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING WITH SLIDING WINDOWS. WEST ELEVATION OF MAIN WING IS BRICK WITH 2 SLIDING WINDOWS NEAR FRONT DOOR. ORIGINAL WOOD RAFTER PERGOLA RUNS LENGTH OF WEST ELEVATION. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING CONTAINING ONE-CAR GARAGE WITH VERTICAL CEMENTITIOUS SIDED DOOR. ONE-CAR CARPORT INTEGRATES WITH PERGOLA AND SECONDARY ROOFLINE.





5141 EAST 27TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5141 E 27 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 33
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 80 OTHER
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: 1-LIGHT FRENCH DOOR
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, WOOD RAFTER PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED/CARPORT PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH 3 SQUARE AWNING WINDOWS, ANGLED TRANSOM WINDOWS LIKELY FILLED. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS BRICK WITH A PAIR OF AWNING WINDOWS AT SW CORNER AND A SINGLE AWNING WINDOW NEAR FRONT DOOR. ORIGINAL WOOD RAFTER PERGOLA RUNS FULL LENGTH OF WEST ELEVATION. FRONT ENTRANCE IS 1-LIGHT FRENCH DOOR WITH SINGLE PANE SIDELIGHT. SECONDARY WING IS MIX OF BRICK AND VERTICAL CEMENTITIOUS SIDING WITH SLAB DOOR AND TRANSOM WINDOW. CARPORT INTEGRATES WITH PERGOLA AND ROOFLINE.





5145 EAST 27TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5145 E 27 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 34
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, TWO-CAR CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF PLYWOOD SIDING CONTAINING GROUPING OF 1 FIXED, 1 SQUARE AWNING AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS STONE WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 8-PANEL CARVED WOOD DOOR WITH SINGLE PANE SIDE-LIGHT, TRANSOM WINDOW FILLED. SECONDARY WING IS VERTICAL WEATHERBOARD WITH SINGLE PANE FIXED VINYL WINDOW AND ONE-CAR GARAGE WITH 4-LIGHT WOOD PANEL DOOR. FREESTANDING TWO-CAR METAL CARPORT ADDED.





5151 EAST 27TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5151 E 27 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 35
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 80 OTHER
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, WOOD RAFTER PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS VERTICAL CEMENTITIOUS SIDING WITH GROUPING OF 1 FIXED, 1 SQUARE AWNING AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS BRICK WITH GROUPING OF 1 FIXED, 1 AWNING WINDOW NEAR FRONT DOOR. ORIGINAL WOOD RAFTER PERGOLA RUNS LENGTH OF WEST ELEVATION. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING. ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH SINGLE VERTICAL FIXED WINDOW. CARPORT INTEGRATES WITH PERGOLA AND ROOFLINE.





5155 EAST 27TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5155 E 27 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 36
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED/CARPORT PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK LAID IN STACK BOND WITH 2 SYMMETRICAL SECTIONS OF VERTICAL WEATHERBOARD CONTAINING GROUPING OF 1 FIXED AND 1 SQUARE 1/1 HUNG WINDOW. ANGLED TRANSOM WINDOWS LIKELY FILLED. EAST ELEVATION IS BRICK. WEST ELEVATION OF MAIN WING IS BRICK WITH PAIR OF AWNING WINDOWS AT SW CORNER AND SINGLE AWNING WINDOW NEAR FRONT DOOR. ORIGINAL WOOD RAFTER PERGOLA ALONG WEST ELEVATION HAS BEEN FILLED/COVERED WITH PLASTIC DOMES. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT, TRANSOM WINDOW FILLED. SECONDARY WING IS MIX OF BRICK AND VERTICAL WEATHERBOARD WITH STEEL AWNING WINDOW AND SLAB DOOR WITH TRANSOM. CARPORT HAS STORAGE CLOSET AT SW CORNER.





5156 EAST 27TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5156 E 27 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 4
BLOCK: 6
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1957
ARCHITECT/BUILDER: HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO STYLE

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: RANCH


FOUNDATION MATERIAL: 30 BRICK
ROOF TYPE: HIPPED
ROOF MATERIAL: 63 ASPHALT
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY:
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: 1-LIGHT PANEL
DOOR MATERIAL: 50 METAL

EXTERIOR FEATURES:
ONE STORY, FRONT PORCH

DECORATIVE DETAILS:
TURNED WOOD PORCH COLUMNS, SHUTTERS

DESCRIPTION OF RESOURCE:
ONE-STORY RANCH HOUSE WITH HALF-WIDTH FRONT PORCH WITH THREE TURNED WOOD COLUMNS. HOUSE HAS ALUMINUM SLIDING WINDOWS. WINDOWS ON FRONT ELEVATION HAVE FIXED SHUTTERS. FRONT ENTRANCE IS 1-LIGHT METAL PANEL DOOR. ATTACHED TWO-CAR GARAGE IS AT REAR OF HOUSE WITH 40-PANEL WOOD DOOR WITH FOUR 4-LIGHT WINDOWS.





5161 EAST 27TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5161 E 27 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 37
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, TWO-CAR CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED/BREEZEWAY PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK LAID IN STACK BOND WITH GROUPING OF 7 WINDOWS - 3 FIXED, 4 SQUARE 1/1 HUNG IN ALTERNATING PATTERN. EAST ELEVATION IS MIX OF BRICK AND VERTICAL VINYL SIDING. WEST ELEVATION OF MAIN WING IS BRICK WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 10-PANEL WOOD DOOR WITH SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING LIKELY CONTAINED BREEZEWAY TO BACKYARD, HAS BEEN FILLED WITH MATCHING BRICK AND GROUPING OF 5 WINDOWS - 3 FIXED, TWO 1/1 HUNG. GARAGE WING IS VERTICAL VINYL SIDING WITH VINYL PANEL DOOR. ADDED TWO-CAR CARPORT INTEGRATES WITH MAIN ROOFLINE.





5164 EAST 27TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5164 E 27 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 3
BLOCK: 6
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1958
ARCHITECT/BUILDER: HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO STYLE

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: RANCH

FOUNDATION MATERIAL: 40 STONE
ROOF TYPE: HIPPED
ROOF MATERIAL: 63 ASPHALT
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY:
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: GLAZED PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:
WROUGHT IRON SCROLLWORK COLUMNS

DESCRIPTION OF RESOURCE:
ONE-STORY RANCH WITH ALUMINUM SLIDING WINDOWS AND AT-
TACHED TWO-CAR GARAGE WITH 4-LIGHT WOOD PANEL DOOR.
FRONT ENTRANCE IS 2-LIGHT GLAZED PANEL DOOR WITH SIDELIGHT.
SECURITY STORM DOOR AND SIDELIGHT GRILL HAVE DECORATIVE
SCROLLWORK MATCHING THREE WROUGHT-IRON COLUMNS AT FRONT
LANDING.





5165 EAST 27TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5165 E 27 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 38
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: SIDE GABLE
ROOF MATERIAL: 63 ASPHALT
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. FLAT ROOF ALTERED TO SIDE GABLED ROOF. FRONT ELEVATION OF MAIN WING IS STONE HALF WALL EXTENDING BEYOND CORNERS OF HOUSE WITH VERTICAL WEATHERBOARD ABOVE CONTAINING TWO FIXED, AND THREE 1/1 HUNG WINDOWS. EAST ELEVATION IS VINYL SIDING. WEST ELEVATION OF MAIN WING IS VINYL SIDING WITH VINYL SLIDING WINDOW NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD, ONE-CAR GARAGE CONVERTED TO LIVING SPACE WITH ALUMINUM SLIDING WINDOW.





5169 EAST 27TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5169 E 27 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 39
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 80 OTHER
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 50 METAL

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS PAINTED BRICK WITH SECTION OF PLYWOOD SIDING CONTAINING GROUPING OF 1 FIXED, 1 SQUARE AWNING AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL CEMENTITIOUS SIDING. WEST ELEVATION OF MAIN WING IS BRICK WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 4-PANEL METAL DOOR WITH FAN LIGHT, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL CEMENTITIOUS SIDING WITH PAIR OF TRANSOM WINDOWS AND ONE-CAR GARAGE WITH 16-PANEL METAL DOOR.





5172 EAST 27TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5172 E 27 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 2
BLOCK: 6
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO STYLE

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: RANCH

FOUNDATION MATERIAL: 30 BRICK
ROOF TYPE: HIPPED
ROOF MATERIAL: 63 ASPHALT
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY:
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:
WROUGHT IRON SCROLLWORK PORCH COLUMN/RAILING

DESCRIPTION OF RESOURCE:
ONE-STORY RANCH WITH ALUMINUM SLIDING WINDOWS AND AT-
TACHED TWO-CAR GARAGE WITH 24-PANEL METAL DOOR. FRONT EN-
TRANCE IS SLAB DOOR. FRONT LANDING HAS WROUGHT-IRON SCROLL-
WORK DETAILS ON COLUMN AND RAILING.





5175 EAST 27TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5175 E 27 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 40
BLOCK: 5
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 61 STUCCO
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, TWO-CAR CARPORT

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS PAINTED STUCCO APPLIED TO SANDSTONE WITH CENTER SECTION OF VERTICAL WEATHERBOARD SIDING. FRONT ELEVATION HAS TWO SYMMETRICAL GROUPINGS OF 1 FIXED, 1 SQUARE 1/1 HUNG AND 1 ANGLED TRANSOM WINDOW. EAST ELEVATION IS STUCCO APPLIED TO SANDSTONE. WEST ELEVATION OF MAIN WING IS STUCCO OVER SANDSTONE WITH PAIR OF VINYL AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT, TRANSOM WINDOW FILLED. SECONDARY WING IS VERTICAL WEATHERBOARD WITH ALUMINUM SLIDING WINDOWS AND ONE-CAR GARAGE WITH VERTICAL WEATHERBOARD DOOR. TWO-CAR CARPORT INTEGRATES WITH SECONDARY WING ROOFLINE.





5303 EAST 27TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5303 E 27 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 17
BLOCK: 11
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 01 EXCELLENT

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH GROUPING OF 7 WINDOWS - 3 FIXED, 4 SQUARE AWNING IN ALTERNATING PATTERN. EAST ELEVATION IS VERTICAL WEATHERBOARD WITH TWO GROUPINGS OF 1 FIXED, 1 AWNING ORIGINAL WINDOWS. WEST ELEVATION OF MAIN WING IS STONE WITH PAIR OF AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH 3 DECORATIVE MID-CENTURY MOTIF MEDALLIONS AND STAINED GLASS SIDE-LIGHT. SECONDARY WING IS VERTICAL WEATHERBOARD WITH 1 FIXED, 1 AWNING WINDOW AND ONE-CAR GARAGE WITH 16-PANEL WOOD DOOR.





5308 EAST 27TH PLACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 5308 E 27 PL S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 15
BLOCK: 12
PLAT NAME: LORTONDALE SECOND ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1956
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 72 VINYL
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH GROUPING OF 3 FIXED AND 1 SQUARE AWNING WINDOW. EAST ELEVATION IS VINYL SIDING. WEST ELEVATION OF MAIN WING IS MIX OF STONE AND VINYL SIDING WITH THREE SMALL WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 9-PANEL WOOD DOOR WITH SINGLE PANE SIDELIGHT AND ANGLED TRANSOM. SECONDARY WING IS VINYL SIDING WITH GROUPING OF FIXED AND AWNING WINDOWS AND ONE-CAR GARAGE WITH 16 PANEL METAL DOOR. CARPORT INTEGRATES WITH MAIN ROOFLINE.





4905 EAST 26TH TERRACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4905 E 26 TER S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 7
BLOCK: 2
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 30 BRICK
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH NARROW SECTION OF PLYWOOD SIDING AND ONE SQUARE AWNING WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH GROUPING OF THREE WINDOWS AT SW CORNER AND PAIR OF WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR WITH SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD WITH ATTACHED TWO-CAR GARAGE. EAST GARAGE BAY HAS VERTICAL SIDED DOOR. WEST BAY HAS BEEN CONVERTED TO LIVING SPACE WITH SLAB DOOR AND SINGLE PANE FIXED WINDOW AND BRICK STEM WALL.





4906 EAST 26TH TERRACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4906 E 26 TER S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 19
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: PANEL
DOOR MATERIAL: 50 METAL

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, WOOD RAFTER PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE HALF WALL EXTENDING BEYOND CORNERS OF HOUSE WITH VINYL SIDING ABOVE CONTAINING TWO GROUPINGS OF 1 FIXED, 1 SLIDING WINDOW. EAST ELEVATION IS VINYL SIDING. WEST ELEVATION OF MAIN WING IS VINYL SIDING WITH ONE SMALL WINDOW NEAR FRONT DOOR. ORIGINAL WOOD RAFTER PERGOLA RUNS FULL LENGTH OF WEST ELEVATION. FRONT ENTRANCE IS 6-PANEL METAL DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VINYL SIDING WITH ANGLED TRANSOM WINDOW AND ONE-CAR GARAGE WITH 4-LIGHT WOOD PANEL DOOR. ADDED CARPORT INTEGRATES INTO MAIN ROOFLINE.





4911 EAST 26TH TERRACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4911 E 26 TER S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 8
BLOCK: 2
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ROOF CUT-OUT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
LINEAR COURTYARD PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION IS STONE WITH SECTION OF VERTICAL WEATHERBOARD WITH PAIR OF WINDOWS, ONE 1/1 HUNG, 1 FIXED. RECESSED SECTION OF FRONT ELEVATION IS STONE WITH ANGLED TRANSOM WINDOWS. FRONT ENTRANCE IS 10-PANEL WOOD DOOR WITH SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. WEST AND EAST ELEVATIONS ARE VERTICAL WEATHERBOARD. ATTACHED ONE-CAR GARAGE HAS BEEN CONVERTED TO LIVING SPACE WITH PAIR OF WINDOWS - 1 SLIDING, 1 FIXED. SLAB WOOD ACCESS DOOR ON EAST SIDE OF FORMER GARAGE STILL IN PLACE.





4912 EAST 26TH TERRACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4912 E 26 TER S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 18
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 40 STONE
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: AWNING/FIXED/HUNG
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 50 METAL

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF PLYWOOD SIDING CONTAINING GROUPING OF ONE FIXED, ONE 1/1 HUNG AND ONE ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS MIX OF STONE AND VERTICAL WEATHERBOARD WITH TWO SMALL ALUMINUM SLIDING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 10-PANEL DOOR AND SINGLE PANE SIDELIGHT. SECONDARY WING IS VERTICAL WEATHERBOARD CONTAINING ATTACHED TWO-CAR GARAGE WITH VERTICAL SIDED DOORS.





4915 EAST 26TH TERRACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4915 E 26 TER S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 9
BLOCK: 2
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 21 WEATHERBOARD
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
FULL-WIDTH TRANSOM WINDOWS ON WEST ELEVATION

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS BRICK WITH NARROW SECTION OF PLYWOOD SIDING AND ONE AWNING WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS BRICK WITH FULL WIDTH ANGLED TRANSOM WINDOWS, INCLUDING ONE AWNING WINDOW. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS 6" LAP SIDING WITH WIDE TRANSOM WINDOW. ONE-CAR GARAGE HAS BEEN CONVERTED TO LIVING SPACE AND BUMPED OUT SLIGHTLY, NO FENESTRATION.





4916 EAST 26TH TERRACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4916 E 26 TER S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 17
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
NON-CONTRIBUTING DUE TO ALTERATION

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 42 SANDSTONE
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: 1-LIGHT FRENCH DOOR
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
LINEAR PLAN WITH ATTACHED TWO-CAR GARAGE. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION IS PRIMARILY VINYL SIDING WITH SECTION OF SANDSTONE ON EAST FOURTH. FRONT ELEVATION HAS PAIR OF 1/1 DOUBLE HUNG WINDOWS. EAST AND WEST ELEVATIONS ARE VINYL SIDING. FRONT ENTRANCE IS 1-LIGHT FRENCH DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. ATTACHED TWO-CAR GARAGE HAS ONE DOUBLE-WIDTH 32-PANEL METAL DOOR.





4922 EAST 26TH TERRACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4922 E 26 TER S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 16
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 42 SANDSTONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, CARPORT

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS SANDSTONE EXTENDING BEYOND CORNERS OF HOUSE WITH 5 WINDOWS - 2 FIXED, 3 AWNING. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH TWO HUNG WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD WITH GROUPING OF 3 FIXED AND 1 AWNING WINDOW AND ONE-CAR GARAGE WITH VERTICAL SIDED DOOR. CARPORT ADDITION INTEGRATES INTO MAIN ROOFLINE.





4923 EAST 26TH TERRACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4923 E 26 TER S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 10
BLOCK: 2
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1955
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: 1/1 HUNG
WINDOW MATERIAL: 55 ALUMINUM
DOOR TYPE: 9-LIGHT FRENCH DOOR
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, SHUTTERS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE, WEST THIRD IS VERTICAL WEATHERBOARD WITH GROUPED WINDOWS - ONE 1/1 HUNG, 1 FIXED. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS VERTICAL WEATHERBOARD WITH PAIR OF STEEL AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 9-LIGHT FRENCH DOOR. SECONDARY WING IS VERTICAL WEATHERBOARD WITH TWO 1/1 HUNG WINDOWS FLANKING FIXED WINDOW AND ONE-CAR GARAGE WITH 16-PANEL WOOD DOOR.





4926 EAST 26TH TERRACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4926 E 26 TER S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 15
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
LINEAR PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION IS STONE WITH SECTION OF PLYWOOD SIDING AND GROUPING OF 1 FIXED, 1 AWNING WINDOW. EAST ELEVATION IS VERTICAL WEATHERBOARD. RECESSED ELEVATION IS VERTICAL WEATHERBOARD WITH ONE AWNING WINDOW AND TWO TRANSOM WINDOWS. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. ATTACHED ONE-CAR GARAGE HAS VERTICAL SIDED DOOR.





4929 EAST 26TH TERRACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4929 E 26 TER S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 11
BLOCK: 2
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY: 80 OTHER
WINDOW TYPE: SLIDING
WINDOW MATERIAL: 72 VINYL
DOOR TYPE: PANEL
DOOR MATERIAL: 50 METAL

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
LINEAR PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION IS BRICK WITH SECTION OF VERTICAL CEMENTITIOUS SIDING AND VINYL SLIDING WINDOWS. EAST AND WEST ELEVATIONS ARE BRICK. FRONT ENTRANCE IS METAL PANEL DOOR WITH FAN LIGHT AND SINGLE PANE SIDELIGHT. ATTACHED ONE-CAR GARAGE HAS 16-PANEL METAL DOOR.





4930 EAST 26TH TERRACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4930 E 26 TER S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 14
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED TWO-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS, WOOD RAFTER PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH GROUPING OF 1 FIXED, 1 SQUARE AWNING AND 2 ANGLED TRANSOM WINDOWS. EAST ELEVATION IS VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS MIX OF STONE AND VERTICAL WEATHERBOARD WITH TWO SMALL WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS SLAB DOOR, SINGLE PANE SIDELIGHT AND TRANSOM WINDOW. SECONDARY WING IS VERTICAL WEATHERBOARD CONTAINING TWO-CAR GARAGE WITH VERTICAL SIDED DOORS.





4935 EAST 26TH TERRACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4935 E 26 TER S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 12
BLOCK: 2
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 42 SANDSTONE
WALL MATERIAL, SECONDARY: 25 SHAKE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS SANDSTONE WITH TWO GROUPINGS OF THREE WINDOWS - 2 AWNING FLANKING 1 FIXED. EAST ELEVATION IS MIX OF SANDSTONE AND VERTICAL WEATHERBOARD. WEST ELEVATION OF MAIN WING IS SANDSTONE, SMALL AWNING WINDOWS NEAR FRONT DOOR HAVE BEEN FILLED. FRONT ENTRANCE IS SLAB DOOR WITH ANGLED TRANSOM WINDOW, SIDELIGHT HAS BEEN FILLED. SECONDARY WING IS CEMENTITIOUS SHAKE WITH TWO AWNING WINDOWS AND ATTACHED ONE-CAR GARAGE WITH 16-PANEL WOOD DOOR.





4936 EAST 26TH TERRACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4936 E 26 TER S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 13
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ONE-STORY

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
LINEAR PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION IS 6" LAP WEATHERBOARD ON WEST HALF AND STONE ON EAST HALF. EAST AND WEST ELEVATIONS ARE STONE. FRONT ENTRANCE IS 2-PANEL WOOD DOOR, SIDELIGHT HAS BEEN FILLED. ATTACHED ONE-CAR GARAGE CONVERTED TO LIVING SPACE.





4940 EAST 26TH TERRACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4940 E 26 TER S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 12
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: SLAB
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE, TWO-CAR CARPORT

DECORATIVE DETAILS:
ORIGINAL WOOD RAFTER PERGOLA

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE WITH SECTION OF CEDAR SHAKE CONTAINING GROUPING OF ONE FIXED, ONE SQUARE AWNING AND ONE ANGLED TRANSOM WINDOW. EAST ELEVATION IS VERTICAL VINYL SIDING. WEST ELEVATION OF MAIN WING IS VERTICAL VINYL SIDING WITH ONE SMALL AWNING WINDOW NEAR FRONT DOOR. ORIGINAL WOOD RAFTER PERGOLA RUNS FULL LENGTH OF WEST ELEVATION. FRONT ENTRANCE IS SLAB DOOR, SINGLE-PANE SIDE-LIGHT AND TRANSOM WINDOW. SECONDARY WING IS SECTION OF CEDAR SHAKE WITH ANGLED TRANSOM WINDOW AND SECTION OF VERTICAL VINYL SIDING CONTAINING ATTACHED ONE-CAR GARAGE WITH 2-LIGHT PANELED GARAGE DOOR. A TWO-CAR CARPORT HAS BEEN ADDED.





4946 EAST 26TH TERRACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4946 E 26 TER S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 11
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 03 FAIR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL

FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 72 VINYL
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
L-SHAPED PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD FRONT AND BACK ELEVATIONS. FRONT ELEVATION OF MAIN WING IS STONE EXTENDING BEYOND CORNERS OF HOUSE WITH FIVE TRANSOM WINDOWS - 3 FIXED AND 2 AWNING. EAST ELEVATION IS VINYL SIDING WITH ONE-STORY ADDITION AT THE SOUTHEAST CORNER OF THE HOUSE WITH ALUMINUM SLIDING WINDOWS. WEST ELEVATION OF MAIN WING IS VINYL SIDING WITH GROUPING OF ONE FIXED, ONE AWNING, ONE ANGLED TRANSOM WINDOW AT NW CORNER AND TWO AWNING WINDOWS NEAR FRONT DOOR. FRONT ENTRANCE IS 8-PANEL CARVED WOOD DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM WINDOW. SECONDARY WING IS VINYL SIDING CONTAINING ATTACHED ONE-CAR GARAGE WITH WOOD PANEL DOOR.





4950 EAST 26TH TERRACE

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: RESIDENCE

ADDRESS: 4950 E 26 TER S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT: 10
BLOCK: 3
PLAT NAME: LORTONDALE ADDITION
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: B BUILDING
HISTORIC FUNCTION: 01A SINGLE DWELLING
CURRENT FUNCTION: 01A SINGLE DWELLING

AREA OF SIGNIFICANCE, PRIMARY:
30 ARCHITECTURE

AREA OF SIGNIFICANCE, SECONDARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

YEAR BUILT: 1954
ARCHITECT/BUILDER: DONALD H. HONN/HOWARD C. GRUBB
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 02 GOOD

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:
70 MODERN MOVEMENT: AMERICAN INTERNATIONAL


FOUNDATION MATERIAL: 98 INAPPLICABLE
ROOF TYPE: FLAT
ROOF MATERIAL: 99 UNCOLLECTED
WALL MATERIAL, PRIMARY: 21 WEATHERBOARD
WALL MATERIAL, SECONDARY: 40 STONE
WINDOW TYPE: SINGLE PANE AWNING/FIXED
WINDOW MATERIAL: 56 STEEL
DOOR TYPE: PANEL
DOOR MATERIAL: 20 WOOD

EXTERIOR FEATURES:
ATTACHED ONE-CAR GARAGE

DECORATIVE DETAILS:
EXPOSED RAFTER TAILS

DESCRIPTION OF RESOURCE:
LINEAR/COURTYARD PLAN. SLIGHT PITCH TO FLAT ROOF TOWARD SIDE ELEVATIONS. FRONT ELEVATION IS STONE HALF WALL EXTENDING BEYOND CORNERS OF HOUSE WITH VERTICAL CEMENTITIOUS SIDING ABOVE CONTAINING GROUPING OF ONE FIXED, ONE SQUARE AWNING, AND ONE ANGLED TRANSOM WINDOW. RECESSED FRONT ELEVATION IS STONE WITH ONE SMALL AWNING WINDOW AND ANGLED TRANSOM WINDOWS. EAST AND WEST ELEVATIONS ARE VERTICAL CEMENTITIOUS SIDING. FRONT ENTRANCE IS 6-PANEL DOOR, SINGLE PANE SIDELIGHT AND ANGLED TRANSOM. GARAGE WING IS VERTICAL CEMENTITIOUS SIDING WITH 8 PANEL WOOD DOOR.





LORTONDALE ESTATE COLUMNS

PROPERTY NAME: LORTONDALE HISTORIC DISTRICT
RESOURCE NAME: LORTONDALE ESTATE COLUMNS

ADDRESS: NEAR SE CORNER OF E YALE AV & 27 ST S
CITY: TULSA
VICINITY:
COUNTY: TULSA
COUNTY CODE: 143

LOT:
BLOCK:
PLAT NAME:
SECTION: SW QTR SEC 15
TOWNSHIP: T19N
RANGE: R13E

RESOURCE TYPE: O OBJECT
HISTORIC FUNCTION: 08H MONUMENT/MARKER
CURRENT FUNCTION: 08H MONUMENT/MARKER

AREA OF SIGNIFICANCE, PRIMARY:
70 COMMUNITY PLANNING AND DEVELOPMENT

AREA OF SIGNIFICANCE, SECONDARY:
30 ARCHITECTURE

YEAR BUILT: circa 1924
ARCHITECT/BUILDER:
ORIGINAL SITE? YES
ACCESSIBLE? YES
CONDITION OF RESOURCE: 04 POOR

DESCRIPTION OF SIGNIFICANCE:
CONTRIBUTES TO LORTONDALE HISTORIC DISTRICT

ARCHITECTURAL STYLE:


FOUNDATION MATERIAL: 65 CONCRETE
ROOF TYPE:
ROOF MATERIAL:
WALL MATERIAL, PRIMARY: 30 BRICK
WALL MATERIAL, SECONDARY:
WINDOW TYPE:
WINDOW MATERIAL:
DOOR TYPE:
DOOR MATERIAL:

EXTERIOR FEATURES:
FOUR BRICK COLUMNS ON FLARED CONCRETE BASES

DECORATIVE DETAILS:

DESCRIPTION OF RESOURCE:
FOUR COLUMNS THAT ONCE FLANKED ENTRANCE TO LORTON ES-
TATE. ALL COLUMNS ARE 30" X 30" SQUARE, BUILT ON 8" TALL FLARED
CONCRETE BASES. BRICK PATTERN IS RUNNING BOND, FIVE STRETCHER
COURSES SEPARATED BY A RECESSED STRETCHER COURSE. COLUMNS
CAPPED WITH ROWLOCK COURSE. TWO TALLEST COLUMNS ARE 93"
TALL, 30 COURSES. TWO SHORTER COLUMNS ARE 76" TALL, 24 COUR-
SES. DISTANCE BETWEEN TWO TALL COLUMNS IS 17'8". DISTANCE BE-
TWEEN SHORTER COLUMNS IS 29'4". SHORTER COLUMNS ARE 9' WEST
OF TALLER COLUMNS, 10' EAST OF CURBLINE OF YALE AVENUE. THE NW
COLUMN IS 74' FROM CURBLINE OF 27TH STREET.





ACKNOWLEDGEMENTS

Stephen Edlich, Lortondale resident and neighborhood historian. Without his generous assistance and prized collection of research and materials, this survey would not have been possible.

Shane and Heather Hood, and the Lortondale Neighborhood Association, for their enthusiastic support of this project.

All the wonderful homeowners in Lortondale that I met during the study, who were unfailingly friendly and rightfully proud of their homes and their neighborhood.

My father-in-law, Charles Parent, who shared many memories of his days as a young man working his first job after moving to Tulsa – laying the parquet hardwood floors in a new subdivision named Lortondale. All the homeowners who spoke with pride about the beauty of their hardwood floors have my father-in-law’s craftsmanship to thank.

Shawn M. Schaefer, Director. The program has profoundly changed my life, both because of your mentoring and the opportunities you’ve provided me.

Thank you to the members of the jury, Dr. Warnken and Dr. Omabegho, for your time, guidance and direction.

All the students who have gone through the past two and a half years with me. Big thanks to Ryon, Yani, Jonathan, Patrick, Ryan, Marcus, Tom, Heloisa, Anna, and Craig for helping to keep me sane all these late nights.

Amanda DeCort, Preservation Planner and City of Tulsa Historic Preservation Officer. Two years in a row you got a planner through school. Even with everything we’ve had going on at the office the past few months, you could not have been a better friend during this project.

Patrick K. Treadway, who is an amazing planner, an even better person, and someone I admire a great deal. I learn something from Pat every day.

Jim Gabbert at the State Historic Preservation Office, thanks for patiently answering all the questions from the rookie doing his first survey. And really, it’s “80 OTHER”?

The extremely helpful folks at Tulsa County Land Records, René and John, and also to the City of Tulsa Engineering Graphics Department.

My Mom and Dad for raising me right and always being there for me.

My brother, Dave, for setting the bar so high.

I have an amazing group of friends who did their best to keep me sane along the way. So in no particular order, thanks to Jenn, John, Lauren, Mike, Greg, Karen, Trent, Mercedes, Julie, Marty, AJ, Craig, Kristi, Ryon, Melissa, Steve, Kristen, Nicole, Bryce, April, Matt, Paige, Robert, Cindy, Patrick, Katie, Lori, and I hope I remembered everybody.

Friends in the preservation community who have advised and inspired me over the years, too numerous to mention, but I’ll try: Rex Ball, Herb Fritz, Daniel Carey, Kent Schell, Marty Newman, Lee Anne Ziegler, Jim Turner, Stacey Bayles, David Breed and goodness knows I’ve forgotten somebody.

And finally, there is no way to adequately describe the love, support, and encouragement that my wife, Andrea, has given me during this project and the past two and a half years in the program. My sleepless nights have been her sleepless nights, too. All the meals missed, social engagements cancelled, and weekends lost to study time are sacrifices we made together. Whatever was achieved during my time in the program has been our achievement. We did it, sweets. I hope I made you proud.

