

Bibliography of Oklahoma Anadarko Basin and Wichita Mountains

Brian J. Cardott
Oklahoma Geological Survey

- AAPG Datapages, 2014, Oklahoma City Geological Society publications on DVD, 1950-2013: American Association of Petroleum Geologists, 3 DVDs.
- Abrams, M.A., and D. Thomas, 2020, Geochemical evaluation of oil and gas samples from the Upper Devonian and Mississippian reservoirs southern Anadarko Basin Oklahoma and its implication for the Woodford Shale unconventional play: *Marine and Petroleum Geology*, v. 112, 104043.
- Adeboye, O.O., N. Riedinger, T. Wu, G.M. Grammar, and T.M. Quan, 2020, Redox conditions on the Anadarko Shelf of Oklahoma during the deposition of the "Mississippian Limestone": *Marine and Petroleum Geology*, v. 116, 104345.
- Adler, F.J., 1971, Anadarko Basin and central Oklahoma area, *in* Future petroleum provinces of the United States—their geology and potential: AAPG Memoir 15, v. 2, p. 1061-1070.
- Agena, W.F., M.W. Lee, and J.A. Grow, 1989, Reprocessing of the COCORP data recorded across the Wichita Uplift and the Anadarko Basin in southern Oklahoma: U.S. Geological Survey Open File Report OF-89-0357, 20 p.
- Al Atwah, I., J. Puckette, and T. Quan, 2015, Petroleum geochemistry of the Mississippian Limestone play, northern Oklahoma, USA: Evidence of two different charging mechanisms east and west of the Nemaha Uplift: AAPG Search and Discovery Article #10773, 34 p.
http://www.searchanddiscovery.com/pdfz/documents/2015/10773alatwah/ndx_alatwah.pdf.html
- Al Atwah, I., J. Pantano, J. Puckette, K. Arouri, and J.M. Moldowan, 2019, Organic geochemistry and crude oil source rock correlation of Devonian-Mississippian petroleum systems in northern Oklahoma, *in* G.M. Grammer, J.M. Gregg, J.O. Puckette, P. Jaiswal, S.J. Mazzullo, M.J. Pranter, and R.H. Goldstein, eds., Mississippian reservoirs of the midcontinent: AAPG Memoir.122, p. 301-322.
- Ali, F.M., 2008, A subsurface study of the Lower Red Fork sandstone in the deeper part of the Anadarko Basin in Caddo and Washita counties, Oklahoma: Norman, Oklahoma, University of Oklahoma, unpublished M.S. thesis.
- Allen, F.A., and R.G. Thomas, 1984, The uranium potential of diagenetically altered sandstones of the Permian Rush Springs Formation, Cement district, southwest Oklahoma: *Economic Geology*, v. 79, p. 284-296.
- Al-Shaieb, Z., and P. Walker, 1986, Evolution of secondary porosity in Pennsylvanian Morrow Sandstones, Anadarko Basin, Oklahoma, *in* C.W. Spencer and R.F. Mast, eds., *Geology of tight gas reservoirs*: AAPG Studies in Geology 24, p. 45-67.
- Al-Shaieb, Z., 1988, Hydrocarbon-induced diagenetic aureole at Cement-Chickasha Anticline, Oklahoma, *in* O.T. Hayward, ed., *South-Central Section of the Geological Society of America: GSA, Centennial Field Guide v. 4*, p. 103-108.

- Al-Shaieb, Z., J.W. Shelton, and J.O. Puckette, 1989, Sandstone reservoirs of the Mid-Continent: Oklahoma City Geological Society, syllabus for short course, 125 p. (see Al-Shaieb and others, 1995)
- Al-Shaieb, Z., 1991, Compartmentation, fluid pressure important in Anadarko exploration: *Oil & Gas Journal*, v. 89, no. 27, p. 52-56.
- Al-Shaieb, Z., J. Puckette, P. Ely, and V. Tigert, 1992, Pressure compartments and seals in the Anadarko Basin, in K.S. Johnson and B.J. Cardott, eds., *Source rocks in the southern Midcontinent*, 1990 symposium: OGS Circular 93, p. 210-228.
- Al-Shaieb, Z., G. Beardall, P. Medlock, K. Lippert, F. Matthews, and F. Manni, 1993, Overview of Hunton facies and reservoirs in the Anadarko Basin, in K.S. Johnson, ed., *Hunton Group core workshop and field trip*: OGS Special Publication 93-4, p. 3-39.
- Al-Shaieb, Z., J. Puckette, P. Ely, and A. Abdalla, 1993, The Upper Morrowan fan-delta chert conglomerate in Cheyenne and Reydon fields: completely sealed gas-bearing pressure compartments, in K.S. Johnson and J.A. Campbell, eds., *Petroleum-reservoir geology in the southern Mid-continent*, 1991 symposium: OGS Circular 95, p. 26-39.
- Al-Shaieb, Z., J.O. Puckette, A.A. Abdalla, and P.B. Ely, 1994, Megacompartiment complex in the Anadarko Basin: a completely sealed overpressured phenomenon, in P.J. Ortoleva, ed., *Basin compartments and seals*: AAPG Memoir 61, p. 55-68.
- Al-Shaieb, Z., J.O. Puckette, A.A. Abdalla, and P.B. Ely, 1994, Three levels of compartmentation within the overpressured interval of the Anadarko Basin, in P.J. Ortoleva, ed., *Basin compartments and seals*: AAPG Memoir 61, p. 69-83.
- Al-Ahaieb, Z., J. Shelton, J. Puckette, and D. Boardman, 1995, Sandstone and carbonate reservoirs of the Mid-Continent: Oklahoma City Geological Society, OCGS-OSU Core Workshop, 194 p.
- Al-Shaieb, Z., J. Puckette, and P. Deyhim, 1999, Compartmentalization of the overpressured interval in the Anadarko Basin, in D.F. Merriam, ed., *Transactions of the 1999 AAPG Midcontinent Section meeting*: Kansas Geological Society, p. 63-70.
- Al-Shaieb, Z., and J. Puckette, 2000, Sequence stratigraphy of Hunton Group ramp facies, Arbuckle Mountains and Anadarko Basin, Oklahoma, in K.S. Johnson, ed., *Platform carbonates in the southern Midcontinent*, 1996 symposium: OGS Circular 101, p. 131-137.
- Al-Shaieb, Z., J. Puckette, and P. Blaubach, 2000, The Hunton Group: sequence stratigraphy, facies, dolomitization, and karstification, in Hunton play in Oklahoma (including northeast Texas Panhandle): OGS Special Publication 2000-2, p. 39-50.
- Al-Shaieb, Z., J. Puckette, and P. Blaubach, 2001, The Hunton Group: sequence stratigraphy, facies, dolomitization, and karstification, in K.S. Johnson, ed., *Silurian, Devonian, and Mississippian geology and petroleum in the southern Midcontinent*, 1999 symposium: OGS Circular 105, p. 17-29.
- Al-Shaieb, Z., J. Puckette, P. Deyhim, and A. Close, 2001, Compartmentalization of the overpressured interval in the Anadarko Basin, in K.S. Johnson and D.F. Merriam,

- eds., Petroleum systems of sedimentary basins in the southern Midcontinent, 2000 symposium: OGS Circular 106, p. 121-131.
- Al-Shaieb, Z., J.O. Puckette, and A. Close, 2002, Seal characterization and fluid-inclusion stratigraphy of the Anadarko Basin, *in* B.J. Cardott, ed., Revisiting old and assessing new petroleum plays in the southern Midcontinent, 2001 symposium: OGS Circular 107, p. 153-161.
- Amsden, T.W., and G. Klapper, 1972, Misener Sandstone (middle-Upper Devonian), north-central Oklahoma: AAPG Bulletin, v. 56, p. 2323-2334.
- Amsden, T.W., 1975, Hunton Group (Late Ordovician, Silurian, and Early Devonian) in the Anadarko Basin of Oklahoma: OGS Bulletin 121, 214 p.
- Amsden, T.W., and J.W. Barrick, 1993, Pre-Woodford subcrop map and stratigraphic sections: OGS Map GM 34, 2 plates.
- Anderson, S.T., 2018, Economics, helium, and the U.S. Federal Helium Reserve: Summary and outlook: Natural Resources Research, v. 27, no. 4, p. 455-477.
- Andrews, R.D., J.A. Campbell, R.A. Northcutt, R.M. Knapp, and Z. Bhatti, 1995, Fluvial-dominated deltaic (FDD) oil reservoirs in Oklahoma: The Morrow play: OGS Special Publication 95-1, 67 p.
- Andrews, R.D., and W.J. Hendrickson, 1999, Morrow gas play in the Anadarko Basin and shelf of Oklahoma: OGS Special Publication 99-4, 133 p.
- Andrews, R.D., and others, 2001, Springer gas play in western Oklahoma: OGS Special Publication 2001-1, 123 p.
- Andrews, R.D., ed., 2008, Morrow and Springer in the southern Midcontinent, 2005 symposium: OGS Circular 111, 155 p.
- Aquilar, J., 1988, Geochemistry of mafic rock units of the southern Oklahoma aulacogen, southwestern Oklahoma: Norman, University of Oklahoma, unpublished M.S. thesis, 62 p.
- Atwah, I., S. Sweet, J. Pantano, and A. Knap, 2019, Light hydrocarbon geochemistry: Insight into Mississippian crude oil sources from the Anadarko Basin, Oklahoma, USA: Geofluids, v. 2019, Article ID 2795017, 15 p.
- Atwah, I., S. Mohammadi, J.M. Moldowan, and J. Dahl, 2021, Episodic hydrocarbon charge in tight Mississippian reservoirs of central Oklahoma, USA: Insights from oil inclusion geochemistry: Marine and Petroleum Geology, v. 123, 104742.
- Axtmann, T.C. 1983, Structural mechanisms and oil accumulation along the Mountain View-Wayne Fault, south-central Oklahoma: Norman, University of Oklahoma, unpublished M.S. thesis, 70 p.
- Axtmann, T.C., 1983, Structural mechanisms and oil accumulation along the Mountain View-Wayne Fault, south-central Oklahoma: Shale Shaker, v. 34, p. 1-12.
- Ball, M.M., M.E. Henry, and S.E. Frezon, 1991, Petroleum geology of the Anadarko Basin region, province (115), Kansas, Oklahoma, and Texas: U.S. Geological Survey Open-File Report 88-450W, 36 p.
- Bally, A.W., 1989, Phanerozoic basins of North America, *in* A.W. Bally and A.R. Palmer, eds., The geology of North America; an overview: GSA, The Geology of North America, v. A, p. 397-446.
- Barker, C., and N.E. Takach, 1992, Prediction of natural gas composition in ultradeep sandstone reservoirs: AAPG Bulletin, v. 76, p. 1859-1873.
- Barker, C.E., D.K. Higley, and M.C. Dalziel, 1991, Using cathodoluminescence to map regionally zoned carbonate cements occurring in diagenetic aureoles above oil

- reservoirs: initial results from the Velma oil field, Oklahoma, in C.E. Barker and O.C. Kopp, eds., *Luminescence microscopy and spectroscopy: qualitative and quantitative applications: SEPM Short Course 25*, p. 155-160.
- Bebout, D.G., W.A. White, T.F. Hentz, and M.K. Grasmick, eds., 1993, *Atlas of major mid-continent gas reservoirs: Bureau of Economic Geology*, 85 p.
- Benton, J.W., 1972, Subsurface stratigraphic analysis of Morrow (Pennsylvanian), north central Texas County, Oklahoma (part 2): *OCGS Shale Shaker*, v. 23, no. 1, p. 4-19.
- Berendsen, P., and K. P. Blair, 1995, Structural development of the Nemaha tectonic zone in Kansas, in K.S. Johnson, ed., *Structural styles in the southern Midcontinent, 1992 symposium: OGS Circular 97*, p. 208-214.
- Berg, O.R., D.N. Koinm, and D.E. Richardson, eds., 1974, *Oil and gas fields of Oklahoma, supplement I: Oklahoma City Geological Society*.
- Beserra, T., 2008, The oil classification and exploration opportunity in the Hugoton Embayment, western Kansas and Las Animas Arch, eastern Colorado: AAPG Search and Discovery Article No. 10146, 21 p. (oil migration from Anadarko Basin into Kansas)
<http://www.searchanddiscovery.com/pdfz/documents/2008/08032beserra/images/beserra.pdf.html>
- Bickford, M.E., W.R. Van Schmus, and I. Zietz, 1986, Proterozoic history of the mid-continent region of North America: *Geology*, v. 14, p. 492-296.
- Blackwell, D.D., and J.L. Steele, 1989, Heat flow and geothermal potential of Kansas, in D.W. Steeples, ed., *Geophysics in Kansas: KGS Bulletin 226*, p. 267-295.
- Blubaugh, P.E., Jr., 1999, Hydrodynamics of the Hunton Group, Anadarko Basin, Oklahoma and Texas Panhandle, part 1: *OCGS Shale Shaker*, v. 50, p. 61-80.
- Blubaugh, P.E., Jr., 1999, Hydrodynamics of the Hunton Group, Anadarko Basin, Oklahoma and Texas Panhandle, part 2: *OCGS Shale Shaker*, v. 50, p. 90-105.
- Bochneak, D.L., 1982, A subsurface study of the Doyle field, Stephens County, Oklahoma: Waco, Texas, Baylor University, unpublished M.S. thesis, 73 p.
- Bokman, J., 1954, Relative abundance of common sediments in Anadarko Basin of Oklahoma: *AAPG Bulletin*, v. 38, p. 648-654.
- Bond, G.C., and M.A. Kominz, 1991, Disentangling middle Paleozoic sea level and tectonic events in cratonic margins and cratonic basins of North America: *Journal of Geophysical Research*, v. 96, no. B4, p. 6619-6639.
- Borak, B., and G.M. Friedman, 1981, Textures of sandstones and carbonate rocks in the world's deepest wells (in excess of 30,000 ft, or 9.1 km): Anadarko Basin, Oklahoma: *Sedimentary Geology*, v. 29, p. 133-151.
- Borak, B., and G.M. Friedman, 1982, Simpson (Ordovician) sandstone and Hunton (Late Ordovician to Early Devonian) carbonate textures from deep parts of the Anadarko Basin: *Oklahoma City Geological Society, Shale Shaker*, v. 32, no. 6, p. 1-8.
- Bottjer, R., L. Peyton, G. Partyka, and A. Warner, 2001, Interpretation of Red Fork incised valleys using 3-D seismic, Watonga-Chickasha trend, Anadarko Basin, Oklahoma, in K.S. Johnson, ed., *Pennsylvanian and Permian geology and petroleum in the southern Midcontinent, 1998 symposium: OGS Circular 104*, p. 99-103.

- Boyd, D.T., 2002, Oklahoma oil: past, present, and future: Oklahoma Geology Notes, v. 62, p. 97-106.
- Boyd, D.T., 2002, Oklahoma natural gas: past, present, and future: Oklahoma Geology Notes, v. 62, p. 143-155.
- Boyd, D.T., 2002, Map of Oklahoma oil and gas fields (Distinguished by G.O.R. and conventional gas vs. coalbed methane): Oklahoma Geological Survey Map GM-36. <http://ogs.ou.edu/docs/geologicmaps/GM36M.pdf>
- Boyd, D.T., 2002, Map of Oklahoma oil and gas fields (Distinguished by coalbed methane and field boundaries): Oklahoma Geological Survey Map GM-37. <http://ogs.ou.edu/docs/geologicmaps/GM37.pdf>
- Boyd, D.T., 2002, Map of Oklahoma oil and gas production by reservoir age: Oklahoma Geological Survey Map GM-38. <http://ogs.ou.edu/docs/geologicmaps/GM38.pdf>
- Boyd, D.T., 2003, Oklahoma oil, natural gas, and our place in the big picture: Oklahoma Geology Notes, v. 63, p. 4-30.
- Boyd, D.T., 2005, Oklahoma oil and gas production: its components and long-term outlook: Oklahoma Geology Notes, v. 65, p. 4-23.
- Boyd, D.T., 2006, Oklahoma's oil and gas industry and the global forces controlling it: OCGS Shale Shaker, v. 56, p. 145-154.
- Boyd, D.T., 2008, Stratigraphic guide to Oklahoma oil and gas reservoirs: OGS Special Publication 2008-1. <http://ogs.ou.edu/docs/specialpublications/SP2008-1P1.pdf>
<http://ogs.ou.edu/docs/specialpublications/SP2008-1P2.pdf>
- Brewer, J.A., L.D. Brown, D. Steiner, J.E. Oliver, S. Kaufman, and R.E. Denison, 1981, Proterozoic basin in the southern Midcontinent of the United States revealed by COCORP deep seismic reflection profiling: Geology, v. 9, p. 569-575.
- Brewer, J.A., 1982, Study of southern Oklahoma aulacogen, using COCORP deep seismic-reflecting profiles, *in* M.C. Gilbert and R.N. Donovan, eds., Geology of the eastern Wichita Mountains, southwestern Oklahoma: OGS Guidebook 21, p. 31-39.
- Brewer, J.A., R. Good, J.E. Oliver, L.D. Brown, and S. Kaufman, 1983, COCORP profiling across the southern Oklahoma aulacogen: overthrusting of the Wichita Mountains and compression within the Anadarko Basin: Geology, v. 11, p. 109-114.
- Brewer, J.A., R. Good, J.E. Oliver, L.D. Brown, and S. Kaufman, 1984, COCORP deep seismic reflection traverse across the southern Oklahoma aulacogen, *in* J.G. Berger, II, ed., Technical proceedings of the 1981 AAPG Mid-Continent Regional Meeting: OCGS, p. 191-194.
- Broker, J.R., 2001, Subsurface stratigraphic analysis of the Prue Sandstone interval in south-central Oklahoma (part 1): OCGS Shale Shaker, v. 51, p. 39-50.
- Brown, A., 2019, Origin of helium and nitrogen in the Panhandle—Hugoton field of Texas, Oklahoma, and Kansas, United States: AAPG Bulletin, v. 103, p. 369-403.
- Brown, D., 2020, Anadarko Basin: A super super basin: AAPG Explorer, v. 41, no. 6, p. 6-7. <https://explorer.aapg.org/story/articleid/57181/anadarko-basin-a-super-super-basin?>
- Brown, R.L., and G. Morgan, 1991, Aulacogen collapse: a model for the compressive stage of aulacogen evolution, *in* K.S. Johnson, ed., Late Cambrian-Ordovician

- geology of the southern Midcontinent, 1989 symposium: OGS Circular 92, p. 185-188.
- Buckey, A., 2012, An integrated geophysical analysis of crustal structure in the Wichita Uplift region of southern Oklahoma: OCGS Shale Shaker, v. 62, p. 432-452.
- Budnik, R.T., 1997, Strike-slip structural framework of Amarillo-Wichita Uplift and Anadarko Basin, Texas Panhandle and Oklahoma, in G. McMahan, ed., Transactions of the 1997 AAPG Mid-Continent Section Meeting: OCGS, p. 100-106.
- Burruss, R.C., and J.R. Hatch, 1989, Geochemistry of oils and hydrocarbon source rocks, greater Anadarko Basin: evidence for multiple sources of oils and long-distance oil migration, in K.S. Johnson, ed., Anadarko Basin symposium, 1988: OGS Circular 90, p. 53-64.
- Burruss, R.C., and J.R. Hatch, 1992, Geochemistry of Pennsylvanian crude oils and source rocks in the greater Anadarko Basin, Oklahoma, Texas, Kansas, Colorado, and Nebraska: An update, in K.S. Johnson and B.J. Cardott, eds., Source rocks in the southern Midcontinent, 1990 symposium: Oklahoma Geological Survey Circular 93, p. 197.
- Busch, D.A., 1971, Genetic units in delta prospecting: AAPG Bulletin, v. 55, p. 1137-1154.
- Busch, D.A., 1974, Stratigraphic traps in sandstones—exploration techniques: AAPG Memoir 21, 174 p. (Anadarko Basin, Morrowan sandstone, p. 55-59)
- Caldwell, C.D., 1991, Cyclic deposition of the Lower Permian Wolfcampian, Chase Group, western Guymon-Hugoton field, Texas County, Oklahoma, in Midcontinent core workshop, integrated studies of petroleum reservoirs in the Midcontinent: KGS Open-File Report 91-52, p. 57-80.
- Campbell, J.A., C.J. Mankin, A.B. Schwarzkopf, and J.H. Raymer, 1988, Habitat of petroleum in Permian rocks of the mid-continent region, in W.A. Morgan and J.A. Babcock, eds., Permian rocks of the Midcontinent: Midcontinent SEPM Special Publication 1, p. 13-35.
- Campbell, J.A., R.A. Northcutt, R.D. Andrews, and R.M. Knapp, 2001, Major Pennsylvanian fluvial-deltaic light-oil reservoir systems in Oklahoma, in K.S. Johnson, ed., Pennsylvanian and Permian geology and petroleum in the southern Midcontinent, 1998 symposium: OGS Circular 104, p. 21-32.
- Campbell, J.A., and R.A. Northcutt, 2001, Petroleum systems of sedimentary basins in Oklahoma, in K.S. Johnson and D.F. Merriam, eds., Petroleum systems of sedimentary basins in the southern Midcontinent, 2000 symposium: OGS Circular 106, p. 1-5.
- Campbell, J.A., and J.L. Weber, 2006, Wells drilled to basement in Oklahoma: OGS Special Publication 2006-1 (CD).
- Campbell, J.A., 2007, Understanding the structure of the Wichita Uplift, southern Oklahoma: Shale Shaker, v. 58, p. 87-97.
- Cardott, B.J., and M.W. Lambert, 1985, Thermal maturation by vitrinite reflectance of Woodford Shale, Anadarko Basin, Oklahoma: AAPG Bulletin, v. 69, p. 1982-1998.
- Cardott, B.J., and M.W. Lambert, 1987, Thermal maturation by vitrinite reflectance of Woodford Shale, Anadarko Basin, Oklahoma: reply: AAPG Bulletin, v. 71, p. 898-899.

- Cardott, B.J., 1989, Thermal maturation of the Woodford Shale in the Anadarko Basin, in K.S. Johnson, ed., Anadarko Basin symposium, 1988: OGS Circular 90, p. 32-46.
- Cardott, B.J., 2012, Thermal maturity of Woodford Shale gas and oil plays, Oklahoma, USA: International Journal of Coal Geology, v. 103, p. 109-119.
- Cardwell, A.L., 1977, Petroleum source-rock potential of Arbuckle and Ellenburger Groups, southern Mid-Continent, United States: Quarterly of the Colorado School of Mines, v. 72, no. 3, 134 p.
- Carpenter, B.N., and R. Carlson, 1992, The Ames impact crater: OGS Oklahoma Geology Notes, v. 52, p. 208-223.
- Carter, L.S., 1993, Heat flow and thermal history in the Anadarko Basin, Oklahoma: Dallas, Texas, Southern Methodist University, unpublished M.S. thesis, 168 p.
- Carter, L.S., S.A. Kelley, D.D. Blackwell, and N.D. Naeser, 1998, Heat flow and thermal history of the Anadarko Basin, Oklahoma: AAPG Bulletin, v. 82, p. 291-316.
- Chang, J.M., 2014, Summary of new heat production calculations in Oklahoma: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 74, no. 1, p. 5-11. <http://ogs.ou.edu/docs/geologynotes/GN-V74N1.pdf>
- Chang, W.-F., G.A. McMechan, and G.R. Keller, 1989, Wave-field processing of data from a large-aperture seismic experiment in southwestern Oklahoma: Journal of Geophysical Research, v. 94, no. B2, p. 1803-1816.
- Charles, H.H., 1930, Oklahoma City oil field, Oklahoma: AAPG Bulletin, v. 14, p. 1515-1533.
- Chenoweth, P.A., 1984, Southern Mid-Continent responses to Acadian orogeny, in N.J. Hyne, ed., Limestones of the Mid-Continent: Tulsa Geological Society, Special Publication 2, p. 247-257.
- Cheung, P.K.-S., 1978, The geothermal gradient in sedimentary rocks in Oklahoma: Stillwater, Oklahoma State University, unpublished M.S. thesis, 55 p.
- Chiniwala, B., A.K. Palakurthi, I. Easow, and E.R. Russo, 2018, Measurement and analysis of wellbore micro losses and rock properties while drilling: A novel approach to identification of fractures in the Osage and Meramec Formations of Anadarko Basin: Unconventional Resources Technology Conference, URTeC 2896976, 10 p.
- Chopra, S., L. Infante-Paez, and K. Marfurt, 2018, Intra-basement intrusions in the STACK area of Oklahoma: AAPG Explorer, v. 39, no. 5, p. 18-19. <https://explorer.aapg.org/story/articleid/46763/intra-basement-intrusions-in-the-stack-area-of-oklahoma>
- Chopra, S., K.J. Marfurt, F. Kolawole, and B.M. Carpenter, 2018, Nemaha strike-slip fault expression on 3-D seismic data in SCOOP trend: AAPG Explorer, v. 39, no. 6, p. 18-19, 23. <https://explorer.aapg.org/story/articleid/47498/nemaha-strike-slip-fault-expression-on-3-d-seismic-data-in-scoop-trend>
- Clement, W.A., 1991, East Clinton field—U.S.A., Anadarko Basin, Oklahoma, in N.H. Foster and E.A. Beaumont, eds., Stratigraphic traps II: AAPG Treatise of Petroleum Geology, Atlas of Oil and Gas Fields, p. 207-267.
- Coddington, K., 2013, The role of heavy minerals in the thermal maturation of the Woodford Shale, Anadarko Basin, Oklahoma: Manhattan, KS, Kansas State University, unpublished M.S. thesis.

- Coffey, W.S., 2001, Lithostratigraphy and porosity characterization of the Sycamore Formation (Mississippian), and it's relationship to reservoir performance, Carter-Knox field, Grady and Stephens County, Oklahoma: OCGS Shale Shaker, v. 52, p. 9-17.
- Coffman, J.D., M.C. Gilbert, and D.A. McConnell, 1986, An interpretation of the crustal structure of the southern Oklahoma aulacogen satisfying gravity data: Oklahoma Geological Survey Guidebook 23, p. 1-10.
- Comer, J.B., and H.H. Hinch, 1987, Recognizing and quantifying expulsion of oil from the Woodford Formation and age-equivalent rocks in Oklahoma and Arkansas: AAPG Bulletin, v. 71, p. 844-858.
- Comer, J.B., 1992, Organic geochemistry and paleogeography of Upper Devonian formations in Oklahoma and northwestern Arkansas, *in* K.S. Johnson and B.J. Cardott, eds., Source rocks in the southern Midcontinent, 1990 symposium: OGS Circular 93, p. 70-93.
- Conrad, K.M., 1975, Applications of log pressure data in the Anadarko Basin: Petroleum Engineer, v. 47, no. 7, p. 40-48.
- Coughlon, J., and P. Denney, 1993, The Ames structural depression: an endogenic cryptoexplosion feature along a transverse shear: OCGS Shale Shaker, v. 43, p. 44-58.
- Crain, K.D., and J.C. Chang, 2018, Elevation map of the top of the crystalline basement in Oklahoma and surrounding states: OGS Open-File Report 1-2018, 3 pages, 1 plate with supplement. <http://ogs.ou.edu/docs/openfile/OF1-2018.pdf>;
- Crain, K.D., and J.C. Chang, 2018, Elevation and thickness of the Ordovician Arbuckle Group in Oklahoma and surrounding states: OGS Open-File Report 2-2018, 3 pages, 3 plates with supplement. <http://ogs.ou.edu/docs/openfile/OF2-2018.pdf>
- Cramer, R.D., L. Gatlin, and H.G. Wessman, eds., 1963, Oil and gas fields of Oklahoma, v. 1: Oklahoma City Geological Society, variously paginated. (Anadarko and Arkoma Basins)
- Cranganu, C., 1997, Heat flow in Oklahoma: Norman, University of Oklahoma, unpublished PhD dissertation, 164 p.
- Cranganu, C., Y. Lee, and D. Deming, 1998, Heat flow in Oklahoma and the south central United States: Journal of Geophysical Research, v. 103, no. B11, p. 27,107-27,121.
- Cranganu, C., 2005, Looking for gas-bearing layers in the Anadarko Basin, Oklahoma: OGS Oklahoma Geology Notes, v. 65, p. 72-77.
- Crawford, L.D., 1987, Paleomagnetic dating of calcite speleothems in Arbuckle Group limestones, southern Oklahoma: a possible relationship between hydrocarbons and authigenic magnetite: Norman, University of Oklahoma, unpublished M.S. thesis, 75 p.
- Crawford, M.F., 1991, Cement and Velma oil fields, *in* M.F. Crawford, K.M. Morgan, R.N. Donovan, and W.G. Brown, field trip leaders, Remote sensing techniques applied to structural geology and oil exploration in south central Oklahoma: Dallas Geological Society Field Trip 2, p. 75-113.
- Crone, A.J., and K.V. Luza, 1990, Style and timing of Holocene surface faulting on the Meers fault, southwestern Oklahoma: GSA Bulletin, v. 102, p. 1-17.
- Cullen, A., 2017, Rush Springs Sandstone at Weathertop Hill, Cement, OK: OCGS Shale Shaker, v. 68, p. 190-197.

- Cullen, A., 2018, My favorite outcrop(s): An imposter exposed? A Meers fault outcrop in the Slick Hills of Oklahoma: Oklahoma City Geological Society, Shale Shaker, v. 69, p. 330-343.
- Cullen, A., 2019, My favorite outcrop(s): French Lake outcrop, Wichita Mountains Wildlife Refuge: OCGS Shale Shaker, v. 70, no. 1, p. 26-36.
- Cullen, A., 2020, Completions-induced seismicity in the STACK-SCOOP area of central Oklahoma: Alpha SE, my favorite earthquake swarm: Oklahoma City Geological Society, Shale Shaker, v. 7, no. 1, p. 36-44.
- Cullen, A., 2020, A model for an unconventional trap in low permeability upper Tonkawa shallow marine sandstones in Dewey, Roger Mills, and Ellis Counties, Oklahoma: Oklahoma City Geological Society, Shale Shaker, v. 71, p. 222-237.
- Curtis, N.M., Jr., W.E. Ham, and K.S. Johnson, 2008, Geomorphic provinces of Oklahoma, in K.S. Johnson and K.V. Luza, eds., Earth sciences and mineral resources of Oklahoma: Oklahoma Geological Survey, Educational Publication 9, p. 8.
- Curtiss, D.K., 1995, The Oil Creek–Arbuckle (!) petroleum system, Major County, Oklahoma: University of South Carolina, unpublished Master of Earth Resources Management, 274 p.
- Curtiss, D.K., and D.A. Wavrek, 1997, The Oil Creek–Arbuckle (!) petroleum system, Major County, Oklahoma, in K.S. Johnson and J.A. Campbell, eds., Ames structure in northwest Oklahoma and similar features: origin and petroleum production (1995 symposium): Oklahoma Geological Survey, Circular 100, p. 240-258.
- Dahlgren, E.G., 1968, Discovery of a giant, the Oklahoma City oil field: Oklahoma City Geological Society, Shale Shaker, v. 19, no. 3, p. 53-55.
- Dart, R.L., 1990, In situ stress analysis of wellbore breakouts from Oklahoma and the Texas Panhandle: U.S. Geological Survey Bulletin 1866-F, 28 p.
- Davis, H.G., 1971, The Morrow-Springer trend, Anadarko Basin, target for the 70's: OCGS Shale Shaker, v. 22.
- Davis, H.G., 1974, High pressure Morrow-Springer gas trend, Blaine and Canadian Counties, Oklahoma: OCGS Shale Shaker, v. 24, p. 104-118.
- Davis, H.G., and J.L. Nondorf, 1974, Morrow-Springer pressures of the Anadarko Basin: SPE 5174.
- Davis, H.G., and R.A. Northcutt, 1989, The greater Anadarko Basin: an overview of petroleum exploration and development, in K.S. Johnson, ed., Anadarko Basin symposium, 1988: OGS Circular 90, p. 13-24.
<http://ogs.ou.edu/docs/circulars/C89.pdf>
- Davis, H.G., and R.A. Northcutt, 1991, Anadarko Basin, in H.J. Gluskoter, D.D. Rice, and R.B. Taylor, eds., Economic geology, U.S.: GSA, The Geology of North America, v. P-2, p. 325-338.
- Davis, L.V., 1955, Geology and ground water resources of Grady and northern Stephens Counties, Oklahoma: OGS Bulletin 73, 184 p.
- Davis, T.L., R.D. Benson, S. Wehner, M. Raines, and R. Freidline, 2011, Seismic reservoir characterization of the Morrow A Sandstone, Postle Field, Oklahoma: Shale Shaker, v. 62, no. 1, p. 42-50.

- Dehcheshmehi, S.M., 2016, Regional diagenesis of Mississippian strata of the southern Mid-Continent, USA: Stillwater, Oklahoma State University, unpublished PhD dissertation, 133 p.
- Denison, R.E., 1982, Geologic cross section from the Arbuckle Mountains to the Muenster Arch, southern Oklahoma and Texas: GSA Map and Chart Series MC-28R.
- Denison, R.E., E.G. Lidiak, M.E. Bickford, and E.B. Kisvarsanyi, 1984, Geology and geochronology of Precambrian rocks in the central interior region of the United States: U.S. Geological Survey Professional Paper 1241-C, 20 p.
- Dolton, G.L., and T.M. Finn, 1989, Petroleum geology of the Nemaha Uplift, central Mid-Continent: U.S. Geological Survey Open-File Report 88-450D, 39 p.
- Donovan, R.N., W. Beauchamp, T. Ferraro, C. Lojek, D. McConnell, M. Munsil, D. Ragland, B. Sweet, and D. Taylor, 1983, Subsidence rates in Oklahoma during the Paleozoic: OCGS Shale Shaker, v. 33, p. 86-88.
- Donovan, R.N., 1986, Geology of the Slick Hills, in R.N. Donovan, ed., The Slick Hills of southwestern Oklahoma—Fragments of an aulacogen?: OGS Guidebook 24, p. 1-12.
- Donovan, R.N., 1988, The Meers fault scarp, southwestern Oklahoma, in O.T. Hayward, ed., South-Central Section of the Geological Society of America: GSA Centennial Field Guide v. 4, p. 79-82.
- Donovan, R.N., D. Ragland, K. Cloyd, S. Bridges, and R.E. Denison, 1988, Carlton Rhyolite and lower Paleozoic sedimentary rocks at Bally Mountain in the Slick Hills of southwestern Oklahoma, in O.T. Hayward, ed., South-Central Section of the Geological Society of America: GSA Centennial Field Guide v. 4, 93-98.
- Donovan, R.N., P. Younger, and C. Ditzell, 1988, Some aspects of the geology of Zodletone Mountain, southwestern Oklahoma, in O.T. Hayward, ed., South-Central Section of the Geological Society of America: GSA Centennial Field Guide v. 4, p. 99-102.
- Donovan, R.N., D. Ragland, M. Rafaloswki, D. McConnell, W. Beauchamp, W.R. Marcini, and D.J. Sanderson, 1988, Pennsylvanian deformation and Cambro-Ordovician sedimentation in the Blue Creek Canyon, Slick Hills, southwestern Oklahoma, in O.T. Hayward, ed., South-Central Section of the Geological Society of America: GSA Centennial Field Guide v. 4, p. 127-134.
- Donovan, R.N., 1995, The Slick Hills of Oklahoma and their regional tectonic setting, in K.S. Johnson, ed., Structural styles in the southern Midcontinent, 1992 symposium: OGS Circular 97, p. 178-186.
- Donovan, R.N., 2000, Initiation of the Arbuckle platform—view from the Slick Hills, Oklahoma, in K.S. Johnson, ed., Platform carbonates in the southern Midcontinent, 1996 symposium: OGS Circular 101, p. 47-56.
- Donovan, R.N., K. Collins, and S. Bridges, 2001, Permian sedimentation and diagenesis on the northern margin of the Wichita Uplift, in K.S. Johnson, ed., Pennsylvanian and Permian geology in the southern Midcontinent, 1998 symposium: OGS Circular 104, p. 171-184.
- Donovan, R.N., K. Collins, and S.D. Bridges, 2001, Evolution of the Meers Valley, southwestern Oklahoma, in K.S. Johnson, ed., Pennsylvanian and Permian geology in the southern Midcontinent, 1998 symposium: OGS Circular 104, p. 213-223.

- Donovan, R.N., and R. Critchfield, 2001, The Signal Mountain Formation—a source rock in hiding, *in* K.S. Johnson and D.F. Merriam, eds., Petroleum systems of sedimentary basins in the southern Midcontinent, 2000 symposium: OGS Circular 106, p. 71-80.
- Donovan, T.J., 1974, Petroleum micro-seepage at Cement, Oklahoma; Evidence and mechanism: AAPG Bulletin, v. 58, p. 429-446.
- Dutton, S.P., and L.S. Land, 1985, Meteoric burial diagenesis of Pennsylvanian arkosic sandstones, southwestern Anadarko Basin, Texas: AAPG Bulletin, v. 69, p. 22-38.
- Dyman, T.S., ed., 1992, Geologic controls and resource potential of natural gas in deep sedimentary basins in the United States: U.S. Geological Survey Open-File Report OF 92-0524, 295 p.
- Dyman, T.S., D.D. Rice, D.T. Nielsen, R.C. Obuch, and J.K. Baird, 1993, Geologic and production characteristics of deep oil and gas wells and reservoirs in the conterminous U.S., *in* K.S. Johnson and J.A. Campbell, ed., Petroleum-reservoir geology in the southern Midcontinent, 1991 symposium: OGS Circular 95, p. 208-215.
- Dyman, T.S., D.D. Rice, J.W. Schmoker, C.J. Wandrey, R.C. Burruss, R.A. Crovelli, G.L. Dolton, T.C. Hester, C.W. Keighin, J.G. Palacas, W.J. Perry, Jr., L.C. Price, S.W. Spencer, and D.K. Vaughan, 1993, Geologic studies of deep natural-gas resources in the United States, *in* D.G. Howell, ed., The future of energy gases: U.S. Geological Survey Professional Paper 1570, p. 171-203.
- Dyman, T.S., C.W. Spencer, J.K. Baird, R.C. Obuch, and D.T. Nielsen, 1997, Geologic and production characteristics of deep natural gas resources based on data from significant fields and reservoirs, *in* T.S. Dyman, D.D. Rice, and P.A. Westcott, eds., Geologic controls on deep natural gas resources in the United States: U.S. Geological Survey Bulletin 2146-C, p. 15-38.
- Dyman, T.S., R.E. Wyman, V.A. Kuuskraa, M.D. Lewan, and T.A. Cook, 2003, Deep natural gas resources: Natural Resources Research, v. 12, p. 41-56.
- Ebanks, W.J., Jr., 1991, Bindley field—U.S.A., Anadarko Basin, Kansas, *in* N.H. Foster and E.A. Beaumont, eds., Stratigraphic traps II: AAPG Treatise of Petroleum Geology, Atlas of Oil and Gas Fields, p. 117-136.
- Edwards, A.R., 1959, Facies changes in Pennsylvanian rocks along north flank of Wichita Mountains, *in* Petroleum geology of southern Oklahoma, v. 2: AAPG, p. 142-155.
- Elmore, R.D., and M.C. Leach, 1990, Remagnetization of the Rush Springs Formation, Cement, Oklahoma: Implications for dating hydrocarbon migration and aeromagnetic exploration: Geology, v. 18, p. 124-127.
- Elmore, R.D., J. Haynes, S. Farzaneh, and S. Anzaldúa, 2019, Integrated paleomagnetic and diagenetic study of the Mississippian Limestone, north-central Oklahoma, *in* G.M. Grammer, J.M. Gregg, J.O. Puckette, P. Jaiswal, S.J. Mazzullo, M.J. Pranter, and R.H. Goldstein, eds., Mississippian reservoirs of the Midcontinent: AAPG Memoir 122, p. 399-416.
- Emery, M., and P.G. Sutterlin, 1991, Lexington field—U.S.A., Anadarko Basin, Kansas, *in* N.H. Foster and E.A. Beaumont, eds., Stratigraphic traps II: AAPG Treatise of Petroleum Geology, Atlas of Oil and Gas Fields, p. 137-160.

- Engel, M.H., S.W. Imbus, and J.E. Zumberge, 1988, Organic geochemical correlation of Oklahoma crude oils using R- and Q-mode factor analysis: *Organic Geochemistry*, v. 12, p. 157-170.
- Eucker, W., III, and A.M. Ashby, 2020, STACK 2020 Anadarko Basin, Oklahoma: Oklahoma City Geological Society, *Shale Shaker*, v. 71, p. 146-161.
- Evans, J.L., 1979, Major structural and stratigraphic features of the Anadarko Basin, in N.J. Hyne, ed., *Pennsylvanian sandstones of the Mid-Continent*: Tulsa Geological Society, Special Publication 1, p. 97-113.
- Evans, J.L., 1984, The future hydrocarbon potential of the Viola Limestone in Oklahoma, in J.G. Borger, II, ed., *Technical Proceedings of the 1981 AAPG Mid-Continent Regional Meeting*: OCGS, p. 119-126.
- Fay, R.O., W.E. Ham, J.T. Bado, and L. Jordan, 1962, Geology and mineral resources of Blaine County, Oklahoma: OGS Bulletin 89, 252 p.
- Fay, R.O., and D.L. Hart, Jr., 1978, Geology and mineral resources (exclusive of petroleum) of Custer County, Oklahoma, part 1, 2 and 3: OGS Bulletin 114, 88 p.
- Fay, R.O., S.A. Friedman, K.S. Johnson, J.F. Roberts, W.D. Rose, and P.K. Sutherland, 1979, The Mississippian and Pennsylvanian (Carboniferous) Systems in the United States—Oklahoma: U.S. Geological Survey Professional Paper 1110-R, 35 p.
- Fay, R.O., 1997, Stratigraphic units in Oklahoma, Texas, Arkansas, and adjacent areas: Oklahoma Geological Survey, Open-File Report 2-97, 231 p.
- Feinstein, S., 1981, Subsidence and thermal history of southern Oklahoma aulacogen: implications for petroleum exploration: *AAPG Bulletin*, v. 65, p. 2521-2533.
- Finical, R.G., 2014, Examination of selected dolomite horizons in the Lower Ordovician Kindblade Formation, Blue Creek Canyon, Slick Hills, southwest Oklahoma: Fort Worth, TX, Texas Christian University, unpublished M.S. thesis.
- Fitzjarrald, A.T., 2016, Characteristics of the Tonkawa Sandstone in northwestern Roger Mills and southwestern Ellis counties, Oklahoma: Oklahoma City Geological Society, *Shale Shaker*, v. 67, p. 80-96.
- Flores, R.M., and C.W. Keighin, 1989, Petrology and depositional facies of siliciclastic rocks of the Middle Ordovician Simpson Group, Mazur well, southeastern Anadarko Basin, Oklahoma: U.S. Geological Survey Bulletin 1866-E, 45 p.
- Foote, R.S., 1992, Use of magnetic field aids oil search: *Oil & Gas Journal*, v. 90, no. 18, p. 137-142. (Cement field magnetic susceptibility)
- Fowler, P.T., 1980, Telling live basins from dead ones by temperatures: *Houston Geological Society Bulletin*, v. 22, no. 5, p. 4-15.
- Frank, T.D., and J.T. Koch, 2019, Controls on diagenetic pathways in Mississippian carbonates of the Anadarko Shelf, Oklahoma, in G.M. Grammer, J.M. Gregg, J.O. Puckette, P. Jaiswal, S.J. Mazzullo, M.J. Pranter, and R.H. Goldstein, eds., *Mississippian reservoirs of the Midcontinent*: AAPG Memoir 122, p. 379-398.
- Freie, A.J., 1930, Sedimentation in the Anadarko Basin: OGS Bulletin 48, 80 p.
- Friedman, B., 2018, Mapping the Red Fork Sandstone with multispectral coherence: *AAPG Explorer*, v. 39, no. 8, p. 14.
<https://explorer.aapg.org/story/articleid/49019/mapping-the-red-fork-sandstone-with-multispectral-coherence>

- Friedman, G.M., S.A. Reeckmann, and B. Borak, 1981, Carbonate deformation mechanisms in the world's deepest wells (@9 km): *Tectonophysics*, v. 74, p. T15-T19.
- Friedman, G.M., J. Cattafe, and B. Borak, 1984, Deep-burial diagenesis of the Hunton (Late Ordovician to Early Devonian) carbonates in the Anadarko Basin, *in* N.J. Hyne, ed., *Limestones of the Mid-Continent*: Tulsa Geological Society Special Publication 2, p. 183-199.
- Friedman, G.M., 1993, Petrophysical characteristics (based on one core) of lower Paleozoic Hunton dolostones, Woods County, northern Anadarko Basin, Oklahoma, *in* K.S. Johnson, ed., *Hunton Group core workshop and field trip*: OGS Special Publication 93-4, p. 45-51.
- Friedman, G.M., 1996, A note on metamorphism in the world's deepest boreholes in sedimentary strata: Anadarko Basin, Oklahoma: OGS Oklahoma Geology Notes, v. 56, p. 15-17.
- Friedman, G.M., 1999, Relations between depth of burial, vitrinite reflectance and geothermal gradient: the Lone Star Bertha Rogers borehole, Anadarko Basin, Oklahoma, USA—the world's deepest exploration borehole: *Journal of Petroleum Geology*, v. 22, p. 229-231.
- Fritz, R.D., and P.L. Medlock, 1993, Sequence stratigraphy of the Hunton Group as defined by core, outcrop, and log data, *in* K.S. Johnson, ed., *Hunton Group core workshop and field trip*: OGS Special Publication 93-4, p. 161-180.
- Fritz, R.D., P. Medlock, M.J. Kuykendall, and J.L. Wilson, 2013, The geology of the Arbuckle Group in the Midcontinent: Sequence stratigraphy, reservoir development, and the potential for hydrocarbon exploration: AAPG Search and Discovery Article 30266, 12 p.
http://www.searchanddiscovery.com/documents/2013/30266fritz/ndx_fritz.pdf
- Frone, Z., 2014, Heat flow and thermal history of the Anadarko Basin, Oklahoma: AAPG Search and Discovery Article #10657, 28 p.
http://www.searchanddiscovery.com/pdfz/documents/2014/10657frone/ndx_frone.pdf.html
- Gallardo, J.D., 1989, Empirical model of temperature structure, Anadarko Basin, Oklahoma: Southern Methodist University, unpublished M.S. thesis, 186 p.
- Gallardo, J., and D.D. Blackwell, 1999, Thermal structure of the Anadarko Basin: AAPG Bulletin, v. 83, p. 333-361.
- Garner, D.L., and D.L. Turcotte, 1984, The thermal and mechanical evolution of the Anadarko Basin: *Tectonophysics*, v. 107, p. 1-24.
- Gaswirth, S.B., and D.K. Higley, 2013, Petroleum system analysis of the Hunton Group in West Edmond field, Oklahoma: AAPG Bulletin, v. 97, p. 1163-1179.
- Gaswirth, S.B., and D.K. Higley, 2014, Geologic assessment of undiscovered oil and gas resources in the Cambrian-Devonian stratigraphy of the Anadarko Basin, Oklahoma, Kansas, Texas, and Colorado, *in* D.K. Higley, compiler, *Petroleum systems and assessment of undiscovered oil and gas in the Anadarko Basin Province, Colorado, Kansas, Oklahoma, and Texas — USGS Province 58*: U.S. Geological Survey Digital Data Series DDS-69-EE, chapter 5, 48 p.
<https://pubs.usgs.gov/dds/dds-069/dds-069-ee/>
- Gatewood, L.E., 1970, Oklahoma City field—anatomy of a giant, *in* M.T. Halbouty, ed., *Geology of giant petroleum fields*: AAPG Memoir 14, p. 223-254.

- Gatewood, L.E., 1979, Arbuckle environments: some models and examples: Shale Shaker Digest 9, p. 34-45.
- Gatewood, L.E., 1979, Some Oklahoma Arbuckle production and thoughts on fracturing: Shale Shaker Digest 9, p. 46-53.
- Gatewood, L.E., 1979, Stratigraphic trap possibilities in the Arbuckle Group: general relationships: Shale Shaker Digest 9, p. 27-29, 54-60.
- Gatewood, L.E., 1992, Can carbonates be source rocks for commercial petroleum deposits?, *in* K.S. Johnson and B.J. Cardott, eds., Source rocks in the southern Midcontinent, 1990 symposium: OGS Circular 93, p. 270-282.
- Gay, S.P., Jr., 2003, The Nemaha trend—a system of compressional thrust-fold, strike-slip structural features in Kansas and Oklahoma, part 1: Shale Shaker, v. 54, no. 1, p. 9-17.
- Gay, S.P., Jr., 2003, The Nemaha trend—a system of compressional thrust-fold, strike-slip structural features in Kansas and Oklahoma, part 2, conclusion: Shale Shaker, v. 54, no. 2, p. 39-49.
- Gay, S.P., Jr., 2014, Some observations on the Amarillo/Wichita Mountains thrust-fold belt and its extensions southeast into east Texas and northwest into New Mexico: Shale Shaker, v. 65, no. 5, p. 338-367.
- Geary, J.R., 2008, Controls on hydrocarbon entrapment and reservoir distribution: The Pennsylvanian Oswego Limestone and Big Lime Limestone in the Putnam field area, Anadarko Basin, Oklahoma: AAPG Search and Discovery Article 20046, 45 p.
<http://www.searchanddiscovery.com/documents/2008/08016geary/images/geary.pdf>
- Gerhard, L.C., 2004, A new look at an old petroleum province: Kansas Geological Survey Bulletin 250, part 1, p. 1-27.
<http://www.kgs.ku.edu/Current/2004/Gerhard/index.html>
- Gilbert, M.C., 1983, Timing and chemistry of igneous events associated with the southern Oklahoma aulacogen: Tectonophysics, v. 94, p. 439-455.
- Gilbert, M.C., and D.A. McConnell, 1991, Cambrian basement rocks and the setting for deposition of Late Cambrian sediments in western Oklahoma, *in* K.S. Johnson, ed., Late Cambrian-Ordovician geology of the southern Midcontinent, 1989 symposium: OGS Circular 92, p. 109-117.
- Gilbert, M.C., 1992, Speculations on the origin of the Anadarko Basin, *in* R. Mason, ed., Basement tectonics: International Basement Tectonics Association Publication 7, Kluwer Academic Publishers, p. 195-208.
- Gilbert, M.C., 2009, The Wichita Mountains of Oklahoma, formation of topography, and the Permian Post Oak Conglomerate: Oklahoma City Geological Society, Shale Shaker, v. 59, no. 4, p. 137-143.
- Gilbert, M.C., R.P. Philp, and B.J. Cardott, 2016, Petroleum migration through basement in southwest Oklahoma, U.S.A.: Oklahoma City Geological Society, Shale Shaker, v. 67, p. 232-249.
- Gluyas, J., 2019, The emergence of the helium industry; the history of helium exploration, part 1 of 2: AAPG Explorer, v. 40, no. 1.
<https://explorer.aapg.org/story/articleid/50466/the-emergence-of-the-helium-industry>

- Gluyas, J., 2019, Helium shortages and emerging helium provinces; the history of helium exploration, part 2 of 2: AAPG Explorer, v. 40, no. 2, p. 18-19, 22.
<https://explorer.aapg.org/story/articleid/51290/helium-shortages-and-emerging-helium-provinces>
- Goldstein, A., 1984, Tectonic controls of late Paleozoic subsidence in the south central United States: *Journal of Geology*, v. 92, p. 217-222.
- Goldstein, R., and B. King, 2014, History of hydrothermal fluid flow in the Midcontinent: A key to understanding the origin and distribution of porosity: AAPG Search and Discovery Article #50958, 34 p.
http://www.searchanddiscovery.com/pdfz/documents/2014/50958goldstein/ndx_goldstein.pdf.html
- Good, R., L. Brown, J. Oliver, and S. Kaufman, 1983, COCORP deep seismic reflection traverse across the southern Oklahoma aulacogen, in A.W. Bailey, ed., *Seismic expression of structural styles—a picture and work atlas*: AAPG Studies in Geology 15, v. 3, p. 3.2.2-33 to 3.2.2-37.
- Gorenekli, Yagmur Sumer, 2018, Geochemical characterization of the Lower Pennsylvanian Morrow Shale in the Anadarko Basin of Oklahoma: Norman, University of Oklahoma, unpublished M.S. thesis, 175 p.
- Gorenekli, Yagmur Sumer, and R.P. Philp, 2020, Geochemical characterization of the Lower Pennsylvanian Morrow Shale in the Anadarko Basin of Oklahoma: *Oklahoma City Geological Society, Shale Shaker*, v. 71, p. 66-93.
- Gouin, F., 1956, Surface criteria of southern Oklahoma oil fields, in *Petroleum geology of southern Oklahoma*, v. 1: AAPG, p. 14-35.
- Gould, C.N., 1924, A new classification of the Permian redbeds of southwestern Oklahoma: *AAPG Bulletin*, v. 8, p. 322-341. (proposed the name “Anadarko Basin”)
- Grieve, R.A.F., and V.L. Masaitis, 1994, The economic potential of terrestrial impact craters: *International Geology Review*, v. 36, p. 105-151. (Ames anomaly)
- Gutschick, R.C. and C.A. Sandberg, 1983, Mississippian continental margins of the conterminous United States, in D.J. Stanley and G.T. Moore, eds., *The shelfbreak: critical interface on continental margins*: SEPM Special Publication 33, p. 79-96.
- Haiduk, J., 1990, Facies analysis, paleoenvironmental interpretation, and diagenetic history of Britt Sandstone (Upper Mississippian) in portions of Caddo and Canadian Counties, Oklahoma: *Shale Shaker*, v. 40, p. 118-136.
- Ham, W.E., R.E. Denison, and C.A. Merritt, 1964, Basement rocks and structural evolution of southern Oklahoma: *OGS Bulletin* 95, 302 p.
- Ham, W.E., R.E. Denison, and C.A. Merritt, 1965, Basement rocks and structural evolution of southern Oklahoma—a summary: *AAPG Bulletin*, v. 49, p. 927-934.
- Ham, W.E., and J.L. Wilson, 1967, Paleozoic epeirogeny and orogeny in the central United States: *American Journal of Science*, v. 265, p. 332-407.
- Hamm, H., and R.E. Olsen, 1992, Oklahoma Arbuckle lime exploration centered on buried astrobleme structure: *Oil & Gas Journal*, v. 90, no. 16, p. 113-116.
- Hanson, R.E., and Z. Al-Shaieb, 1980, Voluminous subalkaline silicic magmas related to intracontinental rifting in the southern Oklahoma aulacogen: *Geology*, v. 8, p. 180-184.
- Hanson, R.E., R.E. Puckett, Jr., G.R. Keller, M.E. Brueseke, C.L. Bulen, S.A. Mertzman, S.A. Finegan, and D.A. McCleery, 2013, Intraplate magmatism related to opening

- of the southern Iapetus Ocean: Cambrian Wichita igneous province in the southern Oklahoma rift zone: *Lithos*, v. 174, p. 57-70.
- Harlton, B.H., 1951, Faults in sedimentary part of Wichita Mountains of Oklahoma: *AAPG Bulletin*, v. 35, p. 988-999.
- Harlton, B.H., 1956, The Harrisburg Trough, Stephens and Carter Counties, Oklahoma, *in* *Petroleum geology of southern Oklahoma*, v. 1: AAPG, p. 135-143. (proposed Harrisburg Trough)
- Harlton, B.H., 1963, Frontal Wichita fault system of southwestern Oklahoma: *AAPG Bulletin*, v. 47, p. 1552-1580.
- Harlton, B.H., 1972, Faulted fold belts of southern Anadarko Basin adjacent to frontal Wichitas: *AAPG Bulletin*, v. 56, p. 1544-1551.
- Harris, S.A., 1975, Hydrocarbon accumulation in "Meramec-Osage" (Mississippian) rocks, Sooner Trend, northwest-central Oklahoma: *AAPG Bulletin*, v. 59, p. 633-664.
- Harris, S.A., 1987, Hydrocarbon accumulation in "Meramec-Osage" (Mississippian) rocks, Sooner Trend, northwest-central Oklahoma, *in* B. Rascoe, Jr., and N.J. Hyne, eds., *Petroleum geology of the Mid-Continent*: Tulsa Geological Society, Special Publication No. 3, p. 74-81.
- Harrison, W.E., K.V. Luza, M.L. Prater, and P.K. Cheung, 1983, Geothermal resource assessment in Oklahoma: OGS Special Publication 83-1, 42 p.
- Harrison, W.E., and K.V. Luza, 1986, Temperature-gradient information for several boreholes drilled in Oklahoma: OGS Special Publication 86-2, 42 p.
- Hass, W.H., and J.W. Huddle, 1965, Late Devonian and early Mississippian age of the Woodford Shale in Oklahoma as determined from conodonts, *in* *Geological Survey Research 1965*: U.S. Geological Survey Professional Paper 525-D, p. 125-132.
- Hatch, J.R., D.D. Rice, R.C. Burruss, J.W. Schmoker, and J.L. Clayton, 1986, Thermal maturity modeling and geochemical characterization of hydrocarbon source rocks, oils, and natural gases of the Anadarko Basin, *in* L.M.H. Carter, ed., *U.S. Geological Survey research on energy resources—1986, program and abstracts*: U.S. Geological Survey Circular 974, p. 21-23.
- Hatch, J.R., S.R. Jacobson, B.J. Witzke, J.B. Risatti, D.E. Anders, W.L. Watney, K.D. Newell, and A.K. Vuletich, 1987, Possible late Middle Ordovician organic carbon isotope excursion: evidence from Ordovician oils and hydrocarbon source rocks, Mid-Continent and east-central United States: *AAPG Bulletin*, v. 71, p. 1342-1354.
- Hefner, R.A., III, 1993, New thinking about natural gas, *in* D.G. Howell, ed., *The future of energy gases*: U.S. Geological Survey Professional Paper 1570, p. 807-829.
- Hendrickson, W.J., P.W. Smith, C.M. Williams, and R.J. Woods, 1996, A regional correlation and production allocation project within the Oklahoma portion of the Anadarko basin and shelf with a specific discussion of the Springer and Chester Groups: *Shale Shaker*, v. 47, p. 31-41.
- Hendrickson, W.J., P.W. Smith, and R.J. Woods, 2001, Regional correlation of Mountain-Front "washes" and relationship to marine sediments of Anadarko Basin and shelf, *in* K.S. Johnson, ed., *Pennsylvanian and Permian geology and petroleum in the southern Midcontinent, 1998 symposium*: OGS Circular 104, p. 71-80.

- Hendrickson, W.J., P.W. Smith, R.J. Woods, J.V. Hogan, and C.E. Willey, 2001, Example of a carbonate platform and slope system and its stratigraphically equivalent basinal clastic system: Springeran-Chesterian relationships in the Anadarko Basin and shelf of northwestern Oklahoma and Texas panhandle, in K.S. Johnson, ed., Silurian, Devonian, and Mississippian geology and petroleum in the southern Midcontinent, 1999 symposium: OGS Circular 105, p. 89-98.
- Henry, J.D., 1987, Sterling field-1. Sterling: a 'significant' field in Oklahoma: Oil & Gas Journal, v. 85, no. 18, p. 59-61.
- Henry, J.D., 1987, Sterling field-2. A look at the structure of Sterling field: Oil & Gas Journal, v. 85, no. 19, p. 62-67.
- Henry, M.E., and T.C. Hester, 1996, Map showing petroleum exploration intensity and production in major Cambrian to Ordovician reservoir rocks in the Anadarko Basin: U.S. Geological Survey Miscellaneous Field Studies Map, MF-2313, 3 sheets.
- Heran, W.D., G.N. Green, and D. B. Stoeser, 2003, A digital geologic map database for the state of Oklahoma: U.S. Geological Survey, Open File Report 03-247, scale 1:500,000.
- Hermann, L.A., 1961, Structural geology of Cement-Chickasha area, Caddo and Grady Counties, Oklahoma: AAPG Bulletin, v. 45, p. 1971-1993.
- Hester, T.C., and J.W. Schmoker, 1987, Determination of organic content from formation-density logs, Devonian-Mississippian Woodford Shale, Anadarko Basin, Oklahoma: U.S. Geological Survey Open-File Report 87-20, 11 p.
- Hester, T.C., H.L. Sahl, and J.W. Schmoker, 1988, Cross sections based on gamma-ray, density, and resistivity logs showing stratigraphic units of the Woodford Shale, Anadarko Basin, Oklahoma: U.S. Geological Survey Miscellaneous Field Studies Map MF-2054, 2 sheets.
- Hester, T.C., J.W. Schmoker, and H.L. Sahl, 1990, Log-derived regional source-rock characteristics of the Woodford Shale, Anadarko Basin, Oklahoma: U.S. Geological Survey Bulletin 1866-D, 38 p.
- Hester, T.C., J.W. Schmoker, and H.L. Sahl, 1992, Structural controls on sediment distribution and thermal maturation of the Woodford Shale, Anadarko Basin, Oklahoma, in K.S. Johnson and B.J. Cardott, eds., Source rocks in the southern Midcontinent, 1990 symposium: OGS Circular 93, p. 321-326.
- Hester, T.C., J.W. Schmoker, and H.L. Sahl, 1992, Tectonic controls on deposition and source-rock properties of the Woodford Shale, Anadarko Basin, Oklahoma; loading, subsidence, and forebulge development, in C.H. Thorman, ed., Application of structural geology to mineral and energy resources of the central and western United States: U.S. Geological Survey Bulletin 2012, p. B1-B11.
- Hester, T.C., and J.W. Schmoker, 1993, Regional geology of the Woodford Shale, Anadarko Basin, Oklahoma—an overview of relevance to horizontal drilling, in K.S. Johnson and J.A. Campbell, eds., Petroleum-reservoir geology in the southern Midcontinent, 1991 symposium: OGS Circular 95, p. 74-81.
- Hester, T.C., 1993, Trends of sandstone porosity in the Anadarko Basin—a preliminary evaluation, in K.S. Johnson and J.A. Campbell, eds., Petroleum-reservoir geology in the southern Midcontinent, 1991 symposium: OGS Circular 95, p.225-229.
- Hester, T.C., and J.W. Schmoker, 1993, Porosity, depth, and thermal-maturity data for sandstone of the Anadarko Basin, Oklahoma, and other selected locations in the

- northern hemisphere: U.S. Geological Survey Open File Report OF 93-0230, 46 p.
- Hester, T.C., 1997, Porosity trends of Pennsylvanian sandstones with respect to thermal maturity and thermal regimes in the Anadarko Basin, Oklahoma, *in* T.S. Dyman, D.D. Rice, and P.A. Westcott, eds., *Geologic controls of deep natural gas resources in the United States*: U.S. Geological Survey Bulletin 2146-I, p. 105-124.
- Higley, D.K., Gaswirth, S.B., Abbott, M.M., Charpentier, R.R., Cook, T.A., Ellis, G.S., Gianoutsos, N.J., Hatch, J.R., Klett, T.R., Nelson, Philip, Pawlewicz, M.J., Pearson, O.N., Pollastro, R.M., and Schenk, C.J., 2011, Assessment of undiscovered oil and gas resources of the Anadarko Basin Province of Oklahoma, Kansas, Texas, and Colorado, 2010: U.S. Geological Survey Fact Sheet 2011–3003, 2 p. <http://pubs.usgs.gov/fs/2011/3003/>
- Higley, D.K., 2011, Undiscovered petroleum resources for the Woodford Shale and Thirteen Finger Limestone-Atoka Shale assessment units, Anadarko Basin: U.S. Geological Survey, Open-File Report 2011-1242, 3 sheets. <http://pubs.usgs.gov/of/2011/1242/>
- Higley, D.K., 2013, 4D petroleum system model of the Mississippian System in the Anadarko Basin Province, Oklahoma, Kansas, Texas, and Colorado, U.S.A.: RMAG, *The Mountain Geologist*, v. 50, p. 81-98.
- Higley, D.K., S.B. Gaswirth, M.M. Abbott, R.R. Charpentier, T.A. Cook, G.S. Ellis, N.J. Gianoutsos, J.R. Hatch, T.R. Klett, P.H. Nelson, M.J. Pawlewicz, O.N. Pearson, R.M. Pollastro, and C.J. Schenk, 2014, Assessment of undiscovered oil and gas resources of the Anadarko Basin province of Oklahoma, Kansas, Texas, and Colorado, 2010: U.S. Geological Survey Digital Data Series DDS-69-EE, 409 p. <https://pubs.usgs.gov/dds/dds-069/dds-069-ee/>
- Higley, D.K., 2014, Thermal maturation of petroleum source rocks in the Anadarko Basin Province, Colorado, Kansas, Oklahoma, and Texas, *in* D.K. Higley, compiler, *Petroleum systems and assessment of undiscovered oil and gas in the Anadarko Basin Province, Colorado, Kansas, Oklahoma, and Texas — USGS Province 58*: U.S. Geological Survey Digital Data Series DDS-69-EE, chapter 3, 52 p.
- Higley, D.K., 2016, Overpressure development through time using 4D pressure-volume-temperature modeling in the deep Anadarko Basin, Colorado, Kansas, Oklahoma, and Texas, *in* M.P. Dolan, D.K. Higley, and P.G. Lillis, eds., *Hydrocarbon source rocks in unconventional plays, Rocky Mountain Region: Rocky Mountain Association of Geologists*, p. 59-78.
- Hill, G.W., Jr., and R.H. Clark, 1980, The Anadarko Basin—a regional petroleum accumulation—a model for future exploration and development: *Shale Shaker*, v. 31, p. 36-49.
- Hill, G.W., Jr., 1984, The Anadarko Basin: a model for regional petroleum accumulations, *in* J.G. Borger, II, ed., *Technical proceedings of the 1981 AAPG Mid-Continent Regional meeting: Oklahoma City Geological Society*, p. 1-23.
- Hogan, J.P., and M.C. Gilbert, 1997, Intrusive style of A-type sheet granites in a rift environment: the southern Oklahoma aulacogen, *in* R.W. Ojakangas, A.B. Dickas, and J.C. Green, eds., *Middle Proterozoic to Cambrian rifting, central North America*: GSA Special Paper 312, p. 299-311.

- Hogan, J.P., and M.C. Gilbert, 1998, The southern Oklahoma aulacogen: a Cambrian analog for Mid-Proterozoic AMCG (anorthosite-mangerite-charnockite-granite) complexes?, in J.P. Hogan and M.C. Gilbert, eds., *Basement tectonics 12, central North America and other regions*: Boston, Kluwer Academic Publishers, *Proceedings of the 12th International Conference on Basement Tectonics*, p. 39-78.
- Houseknecht, D.W., and C. Spotl, 1993, Empirical observations regarding methane deadlines in deep basins and thrust belts, in D.G. Howell, ed., *The future of energy gases*: U.S. Geological Survey Professional Paper 1570, p. 217-231.
- Howery, S.D., 1993, A regional look at Hutton production in the Anadarko Basin, in K.S. Johnson, ed., *Hutton Group core workshop and field trip*: OGS Special Publication 93-4, p. 77-81.
- Hubert, L.B., 1995, Pressure regimes, burial history and source rock maturation of the Pennsylvanian Morrow Formation in the western Anadarko Basin and the Hugoton Embayment, Kansas, Oklahoma and Texas: Wyoming University, unpublished M.S. thesis, 123 p.
- Huffman, G.G., 1959, Pre-Desmoinesian isopachous and paleogeologic studies in central Mid-Continent region: AAPG Bulletin, v. 43, p. 2541-2574.
- Jacobsen, L., 1949, Structural relations on the east flank of the Anadarko Basin, Cleveland and McClain Counties, Oklahoma: AAPG Bulletin, v. 33, p. 695-719.
- Jacobson, M.I., 1984, The Harrisburg Trough, Stephens County, Oklahoma—an update, in J.G. Borger, II, ed., *Technical proceedings of the 1981 AAPG Mid-Continent Regional Meeting*: Oklahoma City Geological Society, p. 127-137.
- Jaekel, L., 2016, High-resolution sequence stratigraphy and reservoir characterization of Mid-Continent Mississippian carbonates in north-central Oklahoma and south-central Kansas: Stillwater, Oklahoma State University, unpublished M.S. thesis.
- Jemison, R.M., Jr., 1979, Geology and development of Mills Ranch complex—world's deepest field: AAPG Bulletin, v. 63, p. 804-809.
- Johnson, B.S., 1990, Regional geology of the Pierce member of the upper Morrow Formation in the Anadarko Basin, in S.A. Sonnenberg, L.T. Shannon, K. Rader, W.F. von Drehle, and G.W. Martin, eds., *Morrow sandstones of southeast Colorado and adjacent areas*: Denver, CO, Rocky Mountain Association of Geologists, p. 217-225.
- Johnson, H.R., K. Biglarbigi, L. Schmidt, R.M. Ray, and S.C. Kyser, 1986, Sho-veltum—profile of a giant: rising again: *Oil & Gas Journal*, v. 84, no. 50, p. 43-47.
- Johnson, K.S., and R.E. Denison, 1973, Igneous geology of the Wichita Mountains and economic geology of Permian rocks in southwest Oklahoma: OGS Special Publication 73-2, 33 p.
- Johnson, K.S., 1988, Nonpetroleum mineral resources of Permian rocks in Oklahoma and the Texas Panhandle, in W.A. Morgan and J.A. Babcock, eds., *Permian rocks of the Midcontinent*: Midcontinent SEPM Special Publication 1, p. 37-44.
- Johnson, K.S., ed., 1989, Anadarko Basin symposium, 1988: OGS Circular 90, 289 p.
- Johnson, K.S., T.W. Amsden, R.E. Denison, S.P. Dutton, A.G. Goldstein, B. Rascoe, Jr., P.K. Sutherland, and D.M. Thompson, 1989, *Geology of the southern Midcontinent*: Oklahoma Geological Survey, Special Publication 89-2, 53 p.

- Johnson, K.S., and B.J. Cardott, 1992, Geologic framework and hydrocarbon source rocks of Oklahoma, in K.S. Johnson and B.J. Cardott, eds., Source rocks in the southern Midcontinent, 1990 symposium: OGS Circular 93, p. 21-37.
- Johnson, K.S., ed., 1993, Hunton Group core workshop and field trip: OGS Special Publication 93-4, 212 p.
- Johnson, K.S., and J.A. Campbell, eds., 1993, Petroleum-reservoir geology in the southern Midcontinent, 1991 symposium: OGS Circular 95, 267 p.
- Johnson, K.S., 1995, Surface structures in Permian strata of southwestern Oklahoma as indicators of deep-seated structures, in K.S. Johnson, ed., Structural styles in the southern Midcontinent, 1992 symposium: OGS Circular 97, p. 288-292.
- Johnson, K.S., and D. Smith, 1996, Ames structure of northwestern Oklahoma is reflected in overlying Permian strata: Shale Shaker, v. 46, p. 121-123.
- Johnson, K.S., and J.A. Campbell, eds., 1997, Ames structure in northwest Oklahoma and similar features: origin and petroleum production (1995 symposium): Oklahoma Geological Survey, Circular 100, 396 p.
- Johnson, K.S., and W.R. Gerber, 1999, Iodine geology and extraction in northwestern Oklahoma, in K.S. Johnson, ed., Proceedings of the 34th forum on the geology of industrial minerals, 1998: OGS Circular 102, p. 73-79.
- Johnson, K.S., G.C. Hinshaw, and R.A. Northcutt, 2000, Petroleum production from platform carbonates of Oklahoma, in K.S. Johnson, ed., Platform carbonates in the southern Midcontinent, 1996 symposium: OGS Circular 101, p. 1-11.
- Johnson, K.S., R.A. Northcutt, and G.C. Hinshaw, 2000, Petroleum production from marine carbonates in Oklahoma, in K.S. Johnson, ed., Marine clastics in the southern Midcontinent, 1997 symposium: OGS Circular 103, p. 1-17.
- Johnson, K.S., R.A. Northcutt, G.C. Hinshaw, and K.E. Hines, 2001, Geology and petroleum reservoirs in Pennsylvanian and Permian rocks of Oklahoma, in K.S. Johnson, ed., Pennsylvanian and Permian geology and petroleum in the southern Midcontinent, 1998 symposium: OGS Circular 104, p. 1-19.
- Jones, Cecil, M., R.N. Donovan, and L.-A. Bradley, 1995, Structural framework of the Meers fault and Slick Hills area, southwestern Oklahoma, based on magnetic data, in K.S. Johnson, ed., Structural styles in the southern Midcontinent, 1992 symposium: OGS Circular 97, p. 187-207.
- Jones, P.J., 1986, The petroleum geochemistry of the Pauls Valley area, Anadarko Basin, Oklahoma: Norman, Oklahoma, University of Oklahoma, unpublished M.S. thesis, 175 p.
- Jones, P.J., and R.P. Philp, 1990, Oils and source rocks from Pauls Valley, Anadarko basin, Oklahoma, U.S.A.: Applied Geochemistry, v. 5, p. 429-448.
- Jordan, L., 1962, Geologic map and sections of pre-Pennsylvanian rocks in Oklahoma: OGS Map GM-5, 1 sheet, 1:750,000.
- Jordan, L., 1967, Geology of Oklahoma—a summary: Oklahoma Geology Notes, v. 27, p. 215-228.
- Juscuk, S.J., 2002, How do the structures of the late Paleozoic Ouachita thrust belt relate to the structures of the southern Oklahoma aulacogen: Lexington, University of Kentucky, unpublished PhD dissertation, 339 p.
- Kareem, M.R., 1992, Geologically constrained modeling of the temporal and spatial evolution of hydrocarbon generation in the Anadarko Basin: Norman, University of Oklahoma, unpublished M.S. thesis, 191 p.

- Katz, B.J., L.M. Liro, J.E. Lacey, and H.W. White, 1982, Time and temperature formation: application of Lopatin's method to petroleum exploration: discussion: AAPG Bulletin, v. 66, p. 1150-1151.
- Katz, B.J., and L.M. Liro, 1987, Thermal maturation by vitrinite reflectance of Woodford Shale, Anadarko Basin, Oklahoma: discussion: AAPG Bulletin, v. 71, p. 897.
- Keighin, C.W., and R.M. Flores, 1993, Petrology and sedimentology of Morrow/Springer rocks and their relationship to reservoir quality, Anadarko Basin, Oklahoma, in K.S. Johnson and J.A. Campbell, eds., Petroleum-reservoir geology in the southern Midcontinent, 1991 symposium: OGS Circular 95, p. 25.
- Keighin, C.W., 1997, Physical properties of clastic reservoir rocks in the Uinta, Wind River, and Anadarko Basins, as determined by mercury-injection porosimetry, in T.S. Dyman, D.D. Rice, and P.A. Westcott, eds., Geologic controls of deep natural gas resources in the United States: U.S. Geological Survey Bulletin 2146-G, p. 71-83.
- Keller, G.R., E.G. Lidiak, W.J. Hinze, and L.W. Braile, 1983, The role of rifting in the tectonic development of the Midcontinent, U.S.A.: Tectonophysics, v. 94, p. 391-412.
- Keller, G.R., and W.S. Baldrige, 1995, The southern Oklahoma aulacogen, in K.H. Olsen, ed., Continental rifts: evolution, structure, tectonics: New York, Elsevier, Developments in Geotectonics 25, p. 427-436.
- Keller, G.R., and R.A. Stephenson, 2007, The southern Oklahoma and Dniepr-Donets aulacogens: A comparative analysis, in R.D. Hatcher, Jr., M.P. Carlson, J.H. McBride, and J.R. Martínez Catalán, eds., 4-D framework of continental crust: Geological Society of America Memoir 200, p. 127-143.
- Kennedy, C.L., J.A. Miller, J.B. Kelso, O.K. Lago, and D.S. Peterson, 1982, The deep Anadarko Basin: Denver, Petroleum Information Corporation, 359 p.
- Kim, D., 1999, Organic geochemistry of Mississippian age rocks from the northeastern margin of the Anadarko Basin, Oklahoma: Norman, University of Oklahoma, unpublished M.S. thesis, 147 p.
- Kim, D., and R.P. Philp, 2001, Extended tricyclic terpanes in Mississippian rocks from the Anadarko Basin, Oklahoma, in K.S. Johnson, ed., Silurian, Devonian, and Mississippian geology and petroleum in the southern Midcontinent, 1999 symposium: OGS Circular 105, p. 109-127.
- Kim, D., R.P. Philp, and R.P. Sorenson, 2010, Geochemical characterization of solid bitumen in the Chesterian (Mississippian) sandstone reservoir of the Hitch field, southwest Kansas: AAPG Bulletin, v. 94, p. 1031-1057.
- Kinga, P.A., 1982, Petrology and diagenesis of Morrow Sandstone (Pennsylvanian), Anadarko Basin, Oklahoma: University of Tulsa, unpublished M.S. thesis, 132 p.
- Kinsland, G.L., 1995, Relationships of southern Midcontinent structures to a postulated late Precambrian transcontinental fault, in K.S. Johnson, ed., Structural styles in the southern Midcontinent, 1992 symposium: OGS Circular 97, p. 244-248.
- Kirkland, D.W., R.E. Denison, and M.A. Rooney, 1995, Diagenetic alteration of Permian strata at oil fields of south central Oklahoma, USA: Marine and Petroleum Geology, v. 12, p. 629-644.
- Kleen, H.J., 1994, Velma Sho-vel-tum field discovery: Shale Shaker, v. 45, p. 55-57.

- Koch, J.T., T.D. Frank, and T.P. Bulling, 2014, Stable-isotope chemostratigraphy as a tool to correlate complex Mississippian marine carbonate facies of the Anadarko shelf, Oklahoma and Kansas: AAPG Bulletin, v. 98, p. 1071-1090.
- Kolawole, F., B.M. Carpenter, and M. Simpson Turko, 2019, The intra-basement reflectors in the STACK area of Oklahoma: AAPG Explorer, v. 40, no. 4, p. 20-21. https://explorer.aapg.org/story/articleid/52148/the-intra-basement-reflectors-in-the-stack-area-of-oklahoma?utm_medium=website&utm_source=explorer_issue_page
- Kolawole, F., M. Simpson Turko, and B.M. Carpenter, 2020, Basement-controlled deformation of sedimentary sequences, Anadarko Shelf, Oklahoma: Basin Research, v. 32, no. 6, p. 1365-1387.
- Kopaska-Merkel, D.C., and G.M. Friedman, 1989, Petrofacies analysis of carbonate rocks: example from lower Paleozoic Hunton Group of Oklahoma and Texas: AAPG Bulletin, v. 73, p. 1289-1306.
- Kornacki, A.S., and J.E. Dahl, 2016, Evidence some oil accumulations in the Woodford Formation and the Meramec Formation received an additional charge of very dry thermal gas: AAPG Search and Discovery, Article No. 41879, 16 p.
- Kornacki, A.S., and D.B. Eddins, 2016, Using SARA data to reduce uncertainty about the type of petroleum fluid in the Woodford Formation and the Meramec Formation in the Anadarko Basin and the Arkoma Basin, Oklahoma: AAPG Search and Discovery, Article No. 41845, 5 p.
- Kumar, N., and R.M. Slatt, 1984, Submarine-fan and slope facies of Tonkawa (Missourian-Virgilian) Sandstone in deep Anadarko Basin: AAPG Bulletin, v. 68, p. 1839-1856.
- Kuykendall, M.D., and R.D. Fritz, 1993, Misener Sandstone: distribution and relationship to late/post-Hunton unconformities, northern shelf, Anadarko Basin, in K.S. Johnson, ed., Hunton Group core workshop and field trip: OGS Special Publication 93-4, p. 117-134.
- Larson, E.E., P.E. Patterson, G. Curtis, R. Drake, and F.E. Mutschler, 1985, Petrologic, paleomagnetic, and structural evidence of a Paleozoic rift system in Oklahoma, New Mexico, Colorado, and Utah: GSA Bulletin, v. 96, p. 1364-1372.
- Lee, Y., 1999, Thermal state of the Arkoma Basin and the Anadarko Basin, Oklahoma: Norman, University of Oklahoma, unpublished PhD dissertation, 180 p.
- Lee, Y., and D. Deming, 1999, Heat flow and thermal history of the Anadarko Basin and the western Oklahoma platform: Tectonophysics, v. 313, p. 399-410.
- Lee, Y., and D. Deming, 2001, Overpressures in the Anadarko Basin, southwestern Oklahoma: static or dynamic?, in K.S. Johnson and D.F. Merriam, eds., Petroleum systems of sedimentary basins in the southern Midcontinent, 2000 symposium: OGS Circular 106, p. 133-150.
- Lee, Y., and D. Deming, 2002, Overpressures in the Anadarko Basin, southwestern Oklahoma: static or dynamic?: AAPG Bulletin, v. 86, p. 145-160.
- Liao, Z., H. Liu, B.M. Carpenter, K.J. Marfurt, and Z. Reches, 2019, Analysis of fault damage zones using three-dimensional seismic coherence in the Anadarko Basin, Oklahoma: AAPG Bulletin, v. 103, p. 1771-1785.
- Liborius, A., A. Sneddon, and S. Wu, 2017, Geochemical insights into the Oswego Formation in Kingfisher County, Oklahoma: OCGS Shale Shaker, v. 68, p. 176-188.

- Lin, L.H., G.E. Michael, G. Kovachev, H. Zhu, R.P. Philp, and C.A. Lewis, 1989, Biodegradation of tar-sand bitumens from the Ardmore and Anadarko Basins, Carter County, Oklahoma: *Organic Geochemistry*, v. 14, p. 511-523.
- Lindzey, K.M., M.J. Pranter, and K.J. Marfurt, 2019, Lithological and petrophysical control on production of the Mississippian limestone, northeastern Woods County, Oklahoma, *in* G.M. Grammer, J.M. Gregg, J.O. Puckette, P. Jaiswal, S.J. Mazzullo, M.J. Pranter, and R.H. Goldstein, eds., *Mississippian reservoirs of the Midcontinent: AAPG Memoir 122*, p. 541-564.
- Liu, L., 2014, Source and fate of oils in the Lawton oilfield, southwestern Oklahoma: Norman, University of Oklahoma, unpublished M.S. thesis, 129 p.
- Liu, L., R.P. Philp, and T.X. Nguyen, 2017, Origin and history of the oils in the Lawton oil field, southwestern Oklahoma: *AAPG Bulletin*, v. 101, p. 205-232.
- Liu, M., 2015, The utilization of carbazole and benzocarbazole as possible indicators of relative migration distances for Woodford oils in the Anadarko Basin: Norman, University of Oklahoma, unpublished M.S. thesis, 125 p.
- LoCricchio, E., 2014, Granite Wash play overview, Anadarko Basin stratigraphic framework and controls on Pennsylvanian Granite Wash production, Anadarko Basin, Texas and Oklahoma: Update: *AAPG Search and Discovery Article #80420*, 44 p.
http://www.searchanddiscovery.com/pdfz/documents/2014/80420locricchio/ndx_locricchio.pdf.html
- Longman, M.W., and S.E. Palmer, 1987, Organic geochemistry of Mid-Continent Middle and Late Ordovician oils: *AAPG Bulletin*, v. 71, p. 938-950.
- Luza, K.V., W.E. Harrison, G.A. Laguros, M.L. Prater, and P.K. Cheung, 1984, Geothermal resources and temperature gradients of Oklahoma: OGS Map GM-27, scale 1:500,000. <http://ogs.ou.edu/docs/geologicmaps/GM27.pdf>
- Luza, K.V., 1995, Neotectonic relations of the Nemaha Uplift in Oklahoma, *in* K.S. Johnson, ed., *Structural styles in the southern Midcontinent, 1992 symposium: OGS Circular 97*, p. 215-230. (Viola, Pennsylvanian, Oswego/Wewoka/Wapanucka structure maps)
- Lyday, J.R., 1985, Atokan (Pennsylvanian) Berlin field: genesis of recycled detrital dolomite reservoir, deep Anadarko Basin, Oklahoma: *AAPG Bulletin*, v. 69, p. 1931-1949.
- Lyday, J.R., 1990, Berlin field—U.S.A., Anadarko Basin, Oklahoma, *in* E.A. Beaumont and N.H. Foster, eds., *Stratigraphic traps I: AAPG Treatise of Petroleum Geology, Atlas of Oil and Gas Fields*, p. 39-68.
- Machado, G.L., G.J. Hickman, M.P. Gogri, K.J. Marfurt, M.J. Pranter, and Z.A. Reza, 2019, Characterization of Arbuckle-basement wastewater disposal system, Payne County, northern Oklahoma: *Interpretation*, v. 7, no. 4, p. SL19-SL36.
- MacLachlan, M.E., 1964, The Anadarko Basin (of parts of Oklahoma, Texas, Kansas, and Colorado): U.S. Geological Survey, *TEI 831*, 75 p.
- Matthews, F.D., 1992, Paleokarstic features and reservoir characteristics of the Hunton Group in the Anadarko Basin: Oklahoma: Stillwater, Oklahoma State University, unpublished M.S. thesis.
- Matthews, F.D., and Z. Al-Shaieb, 1993, Paleokarstic features and reservoir characteristics of the Hunton Group in central and western Oklahoma, *in* K.S.

- Johnson and J.A. Campbell, eds., Petroleum-reservoir geology in the southern Midcontinent, 1991 symposium: OGS Circular 95, p. 140-162.
- Matthews, F.D., 1994, Paleokarstic features and reservoir characteristics of the Hunton Group in the Anadarko Basin, Oklahoma: *Shale Shaker*, v. 44, p. 102-109.
- Maxwell, R.W., 1959, Post-Hunton pre-Woodford unconformity in southern Oklahoma: AAPG, *Petroleum geology of southern Oklahoma*, v. 2, p. 101-126.
- McConnell, D.A., 1987, Paleozoic structural evolution of the Wichita Uplift, southwestern Oklahoma: College Station, Texas A&M University, unpublished PhD dissertation, 221 p.
- McConnell, D.A., 1989, Determination of offset across the northern margin of the Wichita Uplift, southwest Oklahoma: *GSA Bulletin*, v. 101, p. 1317-1332.
- McConnell, D.A., and M.C. Gilbert, 1990, Cambrian extensional tectonics and magmatism within the southern Oklahoma aulacogen: *Tectonophysics*, v. 174, p. 147-157.
- McConnell, D.A., M.J. Goydas, G.N. Smith, and J.P. Chitwood, 1990, Morphology of the frontal fault zone, southwest Oklahoma: implications for deformation and deposition in the Wichita Uplift and Anadarko Basin: *Geology*, v. 18, p. 634-637.
- McDaniel, G.A., 1959, Isopachous and paleogeologic studies of southwest Oklahoma: *Shale Shaker*, v. 10, no. 3, p. 4-27.
- McLaughlin, J.E., 1984, Annotated bibliography of the Anadarko Basin area, Kansas-Oklahoma-Texas: Geological Information Library of Dallas, Publication No. 7, 334 p.
- McLean, T.R., 1983, Structural style of the Wichita Mountains of southern Oklahoma, and its exploration significance: Norman, University of Oklahoma, unpublished M.S. thesis, 73 p.
- Mear, C.E., and K.A. Hutton, 1992, Petroleum geology of an unconventional upper Hunton Group reservoir, southwest Ringwood area, Major County, Oklahoma: *Oklahoma Geology Notes*, v. 52, p. 164-172.
- Mear, C.E., and K.A. Hutton, 1993, Reservoir characteristics of an upper Hunton gas-producing zone, southwest Ringwood area of Major County, Oklahoma, in K.S. Johnson, ed., *Hunton Group core workshop and field trip*: OGS Special Publication 93-4, p. 41-44.
- Miall, A.D., 2008, *The southern Midcontinent, Permian Basin, and Ouachitas*: Elsevier, *Sedimentary basins of the World*, v. 5, p. 297-327.
- Michael, G.E., L.H. Lin, R.P. Philp, C.A. Lewis, and P.J. Jones, 1989, Biodegradation of tar-sand bitumens from the Ardmore/Anadarko Basins, Oklahoma—II. Correlation of oils, tar sands and source rocks: *Organic Geochemistry*, v. 14, p. 619-633.
- Milad, B., R. Slatt, and Z. Fuge, 2020, Lithology, stratigraphy, chemostratigraphy, and depositional environment of the Mississippian Sycamore rock in the SCOOP and STACK area, Oklahoma, USA: Field, lab, and machine learning studies on outcrops and subsurface wells: *Marine and Petroleum Geology*, v. 115, 104278.
- Miller, J., 2018, Regional stratigraphy and organic richness of the Mississippian Meramec and associated strata, Anadarko Basin, central Oklahoma: Norman, University of Oklahoma, unpublished M.S. thesis, 143 p.
- Miller, J.C., M.J. Pranter, and A.B. Cullen, 2019, Regional stratigraphy and organic richness of the Mississippian Meramec and associated strata, Anadarko Basin,

- central Oklahoma: Oklahoma City Geological Society, Shale Shaker, v. 70, p. 50-79.
- Miller, R.D., D.W. Steeples, and P.B. Myers, 1990, Shallow seismic reflection survey across the Meers fault, Oklahoma: GSA Bulletin, v. 102, p. 18-25.
- Mitchell, B.J., and M. Landisman, 1970, Interpretation of a crustal section across Oklahoma: GSA Bulletin, v. 81, p. 2647-2656.
- Mitchell, J., 2011, Horizontal drilling of deep Granite Wash reservoirs, Anadarko Basin, Oklahoma and Texas: Oklahoma City Geological Society, Shale Shaker, v. 62, p. 118-167.
- Mohammadi, S., T.A. Ewald, J.M. Gregg, and K.L. Shelton, 2019, Diagenesis of Mississippian carbonate rocks in north-central Oklahoma, USA, in G.M. Grammer, J.M. Gregg, J.O. Puckette, P. Jaiswal, S.J. Mazzullo, M.J. Pranter, and R.H. Goldstein, eds., Mississippian reservoirs of the Midcontinent: AAPG Memoir 122, p. 353-378.
- Moore, C.A., 1947, The Morrow series of northwestern Oklahoma: OGS Bulletin 66, 151 p.
- Moran, J.E., 1996, Origin of iodine in the Anadarko Basin, Oklahoma: an ^{129}I study: AAPG Bulletin, v. 80, p. 685-694.
- Muehlberger, W.R., R.E. Denison, and E.G. Lidiak, 1967, Basement rocks in continental interior of United States: AAPG Bulletin, v. 51, p. 2351-2380.
- Murphy, H.J., 2004, Reservoir compartmentalization at Cement field, Cement, Oklahoma, based on geochemistry: Norman, University of Oklahoma, unpublished M.S. thesis, 172 p.
- Nash, S.S., 2014, The Springer shale: A sleeping giant?: AAPG Search and Discovery Article #10664, 26 p.
http://www.searchanddiscovery.com/pdfz/documents/2014/10664nash/ndx_nash.pdf.html
- Nelson, P.H., and N.J. Gianoutsos, 2011, Evolution of overpressured and underpressured oil and gas reservoirs, Anadarko Basin of Oklahoma, Texas, and Kansas—overview: U.S. Geological Survey Open-File Report 2011-1245, 3 sheets. <http://pubs.usgs.gov/of/2011/1245/>
- Nelson, P.H., N.J. Gianoutsos, and R.M. Drake, III, 2015, Underpressure in Mesozoic and Paleozoic rock units in the Midcontinent of the United States: AAPG Bulletin, v. 99, p. 1861-1892.
- Newell, K.D., and J.R. Hatch, 2000, A petroleum system for the Salina Basin in Kansas based on organic geochemistry and geologic analog: Natural Resources Research, v. 9, p. 169-200. (migration from Anadarko Basin)
- Nielsen, K.C., and R.J. Stern, 1985, Post-Carboniferous tectonics in the Anadarko Basin, Oklahoma: evidence from side-looking radar imagery: Geology, v. 13, p. 409-412.
- Northcutt, R.A., and J.A. Campbell, 1995, Geologic provinces of Oklahoma: Oklahoma Geological Survey, Open File Report OF5-95, scale 1:750,000.
<http://ogs.ou.edu/docs/openfile/OF5-95.pdf>
- Northcutt, R.A., and J.A. Campbell, 1996, Geologic provinces of Oklahoma: Shale Shaker, v. 46, p. 99-103.
- Northcutt, R.A., and J.A. Campbell, 1998, Geologic provinces of Oklahoma, in J.P. Hogan and M.C. Gilbert, eds., Basement tectonics 12, central North America and

- other regions: Boston, Kluwer Academic Publishers, Proceedings of the 12th International Conference on Basement Tectonics, p. 29-37.
- Northcutt, R.A., K.S. Johnson, and G.C. Hinshaw, 2001, Geology and petroleum reservoirs in Silurian, Devonian, and Mississippian rocks in Oklahoma, *in* K.S. Johnson, ed., Silurian, Devonian, and Mississippian geology and petroleum in the southern Midcontinent, 1999 symposium: OGS Circular 105, p. 1-15.
- Northcutt, R.A., 2002, History of Hunton oil and gas exploration and development in Oklahoma: Shale Shaker, v. 52, p. 149-159.
- Olson, R., 1993, General aspects of the Hunton Group in the western end of the Anadarko Basin, *in* K.S. Johnson, ed., Hunton Group core workshop and field trip: OGS Special Publication 93-4, p. 61-76.
- Papesh, H., 1983, A regional geophysical study of the southern Oklahoma aulacogen: El Paso, University of Texas, unpublished M.S. thesis, 68 p.
- Pawlewicz, M.J., 1989, Thermal maturation of the eastern Anadarko Basin, Oklahoma: U.S. Geological Survey Bulletin 1866-C, p. C1-C12.
- Peace, H.W., 1989, Mississippian facies relationships, eastern Anadarko Basin, Oklahoma: Norman, University of Oklahoma, unpublished M.S. thesis, 117 p.
- Peace, H.W., 1994, Mississippian facies relationships, eastern Anadarko Basin, Oklahoma: Shale Shaker, v. 45, p. 26-35.
- Pearson, C.A., 2016, Geochemical characterization of the Upper Mississippian Goddard Formation, Springer Group, in the Anadarko Basin of Oklahoma: Norman, University of Oklahoma, unpublished M.S. thesis, 169 p.
- Pearson, C.A., and R.P. Philp, 2019, Geochemical characterization of the Upper Mississippian Goddard Formation, Noble Ranch Group, and related oils in the Anadarko Basin of Oklahoma: AAPG Bulletin, v. 103, p. 2545-2571.
- Perry, W.J., Jr., 1986, Structural development of the southeastern margin of the Anadarko Basin, Oklahoma, *in* L.M.H. Carter, ed., USGS research on energy resources—1986 program and abstracts: U.S. Geological Survey Circular 974, p. 54-55.
- Perry, W.J., Jr., 1989, Tectonic evolution of the Anadarko Basin region, Oklahoma: U.S. Geological Survey Bulletin 1866-A, 19 p.
- Perry, W.J., Jr., 1997, Structural settings of deep natural gas accumulations in the conterminous United States: U.S. Geological Survey Bulletin 2146-D, p. 39-46.
- Petzel, G.J., 1974, Evaluation of data from the first earth resources technology satellite for the purpose of structural analysis in the Anadarko Basin, Oklahoma and Texas: Norman, University of Oklahoma, unpublished M.S. thesis, 107 p.
- Philp, R.P., P.J. Jones, L.H. Lin, G.E. Michael, and C.A. Lewis, 1989, An organic geochemical study of oils, source rocks, and tar sands in the Ardmore and Anadarko Basins, *in* K.S. Johnson, ed., Anadarko Basin symposium, 1988: OGS Circular 90, p. 65-76.
- Philp, R.P., and C. Symcox, 2021, A preliminary geochemical investigation into shales and oil-stained sands from the Simpson Group in the Anadarko Basin: Oklahoma City Geological Society, Shale Shaker, v. 72, p. 14-23.
- Philp, R.P., M. Wood, Y.S. Gorenekli, T. Nguyen, C. Symcox, H. Wang, and D. Kim, 2021, The presence of 18 α (H)-oleanane in Pennsylvanian and Mississippian rocks in the Anadarko Basin, Oklahoma: Organic Geochemistry, v. 152, 104181.

- Pipes, P.B., ed., 1980, Oil and gas fields of Oklahoma, supplement II: Oklahoma City Geological Society, 30 p.
- Pippin, L., 1970, Panhandle-Hugoton field, Texas-Oklahoma-Kansas—the first fifty years, *in* M.T. Halbouty, ed., *Geology of giant petroleum fields: AAPG Memoir* 14, p. 204-222.
- Pollastro, R.M., 1991, Composition, clay mineralogy, and diagenesis of the Simpson Group (Middle Ordovician), Grady County, Oklahoma: U.S. Geological Survey Bulletin 1866-H, 19 p.
- Popov, M.A., V.F. Nuccio, T.S. Dyman, T.A. Gognat, R.C. Johnson, J.C. Schmoker, M.S. Wilson, and C. Bartberger, 2001, Basin-centered gas systems of the U.S.: U.S. Geological Survey Open-File Report 01-135, version 1.0. (Anadarko Basin, p. 14-20, 294-295)
- Price, B.J., A.C. Pollack, A.P. Lamb, T.C. Peryam, and J.R. Anderson, 2020, Depositional interpretation and sequence stratigraphic control on reservoir quality and distribution in the Meramecian Sooner trend Anadarko Basin, Canadian, and Kingfisher Counties (STACK) play, Anadarko Basin, Oklahoma, United States: *AAPG Bulletin*, v. 104, p. 357-386.
- Price, C.L., 1998, Frontal fault zone of the Wichita Mountains: identification and characterization of a fault-associated lateral seal, part 1: *Shale Shaker*, v. 49, p. 7-20.
- Price, C.L., 1998, Frontal fault zone of the Wichita Mountains: identification and characterization of a fault-associated lateral seal, part 2: *Shale Shaker*, v. 49, p. 31-42.
- Price, L.C., J.L. Clayton, and L.L. Rumen, 1981, Organic geochemistry of the 9.6 km Bertha Rogers no. 1 well, Oklahoma: *Organic Geochemistry*, v. 3, p. 59-77.
- Price, L.C., 1997, Minimum thermal stability levels and controlling parameters of methane, as determined by C15+ hydrocarbon thermal stabilities: *USGS. Bulletin* 2146-K, 176 p.
- Price, L.C., 1997, Origins, characteristics, evidence for, and economic variabilities of conventional and unconventional gas resource bases: U.S. Geological Survey, *Bulletin* 2146-L, 207 p.
- Pritchett, B.N., 2015, Map of Oklahoma oil and gas fields distinguished by gas to oil ratio and conventional gas vs. coalbed methane: Oklahoma Geological Survey Map GM 39. <http://ogs.ou.edu/docs/geologicmaps/GM39.pdf>
- Pritchett, B.N., 2015, Map of Oklahoma oil and gas fields distinguished by coalbed methane and field boundaries: Oklahoma Geological Survey Map GM 40. <http://ogs.ou.edu/docs/geologicmaps/GM40.pdf>
- Pruatt, M.A., 1975, The southern Oklahoma aulacogen: a geophysical and geological investigation: Norman, University of Oklahoma, unpublished M.S. thesis, 59 p.
- Puckette, J.O., C. Anderson, and Z. Al-Shaieb, 2000, The deep-marine Red Fork sandstone: a submarine-fan complex, *in* K.S. Johnson, ed., *Marine clastics in the southern Midcontinent, 1997 symposium: OGS Circular* 103, p. 177-184.
- Ragland, D.A., 1990, Sedimentology, paleoenvironmental analysis and diagenesis of upper Arbuckle limestones in the Slick Hills, southwestern Oklahoma: Stillwater, Oklahoma State University, unpublished PhD dissertation, 238 p.
- Rahman, M.W., D. Veach, R. Jayakumar, and S. Esmaili, 2017, Application of organic geochemistry on assessment of fluid behavior and oil migration within the

- Woodford Shale in the Anadarko Basin: Unconventional Resources Technology Conference, URTeC 2688342, 12 p.
<http://archives.datapages.com/data/urtec/2017/2688342.html>
- Rascoe, B., Jr., 1962, Regional stratigraphic analysis of Pennsylvanian and Permian rocks in western Mid-Continent, Colorado, Kansas, Oklahoma, Texas: AAPG Bulletin, v. 46, p. 1345-1370.
- Rascoe, B., Jr., 1978, Sedimentary cycles in the Virgillian Series (Upper Pennsylvanian) of the Anadarko Basin: Shale Shaker, v. 28, p. 123-131, 144-149.
- Rascoe, B., Jr., and F.J. Adler, 1983, Permo-Carboniferous hydrocarbon accumulations, Mid-Continent, U.S.A.: AAPG Bulletin, v. 67, p. 979-1001.
- Rascoe, B., Jr., 1988, Permian System in western Midcontinent, *in* W.A. Morgan and J.A. Babcock, eds., Permian rocks of the Midcontinent: Midcontinent SEPM Special Publication 1, p. 3-12.
- Rauch-Davies, M., A. Lamb, and K. Rohan, 2017, Seismic post-stack and pre-stack impedance inversions in depth, examples from the Woodford Formation, Anadarko Basin: Unconventional Resources Technology Conference, URTeC 2691074, 5 p. <http://archives.datapages.com/data/urtec/2017/2691074.html>
- Reynolds, R.L., N.S. Fishman, R.B. Wanty, and M.B. Goldhaber, 1990, Iron sulfide minerals at Cement oil field, Oklahoma: implications for magnetic detection of oil fields: GSA Bulletin, v. 102, p. 368-380.
- Reynolds, R.L., N.S. Fishman, and M.R. Hudson, 1991, Sources of aeromagnetic anomalies over Cement oil field (Oklahoma), Simpson oil field (Alaska), and the Wyoming-Idaho-Utah thrust belt: Geophysics, v. 56, p. 606-617.
- Rice, D.D., C.N. Threlkeld, and A.K. Vuletich, 1988, Analyses of natural gases from Anadarko Basin, southwestern Kansas, western Oklahoma, and Texas Panhandle: U.S. Geological Survey Open-File report OF 88-0391, 5 p.
- Rice, D.D., C.N. Threlkeld, and A.K. Vuletich, 1988, Character, origin and occurrence of natural gases in the Anadarko Basin, southwestern Kansas, western Oklahoma and Texas Panhandle, U.S.A.: Chemical Geology, v. 71, p. 149-157.
- Rice, D.D., C.N. Threlkeld, and A.K. Vuletich, 1989, Characterization and origin of natural gases of the Anadarko Basin, *in* K.S. Johnson, ed., Anadarko Basin symposium, 1988: OGS Circular 90, p. 47-52.
- Riggs, R.M., 1958, Thrust faulting along the Wichita Mountain front: Shale Shaker Digest, v. 6-8, p. 351-355.
- Robbins, S.L., and G.R. Keller, Jr., 1992, Complete Bouguer and isostatic residual gravity maps of the Anadarko Basin, Wichita Mountains, and surrounding areas, Oklahoma, Kansas, Texas, and Colorado: U.S. Geological Survey Bulletin 1866-G, 11 p.
- Roberts, C., and B. Sandridge, 1992, The Ames hole: Shale Shaker, v. 42, p. 118-119.
- Roemer, C.D., C. Roemer, and K. Williams, 1992, Gravity, magnetics point to volcanic origin for Oklahoma's Ames anomaly: Oil & Gas Journal, v. 90, no. 26, p. 75-80.
- Rose, K.K., R.M. Boswell, A.S.B. Douds, J.A. Pancake, and H.R. Pratt, III, 2004, Assessing technology needs of "sub-economic" natural gas resources: Phase II—the Anadarko and Uinta Basins: Gas Technology Institute, GasTIPS, v. 10, no. 4, p. 5-9.
- Rottman, K., 1993, Log-derived SP trends of the Hunton, with possible ramifications to Henryhouse-Chimneyhill depositional environments, Lincoln and Logan

- Counties, Oklahoma, *in* K.S. Johnson, ed., Hunton Group core workshop and field trip: OGS Special Publication 93-4, p. 83-89.
- Rottmann, K., 2000, Defining the role of Woodford–Hunton depositional relationships in Hunton stratigraphic traps of western Oklahoma, *in* K.S. Johnson, ed., Platform carbonates in the southern Midcontinent, 1996 symposium: OGS Circular 101, p. 139-146.
- Rowland, T.L., 1974, The historic 1 Baden Unit and a brief look at exploration in the Anadarko Basin: Oklahoma Geology Notes, v. 34, p. 3-9.
- Rowland, T.L., 1974, Lone Star 1 Rogers Unit captures world depth record: Oklahoma Geology Notes, v. 34, p. 185-189.
- Saxon, C.P., 1998, Structural style of the Wichita and Arbuckle orogenies, southern Oklahoma: Norman, University of Oklahoma, unpublished PhD dissertation, 248 p.
- Schmoker, J.W., 1986, Oil generation in the Anadarko Basin, Oklahoma and Texas: modeling using Lopatin's method: OGS Special Publication 86-3, 40 p.
- Schmoker, J.W., 1989, Thermal maturity of the Anadarko Basin, *in* K.S. Johnson, ed., Anadarko Basin symposium, 1988: OGS Circular 90, p. 25-31.
- Schramm, M.W., 1964, Paleogeologic and quantitative lithofacies analysis, Simpson Group, Oklahoma: AAPG Bulletin, v. 48, p. 1164-1195.
- Şenoğlu, D.E., 2017, Reservoir characterization and modeling of the Desmoinesian Series Granite Wash, Buffalo Wallow Field, Anadarko Basin, Texas: Norman, University of Oklahoma, unpublished M.S. thesis, 125 p.
- Shehan, P., 1984, Geological bibliography of Mid-Continent basement, U.S.A.: GSA Microform Publication 15, 55 p.
- Shelby, J.M., 1980, Geologic and economic significance of the Upper Morrow chert conglomerate reservoir of the Anadarko Basin: Journal of Petroleum Technology, v. 32, p. 489-495.
- Shelley, R.F., P.O. Scheuerman, C.A. Talley, and P.W. Smith, 2001, Analysis of completion/stimulation practices on Red Fork recovery in the Anadarko Basin using artificial neural system, *in* K.S. Johnson, ed., Pennsylvanian and Permian geology and petroleum in the southern Midcontinent, 1998 symposium: OGS Circular 104, p. 65-70.
- Shelley, S., G.M. Grammer, and M.J. Pranter, 2017, Reservoir characterization and modeling of a subsurface Meramec analog from a quarry in northeastern Oklahoma: Oklahoma City Geological Society, Shale Shaker, v. 68, no. 5, p. 224-243.
- Shelley, S., G.M. Grammer, and M.J. Pranter, 2019, Outcrop-based reservoir characterization and modeling of an Upper Mississippian mixed carbonate-siliciclastic ramp, northeastern Oklahoma, *in* G.M. Grammer, J.M. Gregg, J.O. Puckette, P. Jaiswal, S.J. Mazzullo, M.J. Pranter, and R.H. Goldstein, eds., Mississippian reservoirs of the Midcontinent: AAPG Memoir 122, p. 207-226.
- Shumard, C.B., 1991, Stockholm southwest field—U.S.A., Anadarko Basin, Kansas, *in* N.H. Foster and E.A. Beaumont, eds., Stratigraphic traps II: AAPG Treatise of Petroleum Geology, Atlas of Oil and Gas Fields, p. 269-304.
- Sloss, L., 1963, Sequences in the cratonic interior of North America: GSA Bulletin, v. 74, p. 93-114.

- Sloss, L., 1988, Tectonic evolution of the craton in Phanerozoic time, in L. Sloss, ed., *Sedimentary cover—North American craton*, U.S.: GSA, *The Geology of North America*, v. D-2, p. 25-51.
- Smith, L.V., 1988, Lithostratigraphic correlation, petrology, and paleoenvironment of the Ordovician Simpson Group, Golden Trend area, south-central Oklahoma: Los Angeles, University of Southern California, unpublished M.S. thesis, 323 p.
- Smith, P.W., 1992, Factors controlling Simpson Group production in central Oklahoma: Norman, University of Oklahoma, unpublished M.S. thesis, 78 p.
- Smith, P.W., 1993, Factors controlling Simpson Group production in central Oklahoma, part 1: Shale Shaker, v. 43, p. 12-26.
- Smith, P.W., 1993, Factors controlling Simpson Group production in central Oklahoma, part II: Shale Shaker, v. 43, p. 30-39.
- Smith, P.W., 1997, Structural and stratigraphic factors that influence Simpson Group production in central Oklahoma, in K.S. Johnson, ed., *Simpson and Viola Groups in the southern Midcontinent*, 1994 symposium: OGS Circular 99, p. 111-136.
- Smith, P.W., and W.J. Hendrickson, 1999, Variations in production and reservoir characteristics as a function of depth in selected Hunton fields in the Anadarko Basin: Shale Shaker, v. 49, p. 83-96.
- Smith, P.W., and T.J. Woods, 2000, Effects of depth on quality of gas-well completions in carbonate reservoirs of the Anadarko Basin and shelf areas, in K.S. Johnson, ed., *Platform carbonates in the southern Midcontinent*, 1996 symposium: OGS Circular 101, p. 25-45.
- Smith, P.W., W.J. Hendrickson, and C.M. Williams, 2000, Production and reservoir characteristics of selected Hunton fields in the Anadarko Basin, in K.S. Johnson, ed., *Platform carbonates in the southern Midcontinent*, 1996 symposium: OGS Circular 101, p. 147-156.
- Smith, P.W., W.J. Hendrickson, C.M. Williams, and R.J. Woods, 2000, Stratigraphic relationships of Springer and Chester Groups within the Oklahoma portion of the Anadarko Basin and shelf: a clarification, in K.S. Johnson, ed., *Platform carbonates in the southern Midcontinent*, 1996 symposium: OGS Circular 101, p. 197-207.
- Smith, P.W., W.J. Hendrickson, and R.J. Woods, 2000, Effects of depth on reservoir characteristics and production on Morrow and Springer gas-well completions in the Anadarko Basin, western Oklahoma, in K.S. Johnson, ed., *Marine clastics in the southern Midcontinent*, 1997 symposium: OGS Circular 103, p. 105-118.
- Smith, P.W., W.J. Hendrickson, and R.J. Woods, 2001, Significance of accurate reservoir nomenclature and its impact on identifying petroleum systems in the Anadarko Basin, in K.S. Johnson and D.F. Merriam, eds., *Petroleum systems of sedimentary basins in the southern Midcontinent*, 2000 symposium: OGS Circular 106, p. 9-13.
- Smith, P.W., W.J. Hendrickson, and R.J. Woods, 2001, Comparison of production and reservoir characteristics in "Granite-Wash" fields in the Anadarko Basin, in K.S. Johnson and D.F. Merriam, eds., *Petroleum systems of sedimentary basins in the southern Midcontinent*, 2000 symposium: OGS Circular 106, p. 19-27.
- Smith, T.N., 1987, Geochemical biomarker study of the Woodford Shale in the Witcher field, Oklahoma County, Oklahoma: University of Tulsa, unpublished M.S. thesis, 122 p.

- Smith, T.N., 1989, Evidence of early oil generation in the Woodford Shale, Witcher field, central Oklahoma, *in* K.S. Johnson, ed., Anadarko basin symposium, 1988: OGS Circular 90, p. 267.
- Snyder, F.G., 1968, Tectonic history of Midcontinental United States: University of Missouri at Rolla Journal, no. 1, p. 65-77.
- Soreghan, G.S., G.R. Keller, M.C. Gilbert, C.G. Chase, and D.E. Sweet, 2012, Load-induced subsidence of the Ancestral Rocky Mountains recorded by preservation of Permian landscapes: *Geosphere*, v. 8, p. 654-668.
- Sorenson, R.P., 2005, A dynamic model for the Permian Panhandle and Hugoton fields, western Anadarko Basin: *AAPG Bulletin*, v. 89, p. 921-938.
- Spears, J., 2016, Characterization of the Goddard Shale and associated Chesterian strata in the eastern Anadarko Basin: Stillwater, Oklahoma State University, unpublished M.S. thesis.
- Sriisraporn, S., 1977, Deep structure of the southern Oklahoma aulacogen: Norman, University of Oklahoma, unpublished M.S. thesis, 68 p.
- Stein, C.A., S. Stein, R. Elling, G.R. Keller, and J. Kley, 2018, Is the "Grenville Front" in the central United States really the Midcontinent Rift?: *GSA Today*, v. 28, no. 5, p. 4-10.
- Steinmetz, R., 1978, Statistical summary of wells drilled below 18,000 feet (5,500 meters) in west Texas and Anadarko Basin: *AAPG Bulletin*, v. 62, p. 853-863.
- Sternbach, C.A., and G.M. Friedman, 1988, Dolomites formed under conditions of deep burial: Hunton Group carbonate rocks (Upper Ordovician to Lower Devonian) in the deep Anadarko Basin of Oklahoma and Texas: *Carbonates and Evaporites*, v. 1, p. 61.
- Suggate, R.P., 1998, Relations between depth of burial, vitrinite reflectance and geothermal gradient: *Journal of Petroleum Geology*, v. 21, p. 5-32. (Bertha Rogers well, p. 17)
- Suhm, R.W., 2016, The Simpson play (including parts of the Arbuckle and Viola): OGS Open File Report 3-2016, 115 p.
<http://www.ou.edu/content/ogs/publications/openfilereports.html>
- Sullivan, K.L., 1983, Organic facies variation of the Woodford Shale in western Oklahoma: Norman, University of Oklahoma, unpublished M.S. thesis, 101 p.
- Sullivan, K.L., 1985, Organic facies variation of the Woodford Shale in western Oklahoma: *Shale Shaker*, v. 35, p. 76-89.
- Sun, S.Q., 1995, Dolomite reservoirs: porosity evolution and reservoir characteristics: *AAPG Bulletin*, v. 79, p. 186-204.
- Suneson, N.H., and T.M. Stanley, 2017, The age of Oklahoma's mountain ranges: Oklahoma Geological Survey, *Oklahoma Geology Notes*, v. 76, p. 4-19.
- Suriamin, F., and M.J. Pranter, 2018, Stratigraphic and lithofacies control on pore characteristics of Mississippian limestone and chert reservoirs of north-central Oklahoma: *Interpretation*, v. 6, no. 4, p. T1001-T1022.
- Swanson, D.C., 1967, Major factors controlling Anadarko Basin production: *World Oil*, v. 164, no. 1, p. 81-92.
- Swanson, D.C., 1979, Deltaic deposits in the Pennsylvanian Upper Morrow Formation of the Anadarko Basin, *in* N.J. Hyne, ed., *Pennsylvanian sandstones of the Mid-Continent*: Tulsa Geological Society, Special Publication 1, p. 115-168.

- Swanson, D.C., and P.J. Shannon, 1990, Landsat interpretation useful in Hugoton gas field: *World Oil*, v. 210, no. 1, p. 108-111.
- Swesnik, R.M., 1950, Golden Trend of south-central Oklahoma: *AAPG Bulletin*, v. 34, p. 386-422.
- Symcox, C., and R.P. Philp, 2019, Heterogeneity of STACK/SCOOP production in the Anadarko Basin, Oklahoma—Geochemistry of produced oils: *URTeC* 513, 14 p.
- Symcox, C., and R.P. Philp, 2019, Some observations on the geochemical character of STACK and SCOOP oils: *Oklahoma City Geological Society, Shale Shaker*, v. 70, p. 248-260.
- Takach, N.E., C. Barker, and M.K. Kemp, 1987, Stability of natural gas in the deep subsurface: thermodynamic calculation of equilibrium compositions: *AAPG Bulletin*, v. 71, p. 322-333.
- Takken, S., 1968, Subsurface geology of north Gotebo area, Kiowa and Washita Counties, Oklahoma, *in* B.W. Beebe and B.F. Curtis, eds., *Natural gases of North America*, v. 2: *AAPG Memoir* 9, p. 1492-1508.
- Takken, S., and E.P. Kerr, 1994, *Oil and gas fields of Oklahoma volume 2*: Oklahoma City Geological Society, 181 p.
- Tamborello, B.L., 2020, Potential sources of oil from Hugoton Embayment reservoirs: Norman, University of Oklahoma, unpublished M.S. thesis, 208 p.
- Tarafa, M.E., J.K. Whelan, and J.W. Farrington, 1988, Investigation on the effects of organic solvent extraction on whole-rock pyrolysis: multiple-lobed and symmetrical P2 peaks: *Organic Geochemistry*, v. 12, p. 137-149. (vitrinite reflectance of Ledbetter well)
- Tarr, R.S., 1955, Paleogeologic map at base of Woodford, and Hunton isopachous map of Oklahoma: *AAPG Bulletin*, v. 39, p. 1851-1858.
- Tarr, R.S., L. Jordan, and T.L. Rowland, 1965, Geologic map and section of pre-Woodford rocks in Oklahoma showing surface and subsurface distribution: *OGS Map GM-9*, scale 1:750,000.
- Temple, B.J., P.A. Bailey, and J.M. Gregg, 2020, Carbonate diagenesis of the Arbuckle Group north central Oklahoma to southwestern Missouri: *Oklahoma City Geological Society, Shale Shaker*, v. 7, no. 1, p. 10-30.
- Thomas, W.A., G.E. Gehrels, and M.C. Romero, 2018, Detrital zircons from crystalline rocks along the southern Oklahoma fault system, Wichita and Arbuckle Mountains, USA: *Geosphere*, v. 12, no. 4, p. 1224-1234.
- Toon, S., 2013, The making of the Marmaton: *Oil and Gas Investor*, v. 33, no. 8, p. 69-71.
- Totten, R.B., and P.H. Horn, 1968, Introduction to regional geology and typical gas fields of western Anadarko Basin, *in* B.W. Beebe and B.F. Curtis, eds., *Natural gases of North America*, v. 2: *AAPG Memoir* 9, p. 1525-1538.
- Trask, P.D., 1937, Studies of source beds in Oklahoma and Kansas: *AAPG Bulletin*, v. 21, p. 1377-1402.
- Trask, P.D., and H.W. Patnode, 1942, Source beds of petroleum, Mid-Continent area, *in* P.D. Trask and H.W. Patnode, *Source beds of petroleum*: *AAPG Report of Investigation*, p. 255-285.
- Trollinger, W.V., 1968, Surface evidence of deep structure in the Anadarko Basin, *in* W.J. Stewart, ed., *Basins of the southwest*, v. 1: *North Texas Geological Society*, p. 91-106.

- Tsirir, V.L., 1983, Organic geochemistry and thermal history of the uppermost Morrow shale (Lower Pennsylvanian) in the Anadarko basin, Oklahoma: Norman, University of Oklahoma unpublished M.S. thesis, 163 p.
- Turko, M., and S. Mitra, 2021, Macroscopic structural styles in the southeastern Anadarko Basin, southern Oklahoma: *Marine and Petroleum Geology*, v. 125, 104863.
- Tyler, N., W.E. Galloway, C.M. Garrett, Jr., and T.E. Ewing, 1985, Oil accumulation, production characteristics, targets for added recovery in Texas reservoirs—1: *Oil & Gas Journal*, v. 83, no. 8, p. 123-132. (Anadarko Basin in Texas)
- Walker, P.E.G., 1986, A regional study of the diagenetic and geochemical character of the Pennsylvanian Morrow Formation, Anadarko basin, Oklahoma: Stillwater, Oklahoma State University, unpublished M.S. thesis, 156 p.
- Walper, J.L., 1976, The geotectonic evolution of the Wichita aulacogen, Oklahoma, in G.E. Henry, ed., *Basins of the southwest*, v. 2: North Texas Geological Society, p. 192-211.
- Walters, R.F., 1958, Differential entrapment of oil and gas in Arbuckle dolomite of central Kansas: *AAPG Bulletin*, v. 42, p. 2133-2173. (referenced in Burruss and Hatch, 1989)
- Wang, H.D., 1993, A geochemical study of potential source rocks and crude oils in the Anadarko basin, Oklahoma: Norman, University of Oklahoma, unpublished Ph.D. dissertation, 296 p.
- Wang, H.D., and R.P. Philp, 1997, Geochemical study of potential source rocks and crude oils in the Anadarko basin, Oklahoma: *AAPG Bulletin*, v. 81, p. 249-275.
- Wang, H.D., and R.P. Philp, 1997, A geochemical study of Viola source rocks and associated crude oils in the Anadarko basin, Oklahoma, in K.S. Johnson, ed., *Simpson and Viola Groups in the southern Midcontinent*, 1994 symposium: OGS Circular 99, p. 87-101.
- Wang, H.D., and R.P. Philp, 2001, Geochemical characterization of selected oils and source rocks from the Chester Formation, Springer Formation, and Morrow Group of the Anadarko basin, in K.S. Johnson, ed., *Pennsylvanian and Permian geology and petroleum in the southern Midcontinent*, 1998 symposium: OGS Circular 104, p. 41-57.
- Wang, Y., T. Thompson, and G.M. Grammer, 2019, Fracture characterization and prediction in unconventional reservoirs of the “Mississippian Limestone”, north-central Oklahoma, United States, in G.M. Grammer, J.M. Gregg, J.O. Puckette, P. Jaiswal, S.J. Mazzullo, M.J. Pranter, and R.H. Goldstein, eds., *Mississippian reservoirs of the Midcontinent*: AAPG Memoir 122, p. 271-300.
- Waples, D.W., 1980, Time and temperature in petroleum formation: Application of Lopatin’s method to petroleum exploration: *AAPG Bulletin*, v. 64, p. 916-926.
- Waterschoot van der Gracht, W.A.J.M. van, 1931, Permo-Carboniferous orogeny in south-central United States: *AAPG Bulletin*, v. 15, p. 991-1057.
- Waterschoot van der Gracht, W.A.J.M. van, 1933, Permo-Carboniferous orogeny in United States: *AAPG Bulletin*, v. 17, p. 91-96.
- Webb, G.W., 1976, Oklahoma City oil—second crop from preserved subunconformity source rocks: *AAPG Bulletin*, v. 60, p. 115-122.
- Webster, R.E., 1977, Evolution of a major petroleum province: The southern Oklahoma aulacogen: *The Compass of Sigma Gamma Epsilon*, v. 54, no. 3, p. 59-71.
- Webster, R.E., 1980, Evolution of southern Oklahoma aulacogen: *Oil & Gas Journal*, v. 78, no. 7, p. 150-172.
- Webster, R.E., and J.D. Barnhouse, 1986, Texas Panhandle—1: Geology of McMordie Ranch and Hale fields: *Oil & Gas Journal*, v. 84, no. 50, p. 61-64.

- Webster, R.E., and J.D. Barnhouse, 1986, Texas Panhandle—2: McMordie Ranch, Hale fields region seen attractive for strat trap hunting: *Oil & Gas Journal*, v. 84, no. 51/52, p. 130-138.
- Weimer, R.J., 1992, Developments in sequence stratigraphy: foreland and cratonic basins: *AAPG Bulletin*, v. 76, p. 965-982. (Morrowan, Anadarko Basin, p. 977-980)
- Wente, G., 2001, Study of the Atoka reservoir in the Putnam Atoka field, southwestern Dewey County, Oklahoma: Norman, Oklahoma, University of Oklahoma, unpublished M.S. thesis, 70 p.
- Wethington, N., 2017, Stratigraphic architecture of the Mississippian Limestone through integrated electrofacies classification, Hardtner Field area, Kansas and Oklahoma: Norman, University of Oklahoma, unpublished M.S. thesis, 103 p.
- Wethington, N.W., and M.J. Pranter, 2018, Stratigraphic architecture of the Mississippian limestone through integrated electrofacies classification, Hardtner field area, Kansas and Oklahoma: *Interpretation*, v. 6, no. 4, p. T1095-T1115.
- Wheeler, R., 1951, Origin and oil possibilities of the Anadarko Basin: *Shale Shaker*, v. 2, no. 2, p. 4-16.
- White, H., R. Kirkland, E. Glassman, and G. Schnerk, 1999, Revisiting Pennsylvanian reservoir architecture—Chitwood, Norge, and northeast Verden fields, Caddo and Grady Counties, Oklahoma, *in* D.F. Merriam, ed., Transactions of the 1999 AAPG Midcontinent Section meeting: Kansas Geological Society, p. 212-219.
- Whittman, B.R., 2013, Subsurface stratigraphy and characterization of Mississippian (Osagean to Meramecian) carbonate reservoirs of the northern Anadarko Shelf, north-central Oklahoma: Fayetteville, University of Arkansas, unpublished M.S. thesis.
- Williams, P., 2009, Granite Wash: *Oil and Gas Investor*, v. 29, no. 10, p. 36-47.
- Wilson, E.N., W.L. Watney, and G.M. Grammer, 2019, An overview of the giant heterogeneous Mississippian carbonate system of the Midcontinent: Ancient structure, complex stratigraphy, conventional traps, and unconventional technology in a high fluid volume world, *in* G.M. Grammer, J.M. Gregg, J.O. Puckette, P. Jaiswal, S.J. Mazzullo, M.J. Pranter, and R.H. Goldstein, eds., Mississippian reservoirs of the Midcontinent: AAPG Memoir 122, p. 1-24.
- Wittman, B.R., 2013, Subsurface stratigraphy and characterization of Mississippian (Osagean to Meramecian) carbonate reservoirs of the northern Anadarko shelf, north-central Oklahoma: Fayetteville, AR, University of Arkansas, unpublished M.S. thesis, 76 p.
- Wood, M.K., 2017, Novel biomarker distributions in the Chesterian Limestone of the Anadarko Basin, Oklahoma: Norman, University of Oklahoma, unpublished M.S. thesis, 200 p.
- Wroblewski, E.F., 1967, Exploration problems in the “deep” Anadarko Basin: *Shale Shaker*, v. 17, p. 131-136.
- Wroblewski, E.F., 1970, New look at a major deep drilling area—the Anadarko Basin: *World Oil*, v. 171, no. 2, p. 29-32.
- Young, R.A., 1995, Imaging of basement-block configuration in the Wichita Mountain frontal zone, *in* K.S. Johnson, ed., Structural styles in the southern Midcontinent, 1992 symposium: OGS Circular 97, p. 293-296.

- Zeliff, C.W., 1975, Subsurface analysis, "Cherokee" Group (Pennsylvanian), northern Kingfisher County, Oklahoma: Norman, University of Oklahoma, unpublished M.S. thesis, 53 p.
- Zeliff, C.W., 1976, Subsurface analysis, "Cherokee" Group (Pennsylvanian), northern Kingfisher County, Oklahoma, part 1: Shale Shaker, v. 27, p. 4-6.
- Zeliff, C.W., 1976, Subsurface analysis, "Cherokee" Group (Pennsylvanian), northern Kingfisher County, Oklahoma, part 2: Shale Shaker, v. 27, p. 24-34.
- Zeliff, C.W., 1976, Subsurface analysis, "Cherokee" Group (Pennsylvanian), northern Kingfisher County, Oklahoma, part 3: Shale Shaker, v. 27, p. 44-56.