

March 2021

## Bibliography of Ouachita Mountains

Brian J. Cardott  
Oklahoma Geological Survey

- Allen, M.W., 1990, An analysis of mesoscopic structures in selected areas within the Potato Hills, Ouachita Mountains, Oklahoma: Fort Hayes State University, unpublished M.S. thesis, 59 p.
- Allen, M.W., 1990, An analysis of mesoscopic structures in selected areas within the Potato Hills, Ouachita Mountains, Oklahoma: Oklahoma City Geological Society, Shale Shaker, v. 41, p. 4-21.
- Allen, M.W., 1991, Calculating thrust-fault displacement in the Ouachita Mountains frontal belt, Oklahoma: Oklahoma City Geological Society, Shale Shaker, v. 41, p. 92-100.
- Allen, M.W., 1991, Reinterpretation of a portion of the Potato Hills geologic map: Oklahoma City Geological Society, Shale Shaker, v. 102-103.
- Allen, M.W., 1991, Structural analysis of the northeastern Potato Hills, Ouachita Mountains, Oklahoma: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 51, no. 6, p. 188-197.
- Allen, M.W., 1991, Relationship between parasitic folds and tectonic evolution, Potato Hills, Ouachita Mountains, Oklahoma: Oklahoma City Geological Society, Shale Shaker, v. 42, p. 66-68.
- Allen, M.W., 1992, Structural analysis of the western Potato Hills, Ouachita Mountains, Oklahoma: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 52, p. 173-183.
- Allen, M.W., 1993, Analysis of the north Potato Hills thrust: its importance to the interpretation of the Potato Hills, Ouachita Mountains, Oklahoma: Oklahoma City Geological Society, Shale Shaker, v. 44, p. 75-78.
- Allen, M.W., 1994, Subsurface structural geology of the Potato Hills, Ouachita Mountains, Oklahoma: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 54, p. 100-108.
- Allen, M.W., 1994, Structural analysis and tectonic history of the Potato Hills, Ouachita Mountains, Oklahoma, in N.H. Suneson and L.A. Hemish, eds., Geology and resources of the eastern Ouachita Mountains frontal belt and southeastern Arkoma Basin, Oklahoma: Oklahoma Geological Survey, Guidebook 29, p. 253-261.
- Allen, M.W., 1995, Structural analysis of the Potato Hills, Ouachita Mountains, Oklahoma, in K.S. Johnson, ed., Structural styles in the southern Midcontinent, 1992 symposium: Oklahoma Geological Survey, Circular 97, p. 233-235.
- Amsden, T.W., 1983, *Coelospira Concava* (Hall) from the Pinetop Chert (Early Devonian), Ouachita Mountains, Oklahoma: Journal of Paleontology, v. 57, p. 1244-1260.
- Anderson, J., ed., 1996, Jackfork Group: Ouachita Mountains: Denver, Petroleum Information Corp., Petroleum Frontiers, v. 13, no. 1, 60 p.

- Arbenz, J.K., 1968, Structural geology of the Potato Hills, Ouachita Mountains, Oklahoma, in L.M. Cline, ed., A guidebook to the geology of the western Arkoma Basin and Ouachita Mountains: Oklahoma City Geological Society, Guidebook, p. 109-121.
- Arbenz, J.K., 1984, A structural cross section through the Ouachita Mountains of western Arkansas, in C.G. Stone and B.R. Haley, A guidebook to the geology of the central and southern Ouachita Mountains, Arkansas: Arkansas Geological Commission, Guidebook 84-2, p. 76-84.
- Arbenz, J.K., 1989, The Ouachita system, in A.W. Bally and A.R. Palmer, eds., The geology of North America; an overview: Boulder, CO, Geological Society of America, The Geology of North America, v. A, p. 371-396.
- Arbenz, J.K., 1989, Ouachita thrust belt and Arkoma Basin, in R.D. Hatcher, Jr., W.A. Thomas, and G.W. Viele, eds., The Appalachian-Ouachita orogen in the United States: Geological Society of America, The Geology of North America, v. F-2, p. 621-634.
- Arbenz, J.K., 2008, Structural framework of the Ouachita Mountains, in N.H. Suneson, ed., Stratigraphic and structural evolution of the Ouachita Mountains and Arkoma Basin, southeastern Oklahoma and west-central Arkansas: application to petroleum exploration: Oklahoma Geological Survey, Circular 112A, p. 1-40.
- Arne, D.C., 1992, Evidence from apatite fission-track analysis for regional Cretaceous cooling in the Ouachita Mountain fold belt and Arkoma Basin of Arkansas: AAPG Bulletin, v. 76, p. 392-402.
- Babaei, A., 1990, Evolution of antivergent folds on a Paleozoic accretionary prism, Arkansas: an alternative view: *Geology*, v. 18, p. 987-990.
- Babaei, A., and G.W. Viele, 1992, Two-decked nature of the Ouachita Mountains, Arkansas: *Geology*, v. 20, p. 995-998. (comments by Allen and Suneson, Arbenz, Stone and Haley, reply by Babaei and Viele, *Geology*, v. 21, p. 1054-1056)
- Babcock, L.C., 1969, A comparison of six late Paleozoic siliceous shales, Ouachita Mountains, Oklahoma: University of Wisconsin, unpublished M.A. thesis, 61 p.
- Ball, A., 2013, Structural cross sections of the Boktukola Syncline in the central Ouachita Mountains of southeastern Oklahoma: Tulsa, OK, University of Tulsa, unpublished M.S. thesis.
- Ball, A., 2014, Structural analysis of the Boktukola Syncline, central Ouachita Mountains, Oklahoma: Oklahoma City Geological Society, *Shale Shaker*, v. 65, p. 110-133.
- Bally, A.W., C.R. Scotese, and M.I. Ross, 1989, North America; plate-tectonic setting and tectonic elements, in A.W. Bally and A.R. Palmer, eds., The Geology of North America; an overview: Boulder, CO, Geological Society of America, The Geology of North America, v. A, p. 1-15.
- Barrick, J.E., and J.N. Haywa-Branch, 1994, Conodont biostratigraphy of the Missouri Mountain Shale (Silurian-Early Devonian?) and the Arkansas Novaculite (Devonian), Black Knob Ridge, Atoka County, Oklahoma, in N.H. Suneson and L.A. Hemish, eds., Geology and resources of the eastern Ouachita Mountains frontal belt and southeastern Arkoma Basin, Oklahoma: Oklahoma Geological Survey, Guidebook 29, p. 161-177.

- Barrick, J.E., and B.D. Meyer, 2019, Silurian-Devonian conodont biostratigraphy in the southern Midcontinent region of North America, in S.C. Ruppel, ed., *Anatomy of a Paleozoic basin: the Permian Basin, USA* (v. 1, chapter 6): The University of Texas at Austin, Bureau of Economic Geology, Report of Investigations 285, AAPG Memoir 118, p. 137-165.
- Bass, M.N., and G. Ferrara, 1969, Age of adularia and metamorphism, Ouachita Mountains, Arkansas: *American Journal of Science*, v. 267, p. 491-498.
- Beach, J.O., 1945, Oklahoma asphalt deposits: Oklahoma Geological Survey, *The Hopper*, v. 5, no. 6, p. 51-60.
- Beach, J.O., 1947, Asphaltite of the Ouachita Mountains: *Proceedings of the Oklahoma Academy of Science*, v. 27, p. 91-92.
- Beall, R., 1973, Place tectonics and the origin of the Gulf Coast basin: *Gulf Coast Association of Geological Societies, Transactions*, v. 23, p. 109-114.
- Beall, R., 1973, The origin of the Gulf Coast basin, in M.G. Hare and E.H. Morrow, eds., *A study of Paleozoic rocks in Arbuckle and western Ouachita Mountains of southern Oklahoma*: Shreveport Geological Society, Guidebook, p. 52-55.
- Beall, R., 1976, The origin of the Gulf Coast basin, in R.E. Decker and B. Black, eds., *A study of the Paleozoic rocks in Arbuckle and western Ouachita Mountains of southern Oklahoma*: Gulf Coast Association of Geological Societies, Guidebook, p. 60-63.
- Bennison, A.P., ed., 1975, *A new look at the Ouachita corner*: Tulsa Geological Society, Guidebook, 13 p.
- Berry, R.M., and W.D. Trumbly, 1968, Wilburton gas field, Arkoma Basin, Oklahoma, in L.M. Cline, ed., *A guidebook to the geology of the western Arkoma Basin and Ouachita Mountains*: Oklahoma City Geological Society, Guidebook, p. 86-103.
- Bertagne, A.J., and T.C. Leising, 1989, Seismic exploration of Ouachita frontal fairway, southeastern Oklahoma: *Oil & Gas Journal*, v. 87, no. 4, p. 88-90.
- Bertagne, A.J., and C. Vuillermoz, 1991, Ark-La megaregional seismic data available: *Oil & Gas Journal*, v. 89, no. 44, p. 84-86.
- Bike, P.B., 1961, Watchful waiting in Ouachitas may end: *Oil & Gas Journal*, v. 59, no. 14, p. 266-268.
- Blythe, A.E., A. Sugar, and S.P. Phipps, 1988, Structural profiles of Ouachita Mountains, western Arkansas: *AAPG Bulletin*, v. 72, p. 810-819.
- Bowring, S.A., 1984, U-Pb zircon ages of granitic boulders in the Ordovician Blakely Sandstone, Arkansas, and implications for their provenance, in C.G. Stone and B.R. Haley, *A guidebook to the geology of the central and southern Ouachita Mountains, Arkansas*: Arkansas Geological Commission, Guidebook 84-2, p. 123.
- Bowsher, A.L., and N.L. Johnson, 1968, Road log for second day of field trip, in L.M. Cline, ed., *A guidebook to the geology of the western Arkoma Basin and Ouachita Mountains, Oklahoma*: Oklahoma City Geological Society, Guidebook, p. 24-62.
- Branan, C.B., Jr., and L. Jordan, 1960, Recent exploration in the Arkoma Basin and Ouachita province, southeastern Oklahoma: Oklahoma Geological Survey, *Oklahoma Geology Notes*, v. 20, p. 140-147.

- Branson, C.C., 1959, Regional relationships of Ouachita Mississippian and Pennsylvanian rocks, in L.M. Cline, W.J. Hilseweck, and D.E. Feray, eds., The geology of the Ouachita Mountains, a symposium: Dallas Geological Society and Ardmore Geological Society, p. 118-121.
- Briggs, G., and L.M. Cline, 1967, Paleocurrents and source areas of Late Paleozoic sediments of the Ouachita Mountains, southeastern Oklahoma: *Journal of Sedimentary Petrology*, v. 37, p. 985-1000.
- Briggs, G., 1973, Geology of the eastern part of the Lynn Mountain syncline, Le Flore County, Oklahoma: Oklahoma Geological Survey, Circular 75, 34 p.
- Briggs, G., 1974, Carboniferous depositional environments in the Ouachita Mountains-Arkoma Basin area of southeastern Oklahoma, in G. Briggs, ed., Carboniferous of the southeastern United States: Geological Society of America, Special Paper 148, p. 225-239.
- Briggs, G., E.F. McBride, and R.J. Moiola, field trip leaders, 1975, Sedimentology of Paleozoic flysch and associated deposits, Ouachita Mountains and Arkoma Basin, Oklahoma: Dallas Geological Society, Field Trip Guidebook, 128 p.
- Briggs, G., and D. Roeder, 1975, Sedimentation and plate tectonics, Ouachita Mountains and Arkoma Basin, in G. Briggs, E.F. McBride, and R.J. Moiola, field trip leaders, Sedimentology of Paleozoic flysch and associated deposits, Ouachita Mountains and Arkoma Basin, Oklahoma: Dallas Geological Society, Field Trip Guidebook, p. 1-22.
- Brown, R.L., 1995, Ablative subduction and its structural effects upon the Midcontinent during the Pennsylvanian, in K.S. Johnson, ed., Structural styles in the southern Midcontinent, 1992 symposium: Oklahoma Geological Survey, Circular 97, p. 83-98.
- Buffler, R.T., and W.A. Thomas, 1994, Crustal structure and evolution of the southeastern margin of North America and the Gulf of Mexico basin, in R.C. Speed., ed., Phanerozoic evolution of North American continent-ocean transitions: Geological Society of America, Summary volume to accompany the DNAG Continent-Ocean Transact Series, p. 219-264.
- Burgess, W.J., 1976, Geologic evolution of the Mid-Continent and Gulf Coast areas — a plate tectonics view: Gulf Coast Association of Geological Societies, Transactions, v. 26, p. 132-143.
- Burrough, H.C., 1960, Surface geology of the Jumbo quadrangle, Pushmataha County, Oklahoma: Norman, University of Oklahoma, unpublished M.S. thesis, 131 p.
- Bush, W.V., B.R. Haley, C.G. Stone, D.F. Holbrook, and J.D. McFarland, III, 1977, A guidebook to the geology of the Arkansas Paleozoic area: Arkansas Geological Commission, Guidebook 77-1, 79 p.
- Buthman, D.B., 1982, Stratigraphy and structural style of the Mazarn, Blakely and Womble Formations in the Ouachita core near Norman, Arkansas: Oklahoma City Geological Society, Shale Shaker, v. 33, p. 20-43. (1982 Southern Illinois University-Carbondale M.S. thesis)
- Byrnes, A.P., and G. Lawyer, 1999, Burial, maturation, and petroleum generation history of the Arkoma Basin and Ouachita foldbelt, Oklahoma and Arkansas: Natural Resources Research, v. 8, p. 3-26.

- Camp, W.K., and R.A. Ratliff, 1990, Balanced cross section through Wilburton gas field, Latimer County, Oklahoma: implications for Ouachita deformation and Arbuckle (Cambro-Ordovician) exploration in Arkoma Basin, in Transaction volume of the 1989 AAPG Mid-Continent Section Meeting: Oklahoma City Geological Society, 12 p.
- Camp, W.K., 1991, Balanced cross sections through Wilburton gas field, Latimer County, Oklahoma; implications for Ouachita deformation and Arbuckle (Cambro-Ordovician) exploration in the Arkoma basin: Houston Geological Society Bulletin, v. 33, no. 6.
- Campbell, J.A., 1990, Stop 11, Waldrop Ranch grahamite deposit, in N.H. Suneson, J.A. Campbell, and M.J. Tilford, eds., Geology and resources of the frontal belt of the western Ouachita Mountains, Oklahoma: Oklahoma Geological Survey, Special Publication 90-1, p. 67-70.
- Caplan, W.M., 1963, Oil and gas possibilities in the Ouachita Mountain region of Arkansas, in N.F. Williams and A. Bacho, eds., Southeastern Arkansas Valley and the Ouachita and Frontal Ouachita Mountains, Arkansas: Fort Smith Geological Society, Guidebook, p. 31-37.
- Cardott, B.J., N.H. Suneson, and C.A. Ferguson, 1989, The Page impsonite mine, Le Flore County, Oklahoma: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 49, p. 32-39.
- Cardott, B.J., 1991, Organic petrology of epi-impsonite at Page, Oklahoma, U.S.A.: Organic Geochemistry, v. 17, p. 185-191.
- Cardott, B.J., T.E. Ruble, and N.H. Suneson, 1993, Nature of migrabitumen and their relation to regional thermal maturity, Ouachita Mountains, Oklahoma, in F. Goodarzi and R.W. Macqueen, eds., Geochemistry and petrology of bitumen with respect to hydrocarbon generation and mineralization: Energy Sources, v. 15, p. 239-267.
- Cardott, B.J., 1994, Thermal maturity of surface samples from the frontal and central belts, Ouachita Mountains, Oklahoma, in N.H. Suneson and L.A. Hemish, eds., Geology and resources of the eastern Ouachita Mountains frontal belt and southeastern Arkoma Basin, Oklahoma: Oklahoma Geological Survey, Guidebook 29, p. 271-276.
- Cathles, L.M., 1993, A discussion of flow mechanisms responsible for alteration and mineralization in the Cambrian aquifers of the Ouachita-Arkoma Basin-Ozark system, in A.D. Horbury and A.G. Robinson, eds., Diagenesis and basin development: AAPG Studies in Geology 36, p. 99-112.
- Cebull, S.E., D.H. Shurbet, G.R. Keller, and L.R. Russell, 1976, Possible role of transform faults in the development of apparent offsets in the Ouachita-southern Appalachian tectonic belt: Journal of Geology, v. 84, p. 107-114.
- Cecil, C.B., and N.T. Edgar, 1994, Climatic influence on basin sedimentation—application to the Ouachita Basin, in C.B. Cecil and N.T. Edgar, eds., Predictive stratigraphic analysis—concept and application: U.S. Geological Survey Bulletin 2110, p. 59-62.
- Cemen, I., J. Evans, and A. Sagnak, 2001, Eastern continuation of the Wilburton triangle zone in the Red Oak gas-field area, frontal Ouachitas-Arkoma Basin transition zone, southeastern Oklahoma, in K.S. Johnson and D.F. Merriam,

- eds., Petroleum systems of sedimentary basins in the southern Midcontinent, 2000 symposium: Oklahoma Geological Survey, Circular 106, p. 81-95.
- Cemen, I., D.R. Kerr, and N.H. Suneson, 2005, Stratigraphy and structure of the Arkoma Basin-Ouachita Mountains transition zone and frontal-belt reservoir facies: Implications for exploration and development, in N.H. Suneson, I. Çemen, D.R. Kerr, M.T. Roberts, R.M. Slatt, and C.G. Stone, Stratigraphic and structural evolution of the Ouachita Mountains and Arkoma Basin, southeastern Oklahoma and west-central Arkansas: Applications to petroleum exploration: Oklahoma Geological Survey, Guidebook 34, p. 73-122.
- Chamberlain, C.K., 1970, Trace fossils and paleoecology of the Ouachita Mountains of southeastern Oklahoma: Madison, University of Wisconsin, unpublished PhD dissertation, 106 p.
- Chamberlain, C.K., 1971, Bathymetry and paleoecology of Ouachita Geosyncline of southeastern Oklahoma as determined from trace fossils: AAPG Bulletin, v. 55, p. 34-50.
- Chamberlain, C.K., 1971, Morphology and ethology of trace fossils from the Ouachita Mountains, southeast Oklahoma: Journal of Paleontology, v. 45, p. 212-246.
- Chamberlain, C.K., 1975, Biogenic sedimentary structures—trace fossils—of the Ouachitas, in G. Briggs, E.F. McBride, and R.J. Moiola, leaders, A guidebook to the sedimentology of Paleozoic flysch and associated deposits, Ouachita Mountains—Arkoma Basin, Oklahoma: Dallas Geological Society, Guidebook, p. 51-68.
- Chenoweth, P.A., 1959, Is there oil and gas in the Ouachita Mountains?: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 19, p. 199-208.
- Chenoweth, P.A., 1960, Ouachita Mountains do have oil and gas potential: World Oil, v. 151, no. 2, p. 94-100.
- Chenoweth, P.A., 1968, Early Paleozoic (Arbuckle) overlap, southern Mid-Continent, United States: AAPG Bulletin, v. 52, p. 1670-1688.
- Chenoweth, P.A., 1985, Hydrocarbon distribution: Ouachita overthrust belt: Oil & Gas Journal, v. 83, no. 29, p. 122-130.
- Chenoweth, P.A., 1989, Hydrocarbons of the Ouachita trend, in R.D. Hatcher, Jr., W.A. Thomas, and G.W. Viele, eds., The Appalachian-Ouachita orogen in the United States: Geological Society of America, Geology of North America, v. F-2, p. 739-746.
- Clardy, B.F., 1980, A guidebook to southwestern Arkansas: Arkansas Geological Commission, Guidebook 80-2, revised in 1982, 12 p.
- Cline, L.M., and F. Moretti, 1956, Two measured sections of Jackfork Group in southeastern Oklahoma: Oklahoma Geological Survey, Circular 41, 20 p.
- Cline, L.M., W.J. Hilseweck, and D.E. Feray, eds., 1959, The geology of the Ouachita Mountains—a symposium: Dallas Geological Society and Ardmore Geological Society Guidebook, Arkansas Geological Commission, Miscellaneous Publication MP-6.
- Cline, L.M., 1960, Stratigraphy of the Late Paleozoic rocks of the Ouachita Mountains, Oklahoma: Oklahoma Geological Survey, Bulletin 85, 113 p.
- Cline, L.M., and O.B. Shelburne, 1959, Late Mississippian-Early Pennsylvanian stratigraphy of the Ouachita Mountains, Oklahoma, in L.M. Cline, W.J.

- Hilseweck, and D.E. Feray, eds., The geology of the Ouachita Mountains, a symposium: Dallas Geological Society and Ardmore Geological Society, p. 175-208.
- Cline, L.M., 1966, Late Paleozoic rocks of Ouachita Mountains, a flysch facies, in Kansas Geological Society, Twenty-ninth field conference on flysch facies and structure of the Ouachita Mountains: Kansas Geological Society, Guidebook, p. 91-111.
- Cline, L.M., ed., 1968, A guidebook to the geology of the western Arkoma Basin and Ouachita Mountains, Oklahoma: Oklahoma City Geological Society, 126 p.
- Cline, L.M., 1968, Comparison of main geologic features of Arkoma Basin and Ouachita Mountains, Oklahoma, in L.M. Cline, ed., A guidebook to the geology of the western Arkoma Basin and Ouachita Mountains, Oklahoma: Oklahoma City Geological Society, p. 63-74.
- Cline, L.M., 1970, Sedimentary features of Late Paleozoic flysch, Ouachita Mountains, Oklahoma, in Flysch sedimentology in North America: Geological Association of Canada, Special Paper 7, p. 85-101.
- Coleman, J.L., Jr., 2000, Carboniferous submarine basin development of the Ouachita Mountains of Arkansas and Oklahoma, in A.H. Bouma and C.G. Stone, eds., Fine-grained turbidite systems: AAPG Memoir 72, SEPM Special Publication 68, p. 21-32.
- Coleman, J.L., Jr., 2008, Petroleum systems of the Ouachita thrust belt and foreland basins (with emphasis on the Arkoma Basin), in N.H. Suneson, I. Çemen, and R.M. Slatt, eds., Stratigraphic and structural evolution of the Ouachita Mountains and Arkoma Basin, southeastern Oklahoma and west-central Arkansas: Applications to petroleum exploration: 2004 field symposium: Oklahoma Geological Survey, Circular 112B, p. 1-15.
- Colson, R.L., 1992, Strain distribution and low angle faulting on the eastern flank of the Broken Bow uplift, Oklahoma: Nacogdoches, Texas, Stephen F. Austin State University, unpublished M.S. thesis.
- Combs-Scott, K.D., and K.J. Smart, 2002, Surface fracture characterization of Jackfork Group turbidite sandstones in the Ouachita Mountains, Oklahoma: Oklahoma City Geological Society, Shale Shaker, v. 53, p. 71-78.
- Corrigan, J., P.F. Cervany, R. Donelick, and S. Bergman, 1998, Postorogenic denudation along the Late Paleozoic Ouachita trend, south central United States of America: magnitude and timing constraints from apatite fission track data: Tectonics, v. 17, p. 587-603.
- Craddock, J.P., and B.A. van der Pluijm, 1989, Late Paleozoic deformation of the cratonic carbonate cover of eastern North America: Geology, v. 17, p. 416-419.
- Croneis, C., 1930, Geology of the Arkansas Paleozoic area with special reference to oil and gas possibilities: Arkansas Geological Commission, Bulletin 3, 457 p.
- Cullen, A., and G. Miller, 2020, Scratch Hill, Atoka, Oklahoma: Proposed type section for the lower (Early to Middle Devonian) Arkansas Novaculite in Oklahoma: Oklahoma City Geological Society, Shale Shaker, v. 71, no. 4, p. 162-172.
- Cunningham, R.D., and J. Namson, 1994, Map-scale fold in the Ti Valley thrust sheet of the Ouachita fold-and-thrust belt, Latimer and Le Flore Counties, Oklahoma, in N.H. Suneson and L.A. Hemish, eds., Geology and resources of the eastern

- Ouachita Mountains frontal belt and southeastern Arkoma Basin, Oklahoma: Oklahoma Geological Survey, Guidebook 29, p. 243-248.
- Curiale, J.A., and W.E. Harrison, 1981, Correlation of oil and asphaltite in Ouachita Mountain region of Oklahoma: AAPG Bulletin, v. 65, p. 2426-2432.
- Curiale, J.A., 1982, Economic geology of Pushmataha County, geochemical analyses of hydrocarbon occurrences in Pushmataha County, *in* W.D. Pitt, R.O. Fay, L.R. Wilson, and J.A. Curiale, Geology of Pushmataha County, Oklahoma: Eastern New Mexico University Studies in Natural Sciences, Special Publication 2, p. 58-60.
- Curiale, J.A., 1983, Petroleum occurrences and source-rock potential of the Ouachita Mountains, southeastern Oklahoma: Oklahoma Geological Survey, Bulletin 135, 65 p.
- Curiale, J.A., W.E. Harrison, and G. Smith, 1983, Sterane distribution of solid bitumen pyrolyzates. Changes with biodegradation of crude oil in the Ouachita Mountains, Oklahoma: *Geochimica et Cosmochimica Acta*, v. 47, p. 517-523.
- Curiale, J.A., W.E. Harrison, and G. Smith, 1984, Hydrocarbon occurrences in the Frontal and Central Ouachita Mountains, Oklahoma, *in* J.G. Borger, II, ed., Technical Proceedings of the 1981 AAPG Mid-Continent Regional Meeting: Oklahoma City Geological Society, p. 90-115.
- Curiale, J.A., 1992, Petroleum geochemistry of Texas and Oklahoma oils along the Marathon-Ouachita fold-thrust belt, south-central U.S.A.: *Chemical Geology*, v. 98, p. 151-173.
- Curtis, N.M., Jr., W.E. Ham, and K.S. Johnson, 2008, Geomorphic provinces of Oklahoma, *in* K.S. Johnson and K.V. Luza, eds., Earth sciences and mineral resources of Oklahoma: Oklahoma Geological Survey, Educational Publication 9, p. 8.
- Dalziel, I.W.D., 1997, Neoproterozoic-Paleozoic geography and tectonics: review, hypothesis, environmental speculation: *GSA Bulletin*, v. 109, p. 16-42.
- Davies, D.K., and E.A. Williamson, 1976, Shallow-water origin for Ordovician rocks of the Ouachita Mountains, Arkansas: *Geology*, v. 4, p. 340-344.
- Davies, D.K., and E.A. Williamson, 1977, Paleoenvironments and paleobathymetry of Lower Paleozoic Crystal Mountain and Blakely Formations, Ouachita Mountain core, *in* C.G. Stone, B.R. Haley, D.F. Holbrook, N.F. Williams, W.V. Bush, and J.D. McFarland III, eds., Symposium on the geology of the Ouachita Mountains, v. 1: Arkansas Geological Commission, Miscellaneous Publication MP-13, p. 115-131.
- Davis, L.V., 1953, Oil possibilities near Idabel, McCurtain County, Oklahoma: Oklahoma Geological Survey, Mineral Report 23, 26 p.
- Decker, C.E., 1941, Arbuckle formations in the Ouachita Mountain region: Oklahoma Academy of Science, Proceedings, v. 21, p. 153-155.
- Decker, C.E., 1959, Correlation of Lower Paleozoic formations of the Arbuckle and Ouachita areas as indicated by graptolite zones, *in* L.M. Cline, W.J. Hilseweck, and D.E. Feray, eds., The geology of the Ouachita Mountains—a symposium: Dallas Geological Society and Ardmore Geological Society Guidebook, Arkansas Geological Commission, Miscellaneous Publication MP-6, p. 92-96.



- Decker, R.E., and B. Black, eds., 1976, A study of Paleozoic rocks in Arbuckle and western Ouachita Mountains of southern Oklahoma: Gulf Coast Association of Geological Societies, Guidebook, 132 p.
- Denison, R.E., W.H. Burke, J.B. Otto, and E.A. Hetherington, 1977, Age of igneous and metamorphic activity affecting the Ouachita foldbelt, in C.G. Stone, B.R. Haley, D.F. Holbrook, N.F. Williams, W.V. Bush, and J.D. McFarland III, eds., Symposium on the geology of the Ouachita Mountains, v. 1: Arkansas Geological Commission, Miscellaneous Publication MP-13, p. 25-40.
- Denison, R.E., 1984, Basement rocks in northern Arkansas, in J.D. McFarland, III, and W.V. Bush, eds., Contributions to the geology of Arkansas, v. 11: Arkansas Geological Commission, Miscellaneous Publication 18-B, p. 33-49.
- Denison, R.E., 1989, Foreland structure adjacent to the Ouachita foldbelt, in R.D. Hatcher, Jr., W.A. Thomas, and G.W. Viele, eds., The Appalachian-Ouachita orogen in the United States: Geological Society of America, Geology of North America, v. F-2, p. 681-688.
- Denney, P.P., 2019, The discovery and geology of the Potato Hills gas field, Latimer and Pushmataha counties, Oklahoma: Oklahoma City Geological Society, Shale Shaker, v. 70, p. 156-167.
- Donovan, R.N., W. Beauchamp, T. Ferraro, C. Lojek, D. McConnell, M. Munsil, D. Ragland, B. Sweet, and D. Taylor, 1983, Subsidence rates in Oklahoma during the Paleozoic: Oklahoma City Geological Society, Shale Shaker, v. 33, p. 86-88.
- Douglas, A.G., J.S. Sinninghe Damste, M.G. Fowler, T.I. Eglinton, and J.W. De Leeuw, 1991, Unique distributions of hydrocarbons and Sulphur compounds released by flash pyrolysis from the fossilized alga *Gloecapsomorpha prisca*, a major constituent in one of four Ordovician kerogens: *Geochimica et Cosmochimica Acta*, v. 55, no. 1, p. 275-291. (Womble and Big Fork shales)
- Eldridge, G.H., 1901, The asphalt and bituminous rock deposits of the United States: U.S. Geological Survey 22<sup>nd</sup> Annual Report, Part 1, p. 209-464.
- Elias, M.K., 1959, Some Mississippian conodonts from the Ouachita Mountains, in L.M. Cline, W.J. Hilseweck, and D.E. Feray, eds., The geology of the Ouachita Mountains, a symposium: Dallas Geological Society and Ardmore Geological Society, p. 141-165.
- Elmore, R.D., P.K. Sutherland, and P.B. White, 1990, Middle Pennsylvanian recurrent uplift of the Ouachita fold belt and basin subsidence in the Arkoma Basin, Oklahoma: *Geology*, v. 18, p. 906-909.
- Engleman, R., 1972, Comments on the Boktukola Syncline and its setting in southeastern Oklahoma: Oklahoma City Geological Society, Shale Shaker, v. 22, p. 128-142.
- Erickson, S.G., 1990, A reconnaissance mapping of the Womble Formation along the Glover River, McCurtain County, Oklahoma: Tulsa, University of Tulsa, unpublished M.S. thesis.
- Erickson, S., and B. Tapp, 1995, Reconnaissance study of Womble Formation, Broken Bow Uplift, in K.S. Johnson, ed., Structural styles in the southern Midcontinent, 1992 symposium: Oklahoma Geological Survey, Circular 97, p. 236-239.
- Ethington, R.L., 1984, Conodonts from Ordovician rocks, Ouachita Mountains, Arkansas, in C.G. Stone and B.R. Haley, A guidebook to the geology of the

- central and southern Ouachita Mountains, Arkansas: Arkansas Geological Commission, Guidebook 84-2, p. 93-98.
- Ethington, R.L., S.C. Finney, and J.E. Repetski, 1989, Biostratigraphy of the Paleozoic rocks of the Ouachita orogen, Arkansas, Oklahoma, west Texas, in R.D. Hatcher, Jr., W.A. Thomas, and G.W. Viele, eds., The Appalachian-Ouachita orogen in the United States: Geological Society of America, The Geology of North America, v. F-2, p. 563-574.
- Evoy, R.W., 1990, Lithofacies associations and depositional environments of the Jackfork Group, Oklahoma and Arkansas, in N.H. Suneson, J.A. Campbell, and M.J. Tilford, eds., Geology and resources of the frontal belt of the western Ouachita Mountains, Oklahoma: Oklahoma Geological Survey, Special Publication 90-1, p. 81-100.
- Fallin, J.A., ed., 1985, The Ouachita System: oil and gas developments along the overthrust trend: Petroleum Information Corporation, Petroleum Frontiers, v. 2, no. 3, 98 p.
- Fay, R.O., C.G. Stone, and B.R. Haley, 1973, Road log from Lake Murray to McAlester to Broken Bow, Oklahoma, in M.G. Hare and E.H. Morrow, eds., A study of Paleozoic rocks in Arbuckle and western Ouachita Mountains of southern Oklahoma: Shreveport Geological Society, Guidebook, p. 1-29.
- Fay, R.O., 1976, Road log from Lake Murray lodge, Oklahoma to McAlester, Oklahoma, Saturday 8:30 a.m. October 16, 1976, in R.E. Decker and B. Black, eds., A study of the Paleozoic rocks in Arbuckle and western Ouachita Mountains of southern Oklahoma: Gulf Coast Association of Geological Societies, Guidebook, p. 1-19.
- Fay, R.O., 1976, Oil in Ouachita Mountains of Oklahoma, in R.E. Decker and B. Black, eds., A study of the Paleozoic rocks in Arbuckle and western Ouachita Mountains of southern Oklahoma: Gulf Coast Association of Geological Societies, Guidebook, p. 91-106.
- Fay, R.O., S.A. Friedman, K.S. Johnson, J.F. Roberts, W.D. Rose, and P.K. Sutherland, 1979, The Mississippian and Pennsylvanian (Carboniferous) Systems in the United States—Oklahoma: U.S. Geological Survey, Professional Paper 1110-R, 35 p.
- Fay, R.O., 1982, Asphaltite deposits in Pushmataha County, in W.D. Pitt, R.O. Fay, L.R. Wilson, and J.A. Curiale, Geology of Pushmataha County, Oklahoma: Eastern New Mexico University Studies in Natural Sciences, Special Publication 2, p. 46-58.
- Fay, R.O., 1985, Ouachita Mountains field trip: Oklahoma City Geological Society Shale Shaker, v. 35, no. 3, p. 64-73.
- Fay, R.O., 1985, Ouachita Mountains references: Oklahoma City Geological Society, Shale Shaker, v. 35, p. 93-95.
- Feenstra, R., and J.S. Wickham, 1975, Evolution of folds around Broken Bow Uplift, Ouachita Mountains, southeastern Oklahoma: AAPG Bulletin, v. 59, p. 974-985.
- Fellows, L.D., 1964, Geology of the western part of Windingstair range, Latimer and Le Flore Counties, Oklahoma: Oklahoma Geological Survey, Circular 65, 102 p.
- Ferguson, C.A., and N.H. Suneson, 1988, Tectonic implications of Early Pennsylvanian paleocurrent from flysch in the Ouachita Mountains frontal belt, southeast Oklahoma, in K.S. Johnson, ed., Shelf-to-basin geology and resources of

- Pennsylvanian strata in the Arkoma Basin and frontal Ouachita Mountains of Oklahoma: Oklahoma Geological Survey, Guidebook 25, p. 49-61.
- Fetzner, R.W., 1956, Frontal Ouachita facies of the Wapanucka Limestone, Oklahoma: University of Wisconsin, unpublished M.S. thesis, 63 p.
- Finney, S.C., 1988, Middle Ordovician strata of the Arbuckle and Ouachita Mountains, Oklahoma; contrasting lithofacies and biofacies deposited in southern Oklahoma aulacogen and Ouachita Geosyncline, in O.T. Hayward, ed., South-Central Section of the Geological Society of America: Centennial Field Guide v. 4, Geological Society of America, p. 171-176.
- Flawn, P.T., 1959, The Ouachita structural belt, in L.M. Cline, W.J. Hilseweck, and D.E. Feray, eds., The geology of the Ouachita Mountains, a symposium: Dallas Geological Society and Ardmore Geological Society, p. 20-29.
- Flawn, P.T., A. Goldstein, Jr., P.B. King, and C.E. Weaver, 1961, The Ouachita system: Bureau of Economic Geology, University of Texas, Publication 6120, 401 p.
- Flawn, P.T., 1961, Metamorphism in the Ouachita belt, in P.T. Flawn, A. Goldstein, Jr., P.B. King, and C.E. Weaver, eds., The Ouachita system: Bureau of Economic Geology, University of Texas, Publication 6120, p. 121-124.
- Fowler, M.G., and A.G. Douglas, 1984, Distribution and structure of hydrocarbons in four organic-rich Ordovician rocks, in P.A. Schenck, J.W. De Leeuw, and G.W.M. Lijmbach, eds., Advances in organic geochemistry 1983: Organic Geochemistry, v. 6, p. 105-114.
- French, V.L., 1994, Structural and production controls of the Wapanucka Formation, with an emphasis on horizontal drilling potential, southeastern Oklahoma: Waco, Baylor University, unpublished M.S. thesis, 248 p.
- French, V.L., and R.C. Grayson, Jr., 1995, Structural and stratigraphic framework of the Wapanucka Formation (Pennsylvanian), southeastern Oklahoma, in K.S. Johnson, ed., Structural styles in the southern Midcontinent, 1992 symposium: Oklahoma Geological Survey, Circular 97, p. 240-243.
- Friedman, G.M., and S.A. Reeckmann, 1980, Comment on 'Discussion of the hydrocarbon potential beneath the southern Appalachian Piedmont': Geology, v. 8, no. 9, p. 404.
- Fritz, R.D., 1978, Structural contour map of Oklahoma on the Pennsylvanian Wapanucka Limestone, Oswego limestone, base of the Hoxbar Group, and Checkboard limestone: Stillwater, Oklahoma State University, unpublished M.S. thesis, 47 p.
- Frodesen, E.W., 1971, Petrology and correlation of the Chickasaw Creek Formation (Mississippian), Ouachita Mountains, Oklahoma: University of Wisconsin, unpublished M.S. thesis, 96 p.
- Frolov, E.B., 1995, Alkene/alkane correlations within olefin-containing Paleozoic crude oils from Oklahoma and Texas: Organic Geochemistry, v. 23, p. 447-450.
- Fruit, D.J., K.E. Nick, A. Cullen, and R.D. Elmore, 1990, Sandy tempestites in the lower-middle Atoka Formation, southeastern Oklahoma, in N.H. Suneson, J.A. Campbell, and M.J. Tilford, eds., Geology and resources of the frontal belt of the western Ouachita Mountains, Oklahoma: Oklahoma Geological Survey, Special Publication 90-1, p. 119-129.

- Fulton, D.A., 1985, Sedimentology, structure, and thermal maturity of the lower Atoka Formation, Ouachita frontal thrust belt, Yell and Perry counties, Arkansas: Columbia, MO, University of Missouri, unpublished M.S. thesis, 151 p.
- Gao, Z., N.D. Perez, B. Miller, and M.C. Pope, 2020, Competing sediment sources during Paleozoic closure of the Marathon-Ouachita remnant ocean basin: *GSA Bulletin*, v. 132, p. 3-16.
- Gatewood, L.E., and R.O. Fay, 1991, The Arbuckle/Ouachita facies boundary in Oklahoma, *in* K.S. Johnson, ed., Late Cambrian-Ordovician geology of the southern Midcontinent, 1989 symposium: Oklahoma Geological Survey, Circular 92, p. 171-180.
- Ginzburg, A., W.D. Mooney, A.W. Walter, W.J. Lutter, and J.H. Healy, 1983, Deep structure of northern Mississippi embayment: *AAPG Bulletin*, v. 67, p. 2031-2046.
- Gleason, J.D., P.J. Patchett, W.R. Dickinson, and J. Ruiz, 1994, Nd isotopes link Ouachita turbidities to Appalachian sources: *Geology*, v. 22, p. 347-350. (comment by W.A. Thomas, 1995, *Geology*, v. 23, p. 93-94; reply, p. 94-95)
- Gleason, J.D., P.J. Patchett, W.R. Dickinson, and J. Ruiz, 1995, Nd isotopic constraints on sediment sources of the Ouachita-Marathon fold belt: *GSA Bulletin*, v. 107, p. 1192-1210.
- Godo, T., P. Li, and M.E. Ratchford, 2008, Structural and stratigraphic analysis of the Shell Rex Timber No. 1-9 well, southern Ouachita fold and thrust belt, Clark County, Arkansas: Arkansas Geological Survey, Information Circular 39A, 73 p., CD-ROM.
- Goldstein, A., Jr., and D.H. Reno, 1952, Petrography and metamorphism of sediments of Ouachita facies: *AAPG Bulletin*, v. 36, p. 2275-2290.
- Goldstein, A., Jr., and P.T. Flawn, 1958, Oil and gas possibilities of Ouachita structural belt in Texas and Oklahoma: *AAPG Bulletin*, v. 42, p. 876-881.
- Goldstein, A., Jr., 1959, Petrography of Paleozoic sandstone from the Ouachita Mountains of Oklahoma and Arkansas, *in* L.M. Cline, W.J. Hilseweck, and D.E. Feray, eds., The geology of the Ouachita Mountains, a symposium: Dallas Geological Society and Ardmore Geological Society, p. 97-117.
- Goldstein, A., Jr., 1959, Cherts and novaculites of Ouachita facies [Okla.-Ark., and Texas], *in* H.A. Ireland, ed., Silica in sediments—a symposium: SEPM Special Publication 7, p. 135-149.
- Goldstein, A., Jr., 1961, The Ouachita Mountains of Oklahoma and Arkansas, *in* P.T. Flawn, A. Goldstein, Jr., P.B. King, and C.E. Weaver, eds., The Ouachita system: Bureau of Economic Geology, University of Texas, Publication 6120, p. 21-48.
- Goldstein, A., Jr., and P.T. Flawn, 1961, Economic possibilities, *in* P.T. Flawn, A. Goldstein, Jr., P.B. King, and C.E. Weaver, eds., The Ouachita system: Bureau of Economic Geology, University of Texas, Publication 6120, p. 191-195.
- Goldstein, A., Jr., and T.A. Hendricks, 1962, Late Mississippian and Pennsylvanian sediments of Ouachita facies, Oklahoma, Texas, and Arkansas, *in* C.C. Branson, ed., Pennsylvanian system in the United States—a symposium: American Association of Petroleum Geologists, p. 385-430.
- Goldstein, A., Jr., 1975, Geologic interpretation of Viersen and Cochran's 25-1 Weyerhauser well, McCurtain County, Oklahoma: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 35, p. 167-181.

- Goodrich, H.B., 2006, Asphalts, asphaltites and asphaltic pyrobitumens in Oklahoma ("The Goodrich File"): Oklahoma Geological Survey Open File Report OFR 3-2006, 326 p. (<http://ogs.ou.edu/docs/openfile/OF3-2006.pdf>; Geology Library QD305.H7G66 2006)
- Goodrich, H.B., 2006, Oklahoma asphaltic deposits – Field sheets and map ("The Goodrich File"): Oklahoma Geological Survey Open File Report OFR 2-2006, 133 p. (<http://ogs.ou.edu/docs/openfile/OF2-2006.pdf>; Geology Library QD305.H7G665 2006)
- Gordon, M., Jr., 1976, Correlation chart of Carboniferous rocks in Arkansas and Oklahoma: U.S. Geological Survey, Bulletin 1422-A, 54 p.
- Gordon, M., Jr., and C.G. Stone, 1977, Correlation of the Carboniferous rocks of the Ouachita Trough with those of the adjacent foreland, *in* C.G. Stone, B.R. Haley, D.F. Holbrook, N.F. Williams, W.V. Bush, and J.D. McFarland III, eds., Symposium on the geology of the Ouachita Mountains, v. 1: Arkansas Geological Commission, Miscellaneous Publication MP-13, p. 70-91.
- Gould, C.N., and R.A. Wilson, 1927, The Upper Paleozoic rocks of Oklahoma: Oklahoma Geological Survey, Bulletin 41, 66 p.
- Graham, S.A., W.R. Dickinson, and R.V. Ingersoll, 1975, Himalayan-Bengal model for flysch dispersal in the Appalachian-Ouachita System: Geological Society of America Bulletin, v. 86, p. 273-286.
- Graham, S.A., R.V. Ingersoll, and W.R. Dickinson, 1976, Common provenance for lithic grains in Carboniferous sandstone from Ouachita Mountains and Black Warrior Basin: Journal of Sedimentary Petrology, v. 46, p. 620-632.
- Granath, J.W., 1989, Structural evolution of the Ardmore Basin, Oklahoma: Progressive deformation in the foreland of the Ouachita collision: Tectonics, v. 8, p. 1015-1036.
- Gray, J.H., and A.J. Pyron, 1996, Update on the Ouachitas: the potential still exists: Oil & Gas Journal, v. 94, no. 34, p. 93-96.
- Gray, J.H., and A.J. Pyron, 1996, Well, data, remote sensing point to potential in Ouachitas: Oil & Gas Journal, v. 94, no. 35, p. 64-66.
- Grayson, R.C., Jr., and P.K. Sutherland, 1988, Shelf to slope facies of the Wapanucka Formation (lower-Middle Pennsylvanian), frontal Ouachita Mountains, Oklahoma, *in* O.T. Hayward, ed., South-Central Section of the Geological Society of America: Centennial Field Guide v. 4, Geological Society of America, p. 139-144.
- Grayson, R.C., Jr., and L.K. Hinde, 1993, Lower Atoka Group (Spiro sand) stratigraphic relationships, depositional environments, and sand distribution, frontal Ouachita Mountains, Oklahoma, *in* K.S. Johnson and J.A. Campbell, eds., Petroleum-reservoir geology in the southern Midcontinent, 1991 symposium: Oklahoma Geological Survey, Circular 95, p. 216-224.
- Griswold, L.S., 1892, Whetstones and the novaculites of Arkansas: Arkansas Geological Survey, Annual Report for 1890, v. 3, 443 p.
- Gromer, J.M., 1981, A geologic study of the Arkoma basin and Ouachita Mountains: Springfield, Virginia, National Technical Information Service, 73 p.
- Gross, J.S., S.A. Thompson, B.L. Claxton, and M.B. Carr, 1995, Reservoir distribution and exploration potential of the Spiro sandstone in the Choctaw trend, Arkoma

- Basin, Oklahoma and Arkansas: AAPG Bulletin, v. 79, p. 159-185. (mostly in Ouachita Mountains)
- Gulf Coast Association of Geological Societies, 1976, A study of Paleozoic rocks in Arbuckle and western Ouachita Mountains of Oklahoma: Guidebook for 1976 field trip, 132 p.
- Guthrie, J.M., 1985, Clay mineralogy as an indicator of thermal maturity of Carboniferous strata, Ouachita Mountains: Columbia, MO, University of Missouri-Columbia, unpublished M.S. thesis, 74 p.
- Guthrie, J.M., D.W. Houseknecht, and W.D. Johns, 1986, Relationships among vitrinite reflectance, illite crystallinity, and organic geochemistry in Carboniferous strata, Ouachita Mountains, Oklahoma and Arkansas: AAPG Bulletin, v. 70, p. 26-33.
- Gutschick, R.C., and C.A. Sandberg, 1983, Mississippian continental margins of the conterminous United States, in D.J. Stanley and G.T. Moore, eds., The shelfbreak: critical interface on continental margins: SEPM Special Publication 33, p. 79-96. (Mississippian paleoceanography of Ouachita trough)
- Hale-Erich, W.S., and J.L. Coleman, Jr., 1993, Ouachita-Appalachian juncture: a Paleozoic transpressional zone in the southeastern U.S.A.: AAPG Bulletin, v. 77, p. 552-568.
- Haley, B.R., 1966, Geology of the Barber quadrangle, Sebastian County and vicinity, Arkansas: Arkansas Geological Commission, Information Circular 20-C, 76 p.
- Haley, B.R., and T.A. Hendricks, 1968, Geology of the Greenwood quadrangle, Arkansas-Oklahoma: U.S. Geological Survey, Professional Paper 536-A, p. A1-A15.
- Haley, B.R., C.G. Stone, and G.W. Viele, 1973, Geological field trip excursion on Lake Ouachita: Arkansas Geological Commission, Guidebook, 9 p.
- Haley, B.R., C.G. Stone, and J.D. McFarland, III, 1979, A guidebook to the second geological excursion on Lake Ouachita: Arkansas Geological Commission, Guidebook 79-4, 24 p.
- Haley, B.R., 1982, Geology and energy resources of the Arkoma basin, Oklahoma and Arkansas, in P.D. Proctor and J.W. Koenig, eds., Selected structural basins of the midcontinent, U.S.A.: University of Missouri-Rolla, UMR Journal, no. 3, p. 43-53.
- Hall, D.J., 1990, Gulf Coast-east coast magnetic anomaly: I: root of the main crustal decollement for the Appalachian-Ouachita orogen: Geology, v. 18, p. 862-865.
- Ham, W.E., 1956, Asphaltite in the Ouachita Mountains: Oklahoma Geological Survey, Mineral Report 30, 12 p.
- Ham, W.E., 1959, Correlation of pre-Stanley strata in the Arbuckle-Ouachita Mountain regions, in L.M. Cline, W.J. Hilseweck, and D.E. Feray, eds., The geology of the Ouachita Mountains, a symposium: Dallas Geological Society and Ardmore Geological Society, p. 71-86.
- Ham, W.E., 1961, Correlations of pre-Stanley strata in the Arbuckle-Ouachita Mountain regions: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 21, p. 204-224.
- Ham, W.E., and J.L. Wilson, 1967, Paleozoic epeirogeny and orogeny in the central United States: American Journal of Science, v. 265, p. 332-407.

- Hammes, R.R., 1965, Ouachita overthrusting—stratigraphic appraisal: AAPG Bulletin, v. 49, p. 1666-1679.
- Handschy, J.W., G.R. Keller, and K.J. Smith, 1987, The Ouachita system in northern Mexico: Tectonics, v. 6, p. 323-330.
- Hardie, W.E., 1988, Structural style of the frontal thrust belt of the Ouachita Mountains, southern Pittsburg County, Oklahoma: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 48, p. 232-246.
- Hardie, W.E., 1990, Subsurface structural study of the buried Ouachita thrust front, southeastern Oklahoma: Waco, Baylor University, unpublished M.S. thesis, 156 p.
- Hardie, W.E., 1990, Subsurface structural study of the buried Ouachita thrust front, southeastern Oklahoma: Oklahoma City Geological Society, Shale Shaker, v. 41, p. 32-55.
- Hare, M.G., and E.H. Morrow, eds., 1973, A study of Paleozoic rocks in Arbuckle and western Ouachita Mountains of southern Oklahoma: Shreveport Geological Society, Guidebook, 84 p.
- Harlton, B.H., 1933, Micropaleontology of the Pennsylvanian Johns Valley of the Ouachita Mountains, Oklahoma, and its relationship to the Mississippian Caney Shale, part I: Journal of Paleontology, v. 7, p. 3-29.
- Harlton, B.H., 1934, Carboniferous stratigraphy of the Ouachitas with special study of the Bendian: AAPG Bulletin, v. 18, p. 1018-1049.
- Harlton, B.H., 1938, Stratigraphy of the Bendian of the Oklahoma salient of the Ouachita Mountains: AAPG Bulletin, v. 22, p. 852-914.
- Harlton, B.H., 1953, Ouachita chert facies, southeastern Oklahoma: AAPG Bulletin, v. 37, p. 778-796.
- Harlton, B.H., 1959, Age classification of the upper Pushmataha series in the Ouachita Mountains, in L.M. Cline, W.J. Hilseweck, and D.E. Feray, eds., The geology of the Ouachita Mountains, a symposium: Dallas Geological Society and Ardmore Geological Society, p. 130-139.
- Harlton, B.H., 1966, Relation of buried Tishomingo Uplift to Ardmore Basin and Ouachita Mountains, southeastern Oklahoma: AAPG Bulletin, v. 50, p. 1365-1374. (reply, v. 50, p. 1519)
- Harlton, B.H., 1976, Salient features of the Arbuckle uplift, the adjacent Ardmore basin and the Ouachitas, in R.E. Decker and B. Black, eds., A study of Paleozoic rocks in Arbuckle and western Ouachita Mountains of southern Oklahoma: Shreveport Geological Society Guidebook for 1976 Field Trip, p. 46-57.
- Harry, D.L., J. Londono, and A. Huerta, 2003, Early Paleozoic transform-margin structure beneath the Mississippi coastal plain, southeast United States: Geology, v. 31, p. 969-972.
- Hart, O.D., 1961, A study of the lower Pennsylvanian Wapanucka Formation of the frontal Ouachita Mountains, southeast Oklahoma: University of Wisconsin, unpublished M.S. thesis, 117 p.
- Hart, O.D., 1963, Geology of the eastern part of Windingstair range, Le Flore County, Oklahoma: Oklahoma Geological Survey, Bulletin 103, 87 p.

- Hart, W.D., J.H. Stitt, S.R. Hohensee, and R.L. Ethington, 1987, Geological implications of Late Cambrian trilobites from the Collier Shale, Jessieville area, Arkansas: *Geology*, v. 15, p. 447-450.
- Hass, W.H., 1950, Age of lower part of Stanley Shale: *AAPG Bulletin*, v. 34, p. 1578-1584.
- Hass, W.H., 1951, Age of Arkansas Novaculite: *AAPG Bulletin*, v. 35, p. 2526-2541.
- Hatcher, R.D., Jr., W.A. Thomas, and G.W. Viele, eds., 1989, *The Appalachian-Ouachita orogen in the United States: Geological Society of American, Geology of North America*, v. F-2, 767 p.
- Henbest, L.G., 1936, Radiolaria in the Arkansas Novaculite, and Bigfork chert: *Journal of Paleontology*, v. 10, p. 76-78.
- Hendricks, J.D., 1988, Bouguer gravity of Arkansas: U.S. Geological Survey, Professional Paper 1474, 31 p.
- Hendricks, T.A., M.M. Knechtel, and J. Bridge, 1937, Geology of Black Knob Ridge, Oklahoma: *AAPG Bulletin*, v. 21, p. 1-29.
- Hendricks, T.A., 1940, Structural interpretation of recent gravity observations in southeastern Oklahoma: *AAPG Bulletin*, v. 24, p. 2143-2149.
- Hendricks, T.A., and others, 1947, Geology of the western Ouachita Mountains of Oklahoma: *Tulsa Geological Society Guidebook*, 38 p.
- Hendricks, T.A., L.S. Gardner, M.M. Knechtel, and P. Averitt, 1947, Geology of the western part of the Ouachita Mountains of Oklahoma: U.S. Geological Survey, Oil and Gas Investigations Preliminary Map 66, 3 sheets, scale 1:42,240.
- Hendricks, T.A., and B. Parks, 1950, Geology of the Fort Smith district: U.S. Geological Survey, Professional Paper 221-E, 27 p.
- Hendricks, T.A., 1959, Structure of the frontal belt of the Ouachita Mountains, in L.M. Cline, W.J. Hilseweck, and D.E. Feray, eds., *The geology of the Ouachita Mountains, a symposium: Dallas Geological Society and Ardmore Geological Society*, p. 44-56.
- Hendricks, T.A., 1965, Section of beds overlying the Springer (?) Formation in Ti Valley, Pittsburg County, Oklahoma: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 25, p. 6-10.
- Hendricks, T.A., 1971, Provenance of Johns Valley boulders in Late Paleozoic Ouachita facies, southeastern Oklahoma and southwest Arkansas: Discussion: *AAPG Bulletin*, v. 55, p. 1365-1366.
- Hill, J.G., 1962, Some sedimentary structures in the Stanley Group, central Ouachita Mountains, Oklahoma: University of Wisconsin, unpublished M.S. thesis, 55 p.
- Hillegeist, T.K., 1992, Syndeformational magnetization in the Ordovician Bigfork Chert at Black Knob Ridge, western Ouachita Mountains, southern Oklahoma (part 1): *Oklahoma City Geological Society, Shale Shaker*, v. 42, p. 108-115.
- Hillegeist, T.K., 1992, Syndeformational magnetization in the Ordovician Bigfork Chert at Black Knob Ridge, western Ouachita Mountains, southern Oklahoma (part 2): *Oklahoma City Geological Society, Shale Shaker*, v. 42, p. 128-140.
- Hinde, L.K., 1992, Stratigraphy and structural styles of the Spiro Formation, frontal Ouachita Mountains, southeastern Oklahoma: Waco, Baylor University, unpublished M.S. thesis.



- Holbrook, D.F., and C.G. Stone, 1978, Arkansas novaculite—a silica resource: Thirteenth Annual Forum on the Geology of Industrial Minerals, Oklahoma Geological Survey, Circular 79, p. 51-58.
- Honess, C.W., 1923, Geology of the southern Ouachita Mountains of Oklahoma, parts 1 and 2: Oklahoma Geological Survey, Bulletin 32, 355 p.
- Honess, C.W., 1923, Geology of the southern Ouachita Mountains of Oklahoma, part 2: Oklahoma Geological Survey Bulletin 32, 76 p. (asphaltite, p. 51-52)
- Honess, C.W., 1927, Oil and gas in Oklahoma—geology of Atoka, Pushmataha, McCurtain, Bryan, and Choctaw counties: Oklahoma Geological Survey, Bulletin 40-R, 32 p. (see Honess, 1923, Oklahoma Geological Survey, Bulletin 32, p. 48-52)
- Hopkins, H.R., 1968, Structural interpretations of the Ouachita Mountains, in L.M. Cline, ed., A guidebook to the geology of the western Arkoma Basin and Ouachita Mountains: Oklahoma City Geological Society, Guidebook, p. 104-108.
- Horn, B.W., and J.B. Curtis, 1996, Geological and engineering study of the natural gas potential of the Arkoma-Ouachita basin: GRI Final Report, GRI-96/0174, 60 p.
- Houseknecht, D.W., and S.M. Matthews, 1985, Thermal maturity of Carboniferous strata, Ouachita Mountains: AAPG Bulletin, v. 69, p. 335-345.
- Houseknecht, D.W., 1986, Evolution from passive margin to foreland basin: the Atoka Formation of the Arkoma basin, south-central U.S.A., in P.A. Allen and P. Homewood, eds., Foreland basins: Boston, Blackwell Scientific Publications, International Association of Sedimentologists, Special Publication 8, p. 327-345.
- Houseknecht, D.W., W.D. Johns, and J.M. Guthrie, 1987, Relationships among vitrinite reflectance, illite crystallinity, and organic geochemistry in Carboniferous strata, Ouachita Mountains, Oklahoma and Arkansas: reply: AAPG Bulletin, v. 71, p. 347.
- Houseknecht, D.W., and M.B. Underwood, 1988, Depositional and deformational characteristics of the Atoka Formation, Arkoma basin, and Ouachita frontal thrust belt, Oklahoma, in O.T. Hayward, ed., South-Central Section of the Geological Society of America: Centennial Field Guide v. 4, GSA, p. 145-148.
- Houseknecht, D.W., and C. Spötl, 1993, Empirical observations regarding methane deadlines in deep basins and thrust belts, in D.G. Howell, ed., The future of energy gases: U.S. Geological Survey, Professional Paper 1570, p. 217-231.
- Howe, J.R., and T.L. Thompson, 1984, Tectonics, sedimentation, and hydrocarbon potential of the Reelfoot rift: Oil & Gas Journal, v. 82, no. 46, p. 179-190.
- Howell, J.V., and P.L. Lyons, 1959, Oil and gas possibilities of the Ouachita province, in L.M. Cline, W.J. Hilseweck, and D.E. Feray, eds., The geology of the Ouachita Mountains, a symposium: Dallas Geological Society and Ardmore Geological Society, p. 57-61.
- Hubert, L.M., 1984, Structure and lithologic variation in the central core of the Broken Bow Uplift, Ouachita Mountains, Oklahoma: Dallas, University of Texas at Dallas, unpublished M.S. thesis, 112 p.
- Huffman, G.G., 1976, Hydrocarbon accumulation along the Cumberland Thrust, Bryan County, Oklahoma, in R.E. Decker and B. Black, eds., A study of the Paleozoic rocks in Arbuckle and western Ouachita Mountains of southern Oklahoma: Gulf Coast Association of Geological Societies, Guidebook, p. 65-82.

- Huffman, G.G., T.A. Hart, L.J. Olson, J.D. Currier, and R.W. Ganser, 1978, Geology and mineral resources of Bryan County, Oklahoma, part 1—areal geology of Bryan County, part 2—oil and gas in Bryan County: Oklahoma Geological Survey, Bulletin 126, 113 p.
- Hutchison, L.L., 1911, Preliminary report on the rock asphalt, asphaltite, petroleum and natural gas in Oklahoma: Oklahoma Geological Survey, Bulletin 2, 256 p.
- Ingersoll, R.V., S.A. Graham, and W.R. Dickinson, 1995, Remnant ocean basins, *in* C.J. Busby and R.V. Ingersoll, eds., *Tectonics of sedimentary basins*: Cambridge, MA, Blackwell Science, Inc., p. 363-391. (Ouachita remnant ocean, p. 379-383)
- Jackson, K.C., 1977, Meta-arkose boulder from Blakely Sandstone (Ordovician) Benton quadrangle, Arkansas, *in* C.G. Stone, B.R. Haley, D.F. Holbrook, N.F. Williams, W.V. Bush, and J.D. McFarland III, eds., *Symposium on the geology of the Ouachita Mountains*, v. 1: Arkansas Geological Commission, Miscellaneous Publication MP-13, p. 112-114.
- Jackson, K.C., 1977, Anacite as a temperature indicator of Arkansas Ouachita deformation, *in* C.G. Stone, B.R. Haley, D.F. Holbrook, N.F. Williams, W.V. Bush, and J.D. McFarland III, eds., *Symposium on the geology of the Ouachita Mountains*, v. 2: Arkansas Geological Commission, Miscellaneous Publication MP-14, p. 63-64.
- Jacob, H., 1989, Classification, structure, genesis and practical importance of natural solid oil bitumen ("migrabitumen"): *International Journal of Coal Geology*, v. 11, p. 65-79.
- Jacob, H., 1993, Nomenclature, classification, characterization, and genesis of natural solid bitumen (migrabitumen), *in* J. Parnell, H. Kucha, and P. Landais, eds., *Bitumens in ore deposits*: New York, Springer-Verlag, p. 11-27.
- Jennings, J.R., 1986, Fossil plants from the Jackfork sandstone in the Ouachita Mountains of Arkansas, *in* C.G. Stone and B.R. Haley, *Sedimentary and igneous rocks of the Ouachita Mountains of Arkansas, a guidebook with contributed papers*, part 2: Arkansas Geological Commission, Guidebook 86-3, p. 61-71.
- Johnson, H.E., II, D.V. Wiltschko, and J.P. Harris, 2020, Diagenetic to incipient metamorphic zones of the Benton Uplift, Ouachita Orogen, Arkansas, USA: *Geological Society of America Bulletin*, v. 132, p. 977-986.
- Johnson, K.E., 1966, A depositional interpretation of the Stanley Group of the Ouachita Mountains, Oklahoma, *in* *Twenty-ninth field conference on flysch facies and structure of the Ouachita Mountains, Oklahoma*: Kansas Geological Society Guidebook, p. 140-163.
- Johnson, K.E., 1968, Sedimentary environment of Stanley Group of the Ouachita Mountains of Oklahoma: *Journal of Sedimentary Petrology*, v. 38, p. 723-733.
- Johnson, K.S., ed., 1988, Shelf-top-basin geology and resources of Pennsylvanian strata in the Arkoma Basin and frontal Ouachita Mountains of Oklahoma: Oklahoma Geological Survey, Guidebook 25, 105 p.
- Johnson, K.S., and B.J. Cardott, 1992, Geologic framework and hydrocarbon source rocks of Oklahoma, *in* K.S. Johnson and B.J. Cardott, eds., *Source rocks in the southern Midcontinent, 1990 symposium*: Oklahoma Geological Survey, Circular 93, p. 21-37.

- Johnson, R.H., Jr., 1959, Geology of Medicine Springs area, Pushmataha County, Oklahoma, in Petroleum geology of southern Oklahoma, v. 2: AAPG, p. 287-301.
- Jones, D.L., and L.P. Knauth, 1979, Oxygen isotopic and petrographic evidence relevant to the origin of the Arkansas Novaculite: *Journal of Sedimentary Petrology*, v. 49, p. 581-597.
- Jordan, D.W., A. D'Agostino, D.R. Lowe, M.H. Scheihing, R.M. Slatt, R.H. Gillespie, and C.G. Stone, field trip leaders, 1991, Scales of geological heterogeneity of Pennsylvanian Jackfork Group, Ouachita Mountains, Arkansas: applications to field development and exploration for deep-water sandstones: Dallas Geological Society field trip no. 3, 142 p.
- Jordan, L., 1961, Natural gas in Pushmataha County, Oklahoma: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 21, p. 323-326.
- Jordan, L., 1964, Petroleum-impregnated rocks and asphaltite deposits of Oklahoma: Oklahoma Geological Survey Map GM-8, 16 p.
- Juscuk, S.J., 2002, How do the structures of the Late Paleozoic Ouachita thrust belt relate to the structures of the southern Oklahoma aulacogen: Lexington, University of Kentucky, unpublished Ph.D. dissertation, 339 p.
- Karlo, J.F., 1977, Pore fluids as the primary rheologic control in the deformation of the eastern Ouachitas, in C.G. Stone, B.R. Haley, D.F. Holbrook, N.F. Williams, W.V. Bush, and J.D. McFarland III, eds., Symposium on the geology of the Ouachita Mountains, v. 2: Arkansas Geological Commission, Miscellaneous Publication MP-14, p. 65-70.
- Keller, G.R., and S.E. Cebull, 1973, Plate tectonics and the Ouachita system in Texas, Oklahoma and Arkansas: *Geological Society of America Bulletin*, v. 84, p. 1659-1666.
- Keller, G.R., J.M. Kruger, C.L.V. Aiken, and K.C. Nielsen, 1982, Regional gravity anomalies of the Ouachita Mountain area, in K.C. Nielsen, J.K. Arbenz, and F.H. Leonhardt, Structural styles of the Ouachita Mountains, southeastern Oklahoma: Geological Society of America, South Central Section field trip no. 3, p. 13-16.
- Keller, G.R., E.G. Lidiak, W.J. Hinze, and L.W. Braile, 1983, The role of rifting in the tectonic development of the mid-continent, USA: *Tectonophysics*, v. 94, p. 391-412.
- Keller, G.R., L.W. Braile, G.A. McMechan, W.A. Thomas, S.H. Harder, W.-F. Chang, and W.G. Jardine, 1989, Paleozoic continent-ocean transition in the Ouachita Mountains imaged from PASSCAL wide-angle seismic reflection-refraction data: *Geology*, v. 17, p. 119-122.
- Keller, G.R., J.M. Kruger, K.J. Smith, and W.M. Voight, 1989, The Ouachita system; a geophysical overview, in R.D. Hatcher, Jr., W.A. Thomas, and G.W. Viele, eds., The Appalachian-Ouachita orogen in the United States: Geological Society of America, The Geology of North America, v. F-2, p. 689-694.
- Keller, G.R., and R.D. Hatcher, 1999, Comparison of the lithospheric structure of the Appalachian-Ouachita orogen and Paleozoic orogenic belts in Europe: *Tectonophysics*, v. 314, p. 43-68.
- Keller, G.R., and R.A. Stephenson, 2007, The southern Oklahoma and Dniepr-Donets aulacogens: A comparative analysis, in R.D. Hatcher, Jr., M.P. Carlson, J.H.

- McBride, and J.R. Martínez Catalán, eds., 4-D framework of continental crust: Geological Society of America, Memoir 200.
- Keller, G.R., 2009, Some thoughts on the structure and evolution of the Ouachita Mountains—Arkoma Basin region: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 69, p. 4-12.
- Keller, W.D., G.W. Viele, and C.H. Johnson, 1977, Texture of Arkansas Novaculite indicates thermally induced metamorphism: *Journal of Sedimentary Petrology*, v. 47, p. 834-843.
- Keller, W.D., C.G. Stone, and A.L. Hoersch, 1984, The geologic significance of textures of Paleozoic chert and novaculite in the Ouachita Mountains of Arkansas and Oklahoma, *in* J.D. McFarland, III, and W.V. Bush, eds., *Contributions to the geology of Arkansas*, v. 11: Arkansas Geological Commission, Miscellaneous Publication 18-B, p. 87-95.
- Keller, W.D., C.G. Stone, and A.L. Hoersch, 1985, Textures of Paleozoic chert and novaculite in the Ouachita Mountains of Arkansas and Oklahoma and their geological significance: *Geological Society of America Bulletin*, v. 96, p. 1353-1363.
- Ketner, K.B., 1980, Stratigraphic and tectonic parallels between Paleozoic geosynclinals siliceous sequences in northern Nevada and those of the Marathon Uplift, Texas, and Ouachita Mountains, Arkansas and Oklahoma, *in* T.D. Fouch and E.R. Magathan, eds., *Paleozoic paleogeography of the west-central United States: SEPM Rocky Mountain Section, Rocky Mountain paleogeography, symposium 1*, p. 363-369.
- Ketner, K.B., R.L. Ethington, J.E. Repetski, R.J. Ross, Jr., and C.G. Stone, 1986, Ouachita trough: part of a Cambrian failed rift system—comment: *Geology*, v. 14, p. 627.
- King, P.B., 1961, The subsurface Ouachita structural belt east of the Ouachita Mountains, *in* P.T. Flawn, A. Goldstein, Jr., P.B. King, and C.E. Weaver, eds., *The Ouachita system: Bureau of Economic Geology, University of Texas, Publication 6120*, p. 83-98.
- King, P.B., 1961, History of the Ouachita System, *in* P.T. Flawn, A. Goldstein, Jr., P.B. King, and C.E. Weaver, eds., *The Ouachita system: Bureau of Economic Geology, University of Texas, Publication 6120*, p. 175-190.
- King, P.B., 1975, Ancient southern margin of North America: *Geology*, v. 3, p. 732-734.
- King, P.B., 1975, The Ouachita and Appalachian orogenic belts, *in* A.E. Nairn and F.G. Stehli, eds., *The ocean basins and margins*, v. 3: *The Gulf of Mexico and the Caribbean*: New York, Plenum Press, p. 201-241.
- King, P.B., 1977, Marathon revisited, *in* C.G. Stone, B.R. Haley, D.F. Holbrook, N.F. Williams, W.V. Bush, and J.D. McFarland III, eds., *Symposium on the geology of the Ouachita Mountains*, v. 1: Arkansas Geological Commission, Miscellaneous Publication MP-13, p. 41-69.
- Knight, K.S., 1985, Lithostratigraphy, facies, and petrology of the Atoka Formation (Pennsylvanian), eastern frontal belt, Ouachita Mountains, southeast Oklahoma: Fayetteville, University of Arkansas, unpublished M.S. thesis, 135 p.

- Krivanek, C.M., 1962, Aerial geology of Lane NE quadrangle, Pushmataha and Atoka Counties, Oklahoma: Oklahoma City Geological Society Shale Shaker, v. 12, no. 7, p. 2-21. (University of Oklahoma M.S. thesis, 1961)
- Kruger, J.M., 1983, Regional gravity anomalies in the Ouachita system and adjacent areas: University of Texas, unpublished M.S. thesis, 196 p.
- Kruger, J.M., and G.R. Keller, 1986, Interpretation of crustal structure from regional gravity anomalies, Ouachita Mountains area and adjacent Gulf Coastal Plain: AAPG Bulletin, v. 70, p. 667-689.
- Laudon, R.B., 1959, Some age relationships of Chesterian and Morrowan rocks in eastern Oklahoma, *in* L.M. Cline, W.J. Hilseweck, and D.E. Feray, eds., The geology of the Ouachita Mountains, a symposium: Dallas Geological Society and Ardmore Geological Society, p. 122-129.
- Laudon, R.B., 1961, Carboniferous stratigraphy of the Ouachita Mountains, *in* H.H. Hall, Arkoma Basin and north-central Ouachita Mountains: Tulsa Geological Society—Fort Smith Geological Society Guidebook, p. 72-75.
- Leach, D.L., and E.L. Rowan, 1986, Genetic link between Ouachita foldbelt tectonism and the Mississippi Valley-type lead-zinc deposits of the Ozarks: *Geology*, v. 14, p. 931-935.
- Leding, E.A., III, 1986, Regional distribution and reservoir potential of Jackfork sandstones from facies analysis and petrography, central Ouachita Mountains, Oklahoma: Fayetteville, University of Arkansas, unpublished M.S. thesis.
- Leding, E.A., III, 1987, Deposition and regional distribution of the tectonically controlled Jackfork Group, central Ouachita Mountains, Oklahoma: a field study: Oklahoma City Geological Society, Shale Shaker, v. 38, p. 12-18.
- Legg, T.E., M.H. Leander, and A.E. Krancer, 1990, Exploration case study: Atoka and Jackfork section, Lynn Mountain Syncline, Le Flore and Pushmataha counties, Oklahoma, *in* N.H. Suneson, J.A. Campbell, and M.J. Tilford, eds., Geology and resources of the frontal belt of the western Ouachita Mountains, Oklahoma: Oklahoma Geological Survey, Special Publication 90-1, p. 131-144.
- Leonhardt, F.N., 1983, Deformational history of Black Knob Ridge, southeastern Oklahoma: University of Texas at Dallas, unpublished M.S. thesis, 83 p.
- Lillie, R.J., K.D. Nelson, B. De Voogd, J.A. Brewer, J.E. Oliver, L.D. Brown, S. Kaufman, and G.W. Viele, 1983, Crustal structure of Ouachita Mountains, Arkansas: a model based on integration of COCORP reflection profiles and regional geophysical data: AAPG Bulletin, v. 67, p. 907-931.
- Lillie, R.J., K.D. Nelson, B. De Voogd, J.E. Oliver, L.K. Brown, and S. Kaufman, 1983, Subsurface structure of the Ouachita Mountains, Arkansas, from COCORP deep seismic reflection profiles, *in* A.W. Bally, ed., Seismic expression of structural styles: AAPG Studies in Geology 15, v. 3, p. 3.4.1-83 to 3.4.1-87.
- Lillie, R.J., K.D. Nelson, B. De Voogd, J.E. Oliver, L.D. Brown and S. Kaufman, 1984, COCORP reflection profiles across the Ouachita Mountains, *in* C.G. Stone and B.R. Haley, A guidebook to the geology of the central and southern Ouachita Mountains, Arkansas: Arkansas Geological Commission, Guidebook 84-2, p. 86-92.
- Lillie, R.J., 1984, Tectonic implications of subthrust structures revealed by seismic profiling of Appalachian-Ouachita orogenic belt: *Tectonics*, v. 3, p. 619-646.

- Lillie, R.J., 1985, Tectonically buried continent/ocean boundary, Ouachita Mountains, Arkansas: *Geology*, v. 13, p. 18-21.
- Link, M.H., and M.T. Roberts, 1986, Pennsylvanian paleogeography for the Ozarks, Arkoma, and Ouachita basins in east-central Arkansas, in C.G. Stone and B.R. Haley, *Sedimentary and igneous rocks of the Ouachita Mountains of Arkansas, a guidebook with contributed papers, part 2: Arkansas Geological Commission, Guidebook 86-3*, p. 37-60.
- Loomis, J.L., 1992, Geochemistry of the Mississippian volcanoclastics in the Stanley Group, Ouachita Mountains, Oklahoma and Arkansas: implications for tectonic environment: Norman, University of Oklahoma, unpublished M.S. thesis, 164 p.
- Loomis, J.L., B. Weaver, and H. Blatt, 1994, Geochemistry of Mississippian tuffs from the Ouachita Mountains, and implications for the tectonics of the Ouachita orogen, Oklahoma and Arkansas: *Geological Society of America Bulletin*, v. 106, p. 1158-1171.
- LoPiccolo, R.D., 1977, Internal sedimentary structures in sandstones of the Jackfork Group, Ouachita Mountains, Oklahoma, in C.G. Stone, B.R. Haley, D.F. Holbrook, N.F. Williams, W.V. Bush, and J.D. McFarland III, eds., *Symposium on the geology of the Ouachita Mountains, v. 1: Arkansas Geological Commission, Miscellaneous Publication MP-13*, p. 169-174.
- Lowe, D.R., 1977, The Arkansas Novaculite—some aspects of its physical sedimentation, in C.G. Stone, B.R. Haley, D.F. Holbrook, N.F. Williams, W.V. Bush, and J.D. McFarland III, eds., *Symposium on the geology of the Ouachita Mountains, v. 1: Arkansas Geological Commission, Miscellaneous Publication MP-13*, p. 132-138.
- Lowe, D.R., 1982, The Arkansas Novaculite: facies and depositional setting: Oklahoma Geological Survey, *Oklahoma Geology Notes*, v. 42, p. 243-244.
- Lowe, D.R., 1985, Ouachita trough: part of a Cambrian failed rift system: *Geology*, v. 13, p. 790-793. (see Ketner and others, 1986, for comment and reply)
- Lowe, D.R., 1989, Stratigraphy, sedimentology, and depositional setting of pre-orogenic rocks of the Ouachita Mountains, Arkansas and Oklahoma, in R.D. Hatcher, Jr., W.A. Thomas, and G.W. Viele, eds., *The Appalachian-Ouachita orogen in the United States: Geological Society of America, The Geology of North America*, v. F-2, p. 575-590.
- Lutter, W.J., R.L. Nowack, and L.W. Braile, 1990, Seismic imaging of upper crustal structure using travel times from the PASSCAL Ouachita experiment: *Journal of Geophysical Research*, v. 95, p. 4621-4631.
- Luttrell, E.M., 1965, Sedimentary analysis of some Jackfork sandstones, Big Cedar, Oklahoma: University of Wisconsin, unpublished M.S. thesis, 122 p.
- MacDonald, H., W. Waite, M. Borengasser, and D. Tolman, 1982, Exploration for fractured petroleum reservoirs, northern flank of Arkoma Basin, Arkansas, in J.D. McFarland, III, ed., *Contributions to the geology of Arkansas: Arkansas Geological Commission, Miscellaneous Publication 18-A*, p. 37-42.
- Mack, G.H., W.A. Thomas, and C.A. Horsey, 1983, Composition of Carboniferous sandstones and tectonic framework of southern Appalachian-Ouachita orogen: *Journal of Sedimentary Petrology*, v. 53, p. 931-946.

- Matthews, S.M., 1982, Thermal maturity of Carboniferous strata, Ouachita thrust fault belt: University of Missouri-Columbia, unpublished M.A. thesis, 88 p.
- Mauldin, D.L., and R.C. Grason, Jr., 1995, Wapanucka Formation (Morrowan): facies and fractures, frontal Ouachita Mountains, in K.S. Johnson, ed., Structural styles in the southern Midcontinent, 1992 symposium: Oklahoma Geological Survey, Circular 97, p. 249-258.
- Mauldin, D.L., 2000, Facies, stratigraphic relationships, and fracturing in the Wapanucka and Spiro Formations (Pennsylvanian), in K.S. Johnson, ed., Platform carbonates in the southern Midcontinent, 1996 symposium: Oklahoma Geological Survey, Circular 101, p. 219-222.
- Mazengarb, C., 1995, Interpretation of structure from surface geology, frontal Ouachitas, southeastern Oklahoma, in K.S. Johnson, ed., Structural styles in the southern Midcontinent, 1992 symposium: Oklahoma Geological Survey, Circular 97, p. 26-31.
- McBee, W., Jr., 1995, Tectonic and stratigraphic synthesis of events in the region of the intersection of the Arbuckle and Ouachita structural systems, Oklahoma, in K.S. Johnson, ed., Structural styles in the southern Midcontinent, 1992 symposium: Oklahoma Geological Survey, Circular 97, p. 45-81.
- McBride, E.F., 1975, The Ouachita trough sequence, Marathon region and Ouachita Mountains, in G. Briggs, E.F. McBride, and R.J. Moiola, leaders, A guidebook to the sedimentology of Paleozoic flysch and associated deposits, Ouachita Mountains—Arkoma Basin, Oklahoma: Dallas Geological Society, Guidebook, p. 23-41.
- McCaslin, J.C., 1980, Tulsa firm to probe secrets of the Ouachitas: Oil & Gas Journal, v. 78, no. 4, p. 207.
- McCaslin, J.C., 1980, Southeast Oklahoma wildcats due close look: Oil & Gas Journal, v. 78, no. 20, p. 177.
- McCaslin, J.C., 1981, Ouachita overthrust drawing interest: Oil & Gas Journal, v. 79, no. 7, p. 153-154.
- McCaslin, J.C., 1984, Significant wildcatting under way in Ouachita overthrust belt: Oil & Gas Journal, v. 82, no. 24, p. 145-146.
- McCollough, E.L., 1954, The geology of the Finley area, Pushmataha County, Oklahoma: Norman, University of Oklahoma, unpublished M.S. thesis, 48 p.
- McDonald, K.W., 1986, Structural style, thermal maturity, and sedimentary facies of the frontal Ouachita thrust belt, Le Flore County, eastern Oklahoma: University of Missouri-Columbia, unpublished M.S. thesis, 211 p.
- McFarland, J.D., III, 1982, A small bitumen deposit near Ponca, Arkansas, in J.D. McFarland, III, ed., Contributions to the geology of Arkansas: Arkansas Geological Commission, Miscellaneous Publication 18-A, p. 43-44.
- McFarland, J.D., III, and W.V. Bush, eds., 1984, Contributions to the geology of Arkansas, v. 2: Arkansas Geological Commission, Miscellaneous Publication 18-B, 177 p.
- Meckel, L.D., Jr., D.G. Smith, and L.A. Wells, 1992, Ouachita foredeep basins: regional paleogeography and habitat of hydrocarbons, in R.W. Macqueen and D.L. Leckie, eds., Foreland basins and fold belts: AAPG Memoir 55, p. 427-444.

- Melton, F.A., 1930, Age of Ouachita orogeny and its tectonic effects: AAPG Bulletin, v. 14, p. 57-72.
- Melton, F.A., 1975, Stereoscopic and mosaic aerial-photograph study of the structure of the central Ouachita Mountains in Oklahoma and Arkansas: Oklahoma Geological Survey, Map GM-18.
- Miall, A.D., 2008, The southern Midcontinent, Permian Basin, and Ouachitas, in A.D. Miall, ed., The sedimentary basins of the United States and Canada: New York, Elsevier, Sedimentary basins of the World, v. 5, p. 297-327.
- Mickus, K.L., and G.R. Keller, 1992, Lithospheric structure of the south-central United States: Geology, v. 20, p. 335-338.
- Misch, P., and K.F. Oles, 1957, Interpretation of Ouachita Mountains of Oklahoma as autochthonous folded belt: preliminary report: AAPG Bulletin, v. 41, p. 1899-1905.
- Miser, H.D., and A.H. Purdue, 1919, Asphalt deposits and oil conditions in southwestern Arkansas: U.S. Geological Survey Bulletin 691-J, p. 271-292.
- Miser, H.D., and C.W. Honess, 1927, Age relations of the Carboniferous rocks of the Ouachita Mountains of Oklahoma and Arkansas: Oklahoma Geological Survey, Bulletin 44, 28 p.
- Miser, H.D., 1929, Structure of the Ouachita Mountains of Oklahoma and Arkansas: Oklahoma Geological Survey, Bulletin 50, 30 p.
- Miser, H.D., and E.H. Sellards, 1931, Pre-Cretaceous rocks found in wells in Gulf Coastal Plain south of Ouachita Mountains: AAPG Bulletin, v. 15, p. 801-818.
- Miser, H.D., 1934, Carboniferous rocks of Ouachita Mountains: AAPG Bulletin, v. 18, p. 971-1009.
- Miser, H.D., 1934, Relation of Ouachita belt of Paleozoic rocks to oil and gas fields of Mid-Continent region: AAPG Bulletin, v. 18, p. 1059-1077.
- Miser, H.D., 1936, The Ouachita boulder problem: AAPG Bulletin, v. 20, p. 490-491.
- Miser, H.D., 1943, Quartz veins in the Ouachita Mountains of Arkansas and Oklahoma (their relations to structure, metamorphism, and metalliferous deposits): Economic Geology, v. 38, p. 91-118.
- Miser, H.D., 1959, Structure and vein quartz of the Ouachita Mountains of Oklahoma and Arkansas, in L.M. Cline, W.J. Hilseweck, and D.E. Feray, eds., The geology of the Ouachita Mountains, a symposium: Dallas Geological Society and Ardmore Geological Society, p. 30-43.
- Miser, H.D., 1963, Structure and vein quartz of the Ouachita Mountains of Oklahoma and Arkansas, in N.F. Williams and A. Bacho, eds., Southeastern Arkansas Valley and the Ouachita and Frontal Ouachita Mountains, Arkansas: Fort Smith Geological Society, Guidebook, p. 17-26.
- Mitchell, A.W., 1984, Barite in the western Ouachita Mountains, Arkansas, in C.G. Stone and B.R. Haley, A guidebook to the geology of the central and southern Ouachita Mountains, Arkansas: Arkansas Geological Commission, Guidebook 84-2, p. 124-131.
- Moiola, R.J., and G. Shanmugam, 1984, Submarine fan sedimentation, Ouachita Mountains, Arkansas and Oklahoma: Transactions Gulf Coast Association of Geological Societies, v. 34, p. 175-182. (see Shanmugam and Moiola, 1995)



- Moiola, R.J., G. Briggs, and G. Shanmugam, 1988, Carboniferous flysch, Ouachita Mountains, southeastern Oklahoma; Big Cedar-Kiamichi Mountain section, in O.T. Hayward, ed., South-Central Section of the Geological Society of America: Centennial Field Guide v. 4, Geological Society of America, p. 149-152.
- Montgomery, S.L., 1996, Jackfork Group: Ouachita Mountains: Petroleum Information Corp., Petroleum Frontiers, v. 13, no. 1, 60 p.
- Montgomery, S.L., 1996, Jackfork Group, southeastern Oklahoma: new gas play in the Ouachita overthrust: AAPG Bulletin, v. 80, p. 1695-1709.
- Moore, R.C., 1934, The origin and age of the boulder-bearing Johns Valley Shale in the Ouachita Mountains of Arkansas and Oklahoma: American Journal of Science, v. 27, no. 162, p. 432-453.
- Moreno, F.A., K.L. Mickus, and G.R. Keller, 2000, Crustal structure and location of the Ouachita orogenic belt in northern Mexico: Geofisica Internacional, v. 39, p. 229-246.
- Moretti, F., 1958, Petrographic study of the sandstones of the Jackfork Group, Ouachita Mountains, southeastern Oklahoma: University of Wisconsin, unpublished Ph. D. dissertation, 135 p.
- Morris, R.C., 1971, Stratigraphy and sedimentology of the Jackfork Group, Arkansas: AAPG Bulletin, v. 55, p. 387-402.
- Morris, R.C., 1974, Carboniferous rocks of the Ouachita Mountains, Arkansas: a study of facies patterns along the unstable slope and axis of a flysch trough, in G. Briggs, ed., Carboniferous of the southeastern United States: Geological Society of America, Special Paper 148, p. 241-279.
- Morris, R.C., 1974, Sedimentary and tectonic history of the Ouachita Mountains, in W.R. Dickinson, ed., Tectonics and sedimentation: SEPM Special Publication 22, p. 120-142.
- Morris, R.C., M.R. Burkhart, P.W. Palmer, and R.R. Russell, 1975, Stratigraphy and structure of part of frontal Ouachita Mountains, Arkansas: AAPG Bulletin, v. 59, p. 747-765.
- Morris, R.C., 1977, Petrography of Stanley-Jackfork sandstones, Ouachita Mountains, Arkansas, in C.G. Stone, B.R. Haley, D.F. Holbrook, N.F. Williams, W.V. Bush, and J.D. McFarland III, eds., Symposium on the geology of the Ouachita Mountains, v. 1: Arkansas Geological Commission, Miscellaneous Publication MP-13, p. 146-157.
- Morris, R.C., 1977, Flysch facies of the Ouachita trough—with examples from the spillway at DeGray Dam, Arkansas, in C.G. Stone, B.R. Haley, D.F. Holbrook, N.F. Williams, W.V. Bush, and J.D. McFarland III, eds., Symposium on the geology of the Ouachita Mountains, v. 1: Arkansas Geological Commission, Miscellaneous Publication MP-13, p. 158-168.
- Morris, R.C., K.E. Proctor, and M.R. Koch, 1979, Petrology and diagenesis of deep-water sandstone, Ouachita Mountains, Arkansas and Oklahoma, in P.A. Scholle and P.R. Schluger, eds., Aspects of diagenesis: SEPM Special Publication 26, p. 263-278.
- Morris, R.C., and P.K. Sutherland, 1984, The Mississippian-Pennsylvanian boundary in the Ouachita Mountains, Arbuckle Mountains and Ardmore Basin, Arkansas and Oklahoma, in P.K. Sutherland and W.L. Manger, eds., Neuvieme Congres

- International de Stratigraphie et de Geologie du Carbonifere, *Compte Rendu*, v. 2, Biostratigraphy: Carbondale, Southern Illinois University Press, p. 357-368.
- Morris, R.C., 1989, Stratigraphy and sedimentary history of post-Arkansas Novaculite Carboniferous rocks of the Ouachita Mountains, *in* R.D. Hatcher, Jr., W.A. Thomas, and G.W. Viele, eds., *The Appalachian-Ouachita orogen in the United States: Geological Society of America, The Geology of North America*, v. F-2, p. 591-602.
- Morrison, L.S., 1980, Oil in the fascinating Ouachitas: Oklahoma City Geological Society, *Shale Shaker*, v. 31, p. 20-30.
- Morrison, L.S., 1984, Ouachita facies—an overview, *in* J.G. Borger, II, ed., *Technical proceedings of the 1981 AAPG Mid-Continent regional meeting: Oklahoma City Geological Society*, p. 83-88.
- Murgatroyd, C., 1980, Significance of silicified carbonate rocks near the Devonian-Mississippian boundary, Ouachita Mountains, Oklahoma: Oklahoma City Geological Society, *Shale Shaker*, v. 31, p. 1-12.
- Naz, H., 1984, Facies analysis of the Pennsylvanian Jackfork Group at Rich Mountain in Le Flore County, Oklahoma, and Polk County, Arkansas: University of Tulsa, unpublished M.S. thesis, 125 p.
- Nelson, K.D., R.J. Lillie, B. de Voogd, J.A. Brewer, J.E. Oliver, S. Kaufman, L. Brown, and G.W. Viele, 1982, COCORP seismic reflection profiling in the Ouachita Mountains of western Arkansas: geometry and geologic interpretation: *Tectonics*, v. 1, p. 413-430.
- Nicholas, R.L., and R.A. Rozendal, 1975, Subsurface positive elements within the Ouachita foldbelt in Texas with their relation to Paleozoic cratonic margin: *AAPG Bulletin*, v. 59, p. 193-216.
- Nicholas, R.L., and D.W. Waddell, 1989, The Ouachita system in the subsurface of Texas, Arkansas, and Louisiana, *in* R.D. Hatcher, Jr., W.A. Thomas, and G.W. Viele, eds., *The Appalachian-Ouachita orogen in the United States: Geological Society of America, The Geology of North America*, v. F-2, p. 661-672.
- Nichols, R.F., 2009, Ouachita front range/Arkoma Basin field trip guide: Oklahoma Geological Survey, Open-File Report OF 1-2009, 175 p.
- Nielsen, K.C., J.K. Arbenz, and F.H. Leonhardt, 1982, Structural styles of the Ouachita Mountains, southeastern Oklahoma: Geological Society of America, South Central Section field trip no. 3, 124 p.
- Nielsen, K.C., 1982, Regional geological setting of the Ouachita Mountains of southeastern Oklahoma, *in* K.C. Nielsen, J.K. Arbenz, and F.H. Leonhardt, *Structural styles of the Ouachita Mountains, southeastern Oklahoma: Geological Society of America, South Central Section field trip no. 3*, p. 1-12.
- Nielsen, K.C., and W.G. Brown, eds., 1984, Comparative structural evolution of the Arbuckle and Ouachita Mountains: Geological Society of America, South-Central Section field trip no. 4, 103 p.
- Nielsen, K.C., 1988, Beavers Bend State Park, Broken Bow Uplift, Oklahoma, *in* O.T. Hayward, ed., *South-Central Section of the Geological Society of America: Geological Society of American, Centennial Field Guide v. 4*, p. 195-202.
- Nielsen, K.C., G.W. Viele, and J. Zimmerman, 1989, Structural setting of the Benton-Broken Bow uplifts, *in* R.D. Hatcher, Jr., W.A. Thomas, and G.W. Viele, eds., *The*

- Appalachian-Ouachita orogen in the United States: Geological Society of America, The Geology of North America, v. F-2, p. 635-660.
- Nielsen, K.C., and Q. Yang, 1995, The Dyer Mountain fault zone: southerly directed thrusting in the Broken Bow Uplift, in K.S. Johnson, eds., Structural styles in the southern Midcontinent, 1992 symposium: Oklahoma Geological Survey, Circular 97, p. 32-44.
- Niem, A.R., 1976, Patterns of flysch deposition and deep-sea fans in the lower Stanley Group (Mississippian), Ouachita Mountains, Oklahoma and Arkansas: Journal of Sedimentary Petrology, v. 46, p. 633-646.
- Niem, A.R., 1977, Mississippian pyroclastic flow and ash-fall deposits in the deep-marine Ouachita flysch basin, Oklahoma and Arkansas: Geological Society of America Bulletin, v. 88, p. 49-61.
- Noble, P.J., 1993, Paleooceanographic and tectonic implications of a regionally extensive Early Mississippian hiatus in the Ouachita system, southern mid-continental United States: Geology, v. 21, p. 315-318.
- Noble, P.J., 1995, Regional sedimentation patterns associated with the passive- to active-margin transition, Ouachita orogeny, southern Midcontinent, U.S.A., in K.S. Johnson, eds., Structural styles in the southern Midcontinent, 1992 symposium: Oklahoma Geological Survey, Circular 97, p. 99-112.
- Nooncaster, J.R., 1985, Lithostratigraphy, petrology, and facies, Atoka Formation (Pennsylvanian), western frontal Ouachita Mountains, southeastern Oklahoma: Fayetteville, University of Arkansas, unpublished M.S. thesis, 125 p.
- Oakes, M.C., 1948, Chert river, an inferred Carboniferous stream of southeastern Oklahoma: Proceedings of the Oklahoma Academy of Science, v. 28, p. 70-71.
- Oliver, J., 1986, Fluids expelled tectonically from orogenic belts: their role in hydrocarbon migration and other geologic phenomena: Geology, v. 14, p. 99-102.
- Otero, G.A.R., 2004, Identification of architectural elements of turbidite deposits, Jackfork Group, Potato Hills, eastern Oklahoma: Norman, University of Oklahoma, unpublished M.S. thesis, 238 p.
- Owen, M.R., 1984, Southern source for upper Jackfork sandstone, Ouachita Mountains, Arkansas, in C.G. Stone and B.R. Haley, A guidebook to the geology of the central and southern Ouachita Mountains, Arkansas: Arkansas Geological Commission, Guidebook 84-2, p. 116-122.
- Owen, M.R., and A.V. Carozzi, 1986, Southern provenance of upper Jackfork Sandstone, southern Ouachita Mountains: cathodoluminescence petrology: Geological Society of America Bulletin, v. 97, p. 110-115.
- Pauli, D., 1994, Friable submarine channel sandstones in the Jackfork Group, Lynn Mountain Syncline, Pushmataha and Le Flore counties, Oklahoma, in N.H. Suneson and L.A. Hemish, eds., Geology and resources of the eastern Ouachita Mountains frontal belt and southeastern Arkoma Basin, Oklahoma: Oklahoma Geological Survey, Guidebook 29, p. 179-202.
- Perrot, J.A., 1986, Characteristics of polycrystalline quartz/chert in the Stanley Shale (Mississippian) during diagenesis/low-grade metamorphism, Ouachita Mountains, Arkansas: Norman, University of Oklahoma unpublished M.S. thesis, 115 p.

- Perrot, J.A., 1988, Characteristics of polycrystalline quartz/chert in the Stanley Shale (Mississippian) during diagenesis/low-grade metamorphism, Ouachita Mountains, Arkansas: Oklahoma City Geological Society, Shale Shaker, v. 38, p. 74-91.
- Perry, W.J., and N.H. Suneson, 1990, Preliminary interpretation of a seismic profile across the Ouachita frontal zone near Hartshorne, Oklahoma, in N.H. Suneson, J.A. Campbell, and M.J. Tilford, eds., Geology and resources of the frontal belt of the western Ouachita Mountains, Oklahoma: Oklahoma Geological Survey, Special Publication 90-1, p. 145-148.
- Pessagno, E.A., B.K. Holdsworth, J.A. Schwartzapfel, and Y.N. Cheng, 1982, Preliminary biostratigraphic investigations of Paleozoic Radiolaria in the Wichita and Ouachita orogenic belts, Arkansas and Oklahoma, in K.C. Nielsen, J.K. Arbenz, and F.H. Leonhardt, Structural styles of the Ouachita Mountains, southeastern Oklahoma: Geological Society of America, South Central Section field trip no. 3, p. 23-35.
- Petzet, G.A., 1982, Commercial production turning up in Ouachita overthrust belt: Oil & Gas Journal, v. 80, no. 27, p. 47-51.
- Petzet, G.A., 1991, Oklahoma's Ouachita area beginning to stir: Oil & Gas Journal, v. 89, no. 7, p. 59.
- Philpott, T.H., 1948, Ouachita Mountains—Cambrian thru Pennsylvanian; Magnet Cove: Shreveport Geological Society Guidebook for field trip, May 22-23, 26 p.
- Picha, F., and A.R. Niem, 1974, Distribution and extent of beds in flysch deposits, Ouachita Mountains, Arkansas and Oklahoma: Journal of Sedimentary Petrology, v. 44, p. 328-335.
- Pitt, W.D., 1955, Geology of the core of the Ouachita Mountains in Oklahoma: Oklahoma Geological Survey, Circular 34, 34 p.
- Pitt, W.D., 1959, Summary discussion of the geology of the core areas of the Ouachita Mountains, Arkansas and Oklahoma, in L.M. Cline, W.J. Hilseweck, and D.E. Feray, eds., The geology of the Ouachita Mountains, a symposium: Dallas Geological Society and Ardmore Geological Society, p. 87-91.
- Pitt, W.D., 1960, Oklahoma drillers may have to dig deeper for Ouachita reserves: Oil & Gas Journal, v. 58, no. 46, p. 214-217.
- Pitt, W.D., R.R. Cohoon, H.C. Lee, M.G. Robb, and J. Watson, Ouachita Mountain core area, Montgomery County, Arkansas: AAPG Bulletin, v. 45, p. 72-94.
- Pitt, W.D., R.O. Fay, L.R. Wilson, and J.A. Curiale, 1982, Geology of Pushmataha County, Oklahoma: Eastern New Mexico University, Studies in Natural Sciences, Special Publication No. 2, 101 p.
- Pitt, W.D., 1982, Oil and gas in Pushmataha County, in W.D. Pitt, R.O. Fay, L.R. Wilson, and J.A. Curiale, Geology of Pushmataha County, Oklahoma: Eastern New Mexico University Studies in Natural Sciences, Special Publication No. 2, p. 43-46.
- Poole, L.A., 1985, Sedimentology, structural style, and thermal maturity of the Lynn Mountain Formation, frontal Ouachitas, Latimer and Le Flore counties, Oklahoma: University of Missouri-Columbia, unpublished M.S. thesis, 189 p.

- Postelwait, B., 2013, Chemoprovenance of deepwater Atoka mudrocks in part of the frontal belt, Ouachita Mountains, Oklahoma: Tulsa, OK, University of Tulsa, unpublished M.S. thesis.
- Powers, S., 1928, Age of the folding of the Oklahoma mountains—the Ouachita, Arbuckle, and Wichita Mountains of Oklahoma and Llano-Burnet and Marathon Uplifts of Texas: *Geological Society of America Bulletin*, v. 39, p. 1031-1072.
- Price, M.W., 1963, Underthrust faulting at Clayton, Oklahoma: University of Wisconsin, unpublished M.S. thesis, 30 p.
- Pritchett, B., 2017, Field guides of Oklahoma: OGS Open File Report 1-2017, 19 p. <http://ogs.ou.edu/docs/openfile/OF1-2017.pdf>
- Proctor, K.E., 1974, The petrography and gas-reservoir potential of Stanley-Jackfork sandstones, Ouachita Mountains, Arkansas and Oklahoma: Dekalb, Northern Illinois University, unpublished M.S. thesis, 151 p.
- Pyron, A.J., and J. Gray, 1986, Initial data indicate good chance for Ouachita production: *World Oil*, v. 203, no. 3, p. 62-65.
- Quinn, H.E., III, 1986, Sedimentary facies, structure, and palynology of the lower and middle members of the Atoka Formation, central Arkansas: University of Missouri-Columbia, unpublished M.S. thesis, 157 p.
- Ratchford, M.E., and P. Li, 2008, Natural gas potential of Pennsylvanian tight sandstone reservoirs—frontal Ouachita fold and thrust belt, west-central Arkansas: Arkansas Geological Survey, Information Circular 38, 72 p. CD-ROM
- Reed, C.H., 1991, Clarksville field, Red River County, Texas: production and facies interpretation: *Oil & Gas Journal*, v. 89, no. 23, p. 49-54.
- Repetski, J.E., and R.L. Ethington, 1977, Conodonts from graptolite facies in the Ouachita Mountains, Arkansas and Oklahoma, *in* C.G. Stone, B.R. Haley, D.F. Holbrook, N.F. Williams, W.V. Bush, and J.D. McFarland III, eds., *Symposium on the geology of the Ouachita Mountains*, v. 1: Arkansas Geological Commission, Miscellaneous Publication MP-13, p. 92-106.
- Richards, I.J., J.B. Connelly, R.T. Gregory, and D.R. Gray, 2002, The importance of diffusion, advection, and host-rock lithology on vein formation: a stable isotope study from the Paleozoic Ouachita orogenic belt, Arkansas and Oklahoma: *Geological Society of America Bulletin*, v. 114, p. 1343-1355.
- Richardson, W.E., 1986, Pittsburg & south Pittsburg gas fields, 2N & 3N – 14E, 15E, Pittsburg County, Oklahoma: Oklahoma City Geological Society, *Shale Shaker*, v. 37, p. 34-36.
- Rippee, D.S., 1981, Geology along a cross section through the frontal Ouachita Mountains in Pittsburg, Atoka, and Pushmataha counties, Oklahoma: Norman, University of Oklahoma, unpublished M.S. thesis, 90 p.
- Rippee, D.S., 1985, Geology along a cross section through the frontal Ouachita Mountains in Pittsburg, Atoka, and Pushmataha counties, Oklahoma: Oklahoma City Geological Society, *Shale Shaker*, v. 36, p. 140-154.
- Roberts, M.T., 1994, Geologic relations along a regional cross section from Spavinaw to Broken Bow, Roberts, M.T., 1994, Geologic relations along a regional cross section from Spavinaw to Broken Bow, eastern Oklahoma, *in* N.H. Suneson and L.A. Hemish, eds., *Geology and resources of the eastern Ouachita Mountains*

- frontal belt and southeastern Arkoma basin, Oklahoma: Oklahoma Geological Survey, Guidebook 29, p. 137-160.
- Roberts, M.T., C.G. Stone, and N.H. Suneson, 2005, Arkoma Basin, frontal Ouachita Mountains, and Benton Uplift of western Arkansas: structure, stratigraphy, and economic geology, in N.H. Suneson, I. Çemen, D.R. Kerr, M.T. Roberts, R.M. Slatt, and C.G. Stone, Stratigraphic and structural evolution of the Ouachita Mountains and Arkoma Basin, southeastern Oklahoma and west-central Arkansas: Applications to petroleum exploration: Oklahoma Geological Survey, Guidebook 34, p. 5-49.
- Roberts, M.T., 2008, Geologic profiles derived from seismic data west and east of the Arkansas-Oklahoma state line, Arkoma Basin and frontal Ouachita Mountains, in N.H. Suneson, I. Çemen, and R.M. Slatt, eds., Stratigraphic and structural evolution of the Ouachita Mountains and Arkoma Basin, southeastern Oklahoma and west-central Arkansas: Applications to petroleum exploration: 2004 field symposium: Oklahoma Geological Survey, Circular 112B, p. 17-24.
- Rolf, E.G., and K.O. Seewald, 1992, Aeromag survey find features along central Texas overthrust: Oil & Gas Journal, v. 90, no. 20, p. 85-87.
- Ross, C.A., 1979, Late Paleozoic collision of North and South America: Geology, v. 7, p. 41-44.
- Rozendal, R.A., and W.S. Erskine, 1971, Deep test in the Ouachita structural belt of central Texas: AAPG Bulletin, v. 55, p. 2008-2017.
- Ruble, T.E., and R.P. Philp, 1992, A reevaluation of the geochemical characteristics of solid bitumens from the Ouachita Mountains, Oklahoma: Oklahoma Geological Survey, Circular 93, p. 337-342.
- Sams, R.H., 1986, Ouachita overthrust: a new look at old data, in W.L. Strapp, ed., Contributions to the geology of South Texas, 1986: South Texas Geological Society, p. 453-466.
- Schramm, M.W., Jr., and W.M. Caplan, 1971, Southeastern Oklahoma and northern Arkansas, in F.J. Adler, Jr., and others, Future petroleum provinces of the United States—their geology and potential: AAPG Memoir 15, v. 2, p. 1077-1082.
- Scull, B.J., 1958, Origin and occurrence of barite in Arkansas: Arkansas Geological Commission, Information Circular 18, 101 p.
- Scull, B.J., 1959, The age of mineralization in the Ouachita Mountains of Arkansas and Oklahoma, in L.M. Cline, W.J. Hilseweck, and D.E. Feray, eds., The geology of the Ouachita Mountains, a symposium: Dallas Geological Society and Ardmore Geological Society, p. 62-70.
- Scull, B.J., G.D. Glover, and R. Planalp, 1959, The Atoka of the McAlester Basin-Arkansas Valley region, in L.M. Cline, W.J. Hilseweck, and D.E. Feray, eds., The geology of the Ouachita Mountains, a symposium: Dallas Geological Society and Ardmore Geological Society, p. 166-174.
- Sedigi, A., 1985, A sedimentological and geochemical study of the Bigfork Chert in the Ouachita Mountains and the Viola Limestone in the Arbuckle Mountains: Norman, University of Oklahoma, unpublished PhD dissertation, 155 p.
- Seely, D.R., 1963, Structure and stratigraphy of the Rich Mountain area, Oklahoma and Arkansas: Oklahoma Geological Survey, Bulletin 101, 173 p.

- Sellers, R.T., Jr., 1967, The Siluro-Devonian rocks of the Ouachita Mountains, in D.F. Toomey, ed., Silurian-Devonian rocks of Oklahoma and environments: Tulsa Geological Society Digest, v. 35, p. 231-241.
- Shanmugam, G., R.J. Moiola, and J.K. Sales, 1988, Duplex-like structures in submarine fan channels, Ouachita Mountains, Arkansas: *Geology*, v. 16, p. 229-232.
- Shanmugam, G., and R.J. Moiola, 1995, Reinterpretation of depositional processes in a classic flysch sequence (Pennsylvanian Jackfork Group), Ouachita Mountains, Arkansas and Oklahoma: *AAPG Bulletin*, v. 79, p. 672-695. (discussions and replies, v. 81, p. 449-491)
- Sharp, J.M., Jr., 1978, Energy and momentum transport model of the Ouachita basin and its possible impact on formation of economic mineral deposits: *Economic Geology*, v. 73, p. 1057-1068.
- Shaulis, B.J., T.J. Lapen, J.F. Casey, and D.R. Reid, 2012, Timing and rates of flysch sedimentation in the Stanley Group, Ouachita Mountains, Oklahoma and Arkansas, U.S.A.: Constraints from U-Pb zircon ages of subaqueous ash-flow tuffs: *Journal of Sedimentary Research*, v. 82, p. 833-840.
- Shelburne, O.B., Jr., 1959, A study of geology of the Boktukola Syncline area of the Ouachita Mountains of Oklahoma: University of Wisconsin, unpublished PhD dissertation, 127 p.
- Shelburne, O.B., Jr., 1960, Geology of the Boktukola Syncline, southeastern Oklahoma: Oklahoma Geological Survey, Bulletin 88, 84 p.
- Shelburne, O.B., Jr., and W. Pitt, 1963, Ouachita Mountains field trip: Baylor University, Baylor Geological Society, 17 p.
- Shelley, P.G., 1929, Accelerated weathering properties of Oklahoma asphalts: Oklahoma Geological Survey, Circular 19, 37 p.
- Shelton, J.W., and T.L. Rowland, eds., 1974, Depositional environments of Pennsylvanian sandstones and carbonates of Oklahoma: Oklahoma Geological Survey, Special Publication 74-1, 75 p.
- Shelton, J.W., 1974, Depositional framework of the Atoka Formation in eastern Oklahoma, in J.W. Shelton and T.L. Rowland, eds., Depositional environments of Pennsylvanian sandstones and carbonates of Oklahoma: Oklahoma Geological Survey, Special Publication 74-1, p. 8-9.
- Shelton, K.L., J.M. Reader, L.M. Ross, G.W. Viele, and D.E. Seidemann, 1986, Ba-rich adularia from the Ouachita Mountains, Arkansas: implications for a postcollisional hydrothermal system: *American Mineralogist*, v. 71, p. 916-923.
- Shelton, K.L., 1989, Mineral deposits and resources of the Ouachita Mountains, in R.D. Hatcher, Jr., W.A. Thomas, and G.W. Viele, eds., The Appalachian-Ouachita orogen in the United States: Geological Society of America, The Geology of North America, v. F-2, p. 729-737.
- Shideler, G.L., 1968, Preliminary report on the origin of the Johns Valley boulders, in L.M. Cline, ed., A guidebook to the geology of the western Arkoma Basin and Ouachita Mountains, Oklahoma: Oklahoma City Geological Society, p. 122-126.
- Shideler, G.L., 1970, Provenance of Johns Valley boulders in Late Paleozoic Ouachita facies, southeastern Oklahoma and Arkansas: *AAPG Bulletin*, v. 54, p. 789-806. (replies, v. 55, p. 1363-1368)

- Sholes, M., and E.F. McBride, 1975, Arkansas Novaculite, in G. Briggs, E.F. McBride, and R.J. Moiola, field trip leaders, Sedimentology of Paleozoic flysch and associated deposits, Ouachita Mountains and Arkoma Basin, Oklahoma: Dallas Geological Society, Field Trip Guidebook, p. 69-87.
- Sholes, M.A., 1977, Arkansas Novaculite stratigraphy, in C.G. Stone, B.R. Haley, D.F. Holbrook, N.F. Williams, W.V. Bush, and J.D. McFarland III, eds., Symposium on the geology of the Ouachita Mountains, v. 1: Arkansas Geological Commission, Miscellaneous Publication MP-13, p. 139-145.
- Shurbet, D.H., and S.E. Cebull, 1987, Tectonic interpretation of the westernmost part of the Ouachita-Marathon (Hercynian) orogenic belt, west Texas-Mexico: *Geology*, v. 15, p. 458-461.
- Sims, W.J., 1994, Regional variations in quartz deformation mechanisms, eastern Ouachita Mountains, in N.H. Suneson and L.A. Hemish, eds., *Geology and resources of the eastern Ouachita Mountains frontal belt and southeastern Arkoma Basin*, Oklahoma: Oklahoma Geological Survey, Guidebook 29, p. 263-269.
- Slatt, R.M., H. Al-Siyabi, E.T. Williams, C.G. Stone, P. Weimer, R.J. Davis, and D.W. Jordan, 1977, Arkansas turbidite studies may aid Oklahoma Jackfork exploration: *Oil & Gas Journal*, v. 95, no. 33, p. 67-72.
- Slatt, R.M., P. Weimer, C.G. Stone, H. Al-Siyabi, and E.T. Williams, 2000, Turbidite elements of the Jackfork Group in Arkansas, in K.S. Johnson, ed., *Marine clastics in the southern Midcontinent*, 1997 symposium: Oklahoma Geological Survey, Circular 103, p. 87-103.
- Slatt, R.M., and C.G. Stone, 2001, Deepwater (turbidite) sandstone elements of the Jackfork Group in Arkansas: application to exploration and development in eastern Oklahoma: Oklahoma City Geological Society, *Shale Shaker*, v. 51, p. 93-101.
- Slatt, R.M., 2002, Outcrop/behind outcrop characterization of deep-water (turbidite) petroleum reservoir analogs: why and how: *AAPG Bulletin*, v. 86, p. 198-199.
- Slatt, R.M., I. Cemen, and N.H. Suneson, 2005, Origin and distribution of friable and cemented sandstones in outcrops of the Pennsylvanian Jackfork Group, southeastern Oklahoma: Application to gas exploration in the Jackfork, in N.H. Suneson, I. Çemen, D.R. Kerr, M.T. Roberts, R.M. Slatt, and C.G. Stone, *Stratigraphic and structural evolution of the Ouachita Mountains and Arkoma Basin, southeastern Oklahoma and west-central Arkansas: Applications to petroleum exploration*: Oklahoma Geological Survey, Guidebook 34, p. 50-72.
- Smart, K.J., S. Buseti, K. Scott, and R.M. Slatt, 2008, Outcrop fracture characterization of Pennsylvanian Jackfork Group sandstones, Ouachita Mountains, southeastern Oklahoma, in N.H. Suneson, I. Çemen, and R.M. Slatt, eds., *Stratigraphic and structural evolution of the Ouachita Mountains and Arkoma Basin, southeastern Oklahoma and west-central Arkansas: Applications to petroleum exploration*: 2004 field symposium: Oklahoma Geological Survey, Circular 112B, p. 63-72.
- Smith, D.L., and D.T. Jenkins, 1984, Paleomagnetic measurements in the eastern Ouachita Mountains, Arkansas, in C.G. Stone and B.R. Haley, *A guidebook to the geology of the central and southern Ouachita Mountains*, Arkansas: Arkansas Geological Commission, Guidebook 84-2, p. 99-110.



- Snider, L.C., 1913, Rock asphalts of Oklahoma and their use in paving: Oklahoma Geological Survey, Circular 5, 22 p.
- Speed, R.C., 1994, North American continent-ocean transitions over Phanerozoic time, in R.C. Speed, ed., Phanerozoic evolution of North American continent-ocean transitions: Geological Society of America, Summary volume to accompany the DNAG Continent-Ocean Transect Series, p. 1-86.
- Spötl, C., D.W. Houseknecht, and R. Jaques, 1993, Clay mineralogy and illite crystallinity of the Atoka Formation, Arkoma basin, and frontal Ouachita Mountains: Clay and Clay Minerals, v. 41, p. 745-754.
- Stannage, W., 1987, Relationships among vitrinite reflectance, illite crystallinity, and organic geochemistry in Carboniferous strata, Ouachita Mountains, Oklahoma and Arkansas: discussion: AAPG Bulletin, v. 71, p. 346. (see Houseknecht et al., 1987, for reply)
- Stark, P.H., 1966, Stratigraphy and environment of deposition of the Atoka Formation in the central Ouachita Mountains, Oklahoma: Kansas Geological Society, Guidebook 29, Ouachita Mountains, p. 164-176.
- Sterling, P.J., C.G. Stone, and D.F. Holbrook, 1966, General geology of eastern Ouachita Mountains, Arkansas, in Kansas Geological Society, Twenty-ninth field conference on flysch facies and structure of the Ouachita Mountains: Kansas Geological Society, Guidebook, p. 177-194, 195-221.
- Steuart, C.T., D.F. Holbrook, and C.G. Stone, 1984, Arkansas Novaculite: Indians, whetstones, plastics and beyond, in J.D. McFarland, III, and W.V. Bush, eds., Contributions to the geology of Arkansas, v. 11: Arkansas Geological Commission, Miscellaneous Publication 18-B, p. 119-134.
- Stewart, J.H., 1988, Latest Proterozoic and Paleozoic southern margin of North America and the accretion of Mexico: Geology, v. 16, p. 186-189.
- Stiff, F.C., 1983, The structure of the Cross Mountain anticlinorium, northern Broken Bow Uplift, Ouachita Mountains, Oklahoma and Arkansas: Southern Methodist University, unpublished M.S. thesis, 90 p.
- Stone, C.G., 1963, Notes on the geology of the easternmost frontal Ouachitas—southeast Arkansas Valley area, Arkansas, in N.F. Williams and A. Bacho, eds., Southeastern Arkansas Valley and the Ouachita and Frontal Ouachita Mountains, Arkansas: Fort Smith Geological Society, Guidebook, p. 1-4.
- Stone, C.G., and P.J. Sterling, 1964, Relationship of igneous activity to mineral deposits in Arkansas: Arkansas Geological Commission, 56 p.
- Stone, C.G., 1966, General geology of the eastern frontal Ouachita Mountains and southeastern Arkansas Valley, Arkansas, in Kansas Geological Society, Twenty-ninth field conference on flysch facies and structure of the Ouachita Mountains: Kansas Geological Society, Guidebook, p. 195-221.
- Stone, C.G., 1968, The Atoka Formation in north-central Arkansas: Arkansas Geological Commission, 11 p.
- Stone, C.G., B.R. Haley, and G.W. Viele, 1973, A guidebook to the geology of the Ouachita Mountains, Arkansas: Arkansas Geological Commission, Guidebook 73-1, 113 p.
- Stone, C.G., and B.R. Haley, 1976, Road log—McAlester to Broken Bow, Oklahoma, Sunday 8:15 a.m. October 17, 1976, in R.E. Decker and B. Black, eds., A study

- of the Paleozoic rocks in Arbuckle and western Ouachita Mountains of southern Oklahoma: Gulf Coast Association of Geological Societies, Guidebook, p. 19-34.
- Stone, C.G., B.R. Haley, D.F. Holbrook, N.F. Williams, W.V. Bush, and J.D. McFarland III, eds., 1977, Symposium on the geology of the Ouachita Mountains, v. 1: Arkansas Geological Commission, Miscellaneous Publication MP-13, 174 p.
- Stone, C.G., and B.R. Haley, 1977, The occurrence and origin of the granite–meta-arkose erratics in the Ordovician Blakely Sandstone, Arkansas, *in* C.G. Stone, B.R. Haley, D.F. Holbrook, N.F. Williams, W.V. Bush, and J.D. McFarland III, eds., Symposium on the geology of the Ouachita Mountains, v. 1: Arkansas Geological Commission, Miscellaneous Publication MP-13, p. 107-111.
- Stone, C.G., B.R. Haley, D.F. Holbrook, N.F. Williams, W.V. Bush, and J.D. McFarland III, eds., 1977, Symposium on the geology of the Ouachita Mountains, v. 2: Arkansas Geological Commission, Miscellaneous Publication MP-14, 74 p.
- Stone, C.G., and J.D. McFarland III, 1981, Field guide to the Paleozoic rocks of the Ouachita Mountain and Arkansas Valley provinces, Arkansas: Arkansas Geological Commission, Guidebook 81-1, 140 p.
- Stone, C.G., and W.V. Bush, 1982, Guidebook to the geology of the eastern Ouachita Mountains, Arkansas: Arkansas Geological Commission, Guidebook 82-2, 24 p.
- Stone, C.G., and W.V. Bush, 1984, General geology and mineral resources of the Caddo River watershed: Arkansas Geological Commission, Information Circular 29, 32 p.
- Stone, C.G., and B.R. Haley, 1984, A guidebook to the geology of the central and southern Ouachita Mountains, Arkansas: Arkansas Geological Commission, Guidebook 84-2, 131 p.
- Stone, C.G., and W.V. Bush, 1984, Summary of the geology of the central and southern Ouachita Mountains, Arkansas, *in* C.G. Stone and B.R. Haley, A guidebook to the geology of the central and southern Ouachita Mountains, Arkansas: Arkansas Geological Commission, Guidebook 84-2, p. 65-75.
- Stone, C.G., J.M. Howard, and B.R. Haley, 1986, Sedimentary and igneous rocks of the Ouachita Mountains of Arkansas, a guidebook with contributed papers, part 1: Arkansas Geological Commission, Guidebook 86-2, 151 p.
- Stone, C.G., and B.R. Haley, 1986, Sedimentary and igneous rocks of the Ouachita Mountains of Arkansas, a guidebook with contributed papers, part 2: Arkansas Geological Commission, Guidebook 86-3, 100 p.
- Stone, C.G., and B.R. Haley, 1994, Paleozoic rocks of the western frontal Ouachita Mountains and Arkoma Basin, Arkansas: Summary, *in* N.H. Suneson and L.A. Hemish, eds., Geology and resources of the eastern Ouachita Mountains frontal belt and southeastern Arkoma Basin, Oklahoma: Oklahoma Geological Survey, Guidebook 29, p. 293-294.
- Suhm, R.W., and J.A. Campbell, 2001, Pre-Atokan petroleum systems of the Arkoma and Ouachita basins, *in* K.S. Johnson and D.F. Merriam, eds., Petroleum systems of sedimentary basins in the southern Midcontinent, 2000 symposium: Oklahoma Geological Survey, Circular 106, p. 196.
- Suneson, N.H., 1986, Ouachita guidebooks indexed: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 46, p. 140-145.

- Suneson, N.H., 1987, Measured sections, Oklahoma Ouachita Mountains: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 47, p. 48-61.
- Suneson, N.H., 1987, Lynn Mountain or Atoka Formation? A summary: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 47, p. 204-209.
- Suneson, N.H., 1988, The geology of the Ti Valley fault in the Oklahoma Ouachita Mountains, in K.S. Johnson, ed., Shelf-to-basin geology and resources of Pennsylvanian strata in the Arkoma Basin and frontal Ouachita Mountains of Oklahoma: Oklahoma Geological Survey, Guidebook 25, p. 33-47.
- Suneson, N.H., and M.K. Grasmick, 1989, Oil and gas wells, Ouachita Mountains, Oklahoma: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 49, p. 152-183.
- Suneson, N.H., J.A. Campbell, and M.J. Tilford, eds., 1990, Geology and resources of the frontal belt of the western Ouachita Mountains, Oklahoma: Oklahoma Geological Survey, Special Publication 90-1, 196 p.
- Suneson, N.H., and J.A. Campbell, 1990, Ouachitas need more exploratory drilling: Oil & Gas Journal, v. 88, no. 15, p. 65-69, no. 16, p. 85-87.
- Suneson, N.H., 1991, Review: Appalachian-Ouachita orogen: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 51, p. 63-69.
- Suneson, N.H., D.P. Brown, and A.C. Mycek-Memoli, 1991, Update on Ouachita Mountains frontal belt exploration and development: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 51, p. 84-97.
- Suneson, N.H., 1991, Re-evaluation of Jackfork Group type section along Indiana Nation turnpike, Oklahoma: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 51, p. 120-127.
- Suneson, N.H., and L.A. Hemish, eds., 1994, Geology and resources of the eastern Ouachita Mountains frontal belt and southeastern Arkoma Basin, Oklahoma: Oklahoma Geological Survey, Guidebook 29, 294 p.
- Suneson, N.H., 1994, In-situ stress orientation, western Arkoma Basin and Ouachita Mountains, Oklahoma, in N.H. Suneson and L.A. Hemish, eds., Geology and resources of the eastern Ouachita Mountains frontal belt and southeastern Arkoma Basin, Oklahoma: Oklahoma Geological Survey, Guidebook 29, p. 283-291.
- Suneson, N.H., 1995, Structural interpretations of the Arkoma Basin-Ouachita Mountains transition zone, southeastern Oklahoma, in K.S. Johnson, ed., Structural styles in the southern Midcontinent, 1992 symposium: Oklahoma Geological Survey, Circular 97, p. 259-263.
- Suneson, N.H., I. Çemen, D.R. Kerr, M.T. Roberts, R.M. Slatt, and C.G. Stone, 2005, Stratigraphic and structural evolution of the Ouachita Mountains and Arkoma Basin, southeastern Oklahoma and west-central Arkansas: Applications to petroleum exploration: Oklahoma Geological Survey, Guidebook 34, 128 p.
- Suneson, N.H., and R.D. Andrews, 2005, Guidebook to the geology of the Cromwell sandstone and equivalent units in the Lawrence Uplift, Arkoma Basin, Ouachita Mountains, and Ozark Uplift of eastern Oklahoma: Oklahoma Geological Survey, Open-File Report OF 1-2005, 130 p.
- Suneson, N.H., I. Çemen, and R.M. Slatt, eds., 2008, Stratigraphic and structural evolution of the Ouachita Mountains and Arkoma Basin, southeastern Oklahoma

- and west-central Arkansas: Applications to petroleum exploration: 2004 field symposium: Oklahoma Geological Survey, Circular 112B, 163 p.
- Suneson, N.H., and T.M. Stanley, 2017, The age of Oklahoma's mountain ranges: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 76, p. 4-19.
- Sutherland, P.K., and R.C. Grayson, Jr., 1975, Basinward facies changes in the Wapanucka Limestone (Lower Pennsylvanian), Indiana Nations Turnpike, Ouachita Mountains, Oklahoma, *in* A.P. Bennison, ed., A new look at the Ouachita corner: Tulsa Geological Society, Guidebook, p. 3.
- Sutherland, P.K., and W.L. Manger, eds., 1979, Mississippian-Pennsylvanian shelf-to-basin transition, Ozark and Ouachita regions, Oklahoma and Arkansas: Oklahoma Geological Survey, Guidebook 19, 81 p.
- Sutherland, P.K., and W.L. Manger, 1979, Comparison of Ozark shelf and Ouachita basin facies for upper Mississippian and lower Pennsylvanian series in eastern Oklahoma and western Arkansas: Oklahoma Geological Survey, Guidebook 19, p. 1-13.
- Sutherland, P.K., 1982, Lower and Middle Pennsylvanian stratigraphy in south-central Oklahoma: Oklahoma Geological Survey, Guidebook 20, 44 p.
- Sutherland, P.K., 1988, Late Mississippian and Pennsylvanian depositional history in the Arkoma Basin area, Oklahoma and Arkansas: Geological Society of America Bulletin, v. 100, p. 1787-1802.
- Sutton, S.J., and L.S. Land, 1996, Post-depositional chemical alteration of Ouachita shales: Geological Society of America Bulletin, v. 108, p. 978-991.
- Taff, J.A., 1899, An albertite-like asphalt in the Choctaw Nation, Indian Territory: American Journal of Science, 4<sup>th</sup> Series, v. 8, p. 219-224.
- Taff, J.A., 1902, Description of the Atoka quadrangle: U.S. Geological Survey, Atoka folio, no. 79, 8 p.
- Taff, J.A., 1909, Grahamite deposits of southeastern Oklahoma, *in* C.W. Hayes and W. Lindgren, Contributions to economic geology 1908: U.S. Geological Survey, Bulletin 380, p. 286-297.
- Tanner, W.F., 1963, Tectonic patterns in the Appalachian-Ouachita-Oklahoma mountain complex: Oklahoma City Geological Society, Shale Shaker, v. 14, p. 2-6.
- Tarr, R.S., 1966, Relation of buried Tishomingo Uplift to Ardmore Basin and Ouachita Mountains, southeastern Oklahoma: Discussion: AAPG Bulletin, v. 50, p. 1518.
- Thomas, W.A., 1972, Regional Paleozoic stratigraphy in Mississippi between Ouachita and Appalachian Mountains: AAPG Bulletin, v. 56, p. 81-106.
- Thomas, W.A., 1976, Evolution of Appalachian-Ouachita continental margin: Journal of Geology, v. 84, p. 323-342.
- Thomas, W.A., 1977, Structural and stratigraphic continuity of the Ouachita and Appalachian Mountains, *in* C.G. Stone, B.R. Haley, D.F. Holbrook, N.F. Williams, W.V. Bush, and J.D. McFarland III, eds., Symposium on the geology of the Ouachita Mountains, v. 1: Arkansas Geological Commission, Miscellaneous Publication MP-13, p. 9-24.
- Thomas, W.A., 1977, Evolution of Appalachian-Ouachita salient and recesses from reentrants and promontories in the continental margin: American Journal of Science, v. 277, p. 1233-1278.

- Thomas, W.A., and G.W. Viele, 1983, Tectonic history of the Ouachita orogen: Penrose Conference Report: Geology, v. 11, p. 482-483.
- Thomas, W.A., 1985, The Appalachian-Ouachita connection: Paleozoic orogenic belt at the southern margin of North America, in G.W. Wetherill, A.L. Albee, and F.G. Stehli, eds., Annual Review of Earth and Planetary Sciences, v. 13: Palo Alto, CA, Annual Reviews Inc., p. 175-199.
- Thomas, W.A., 1989, The Appalachian-Ouachita orogen beneath the Gulf coastal plain between the outcrops in the Appalachian and Ouachita Mountains, in R.D. Hatcher, Jr., W.A. Thomas, and G.W. Viele, eds., The Appalachian-Ouachita orogen in the United States: Geological Society of America, Geology of North America, v. F-2, p. 537-553.
- Thomas, W.A., 1991, The Appalachian-Ouachita rifted margin of southeastern North America: Geological Society of America Bulletin, v. 103, p. 415-431.
- Thomas, W.A., 1993, Low-angle detachment geometry of the late Precambrian-Cambrian Appalachian-Ouachita rifted margin of southeastern North America: Geology, v. 21, p. 921-924.
- Thomas, W.A., and D.L. Baars, 1995, The Paradox Transcontinental fault zone, in K.S. Johnson, ed., Structural styles in the southern Midcontinent, 1992 symposium: Oklahoma Geological Survey, Circular 97, p. 3-12.
- Thomas, W.A., and R.A. Astini, 1996, The Argentine Precordillera: a traveler from the Ouachita embayment of North American Laurentia: Science, v. 283, p. 752-757.
- Thomas, W.A., and R.A. Astini, 1999, Simple-shear conjugate rift margins of the Argentine Precordillera and the Ouachita embayment of Laurentia: Geological Society of America Bulletin, v. 111, p. 1069-1079.
- Thomas, W.A., 2004, Genetic relationship of rift-stage crustal structure, terrane accretion, and foreland tectonics along the southern Appalachian-Ouachita orogen: Journal of Geodynamics, v. 37, p. 549-563.
- Thomas, W.A., 2006, Tectonic inheritance at a continental margin: GSA Today, v. 16, no. 2, p. 4-11.
- Tilford, M.J., 1990, Geological review of the Ouachita Mountains thrust belt play, western Arkoma basin, Oklahoma, in N.H. Suneson, J.A. Campbell, and M.J. Tilford, eds., Geology and resources of the frontal belt of the western Ouachita Mountains, Oklahoma: Oklahoma Geological Survey, Special Publication 90-1, p. 169-196.
- Tillman, R.W., 1994, Sedimentology and sequence stratigraphy of Jackfork Group, U.S. Highway 259, Le Flore County, Oklahoma, in N.H. Suneson and L.A. Hemish, eds., Geology and resources of the eastern Ouachita Mountains frontal belt and southeastern Arkoma Basin, Oklahoma: Oklahoma Geological Survey, Guidebook 29, p. 203-223.
- Tillman, R.W., 2000, Sedimentology and sequence stratigraphy of Jackfork Group, U.S. Highway 259, Le Flore County, Oklahoma, in K.S. Johnson, ed., Marine clastics in the southern Midcontinent, 1997 symposium: Oklahoma Geological Survey, Circular 103, p. 65-85.
- Titus, C.A.O., and T.E. Legg, 1995, Stratigraphy and structural styles of the lower Stanley tuffs: northwest flank of the Broken Bow Uplift, McCurtain County,

- Oklahoma, *in* K.S. Johnson, ed., Structure styles in the southern Midcontinent, 1992 symposium: Oklahoma Geological Survey, Circular 97, p. 265-276.
- Titus, C.A.O., and G.A. Cole, 1996, Source rock potential and sediment thermal maturity trends in the Ouachita overthrust of southeast Oklahoma and southwest Arkansas: Oklahoma Geological Survey Open-File Report 5-96, 65 p., 2 maps, 1 cross section.
- <http://ogs.ou.edu/docs/openfile/OF5-96.pdf>
- <http://ogs.ou.edu/docs/openfile/OF5-96EB.pdf>
- <http://ogs.ou.edu/docs/openfile/OF5-96P1.pdf>
- <http://ogs.ou.edu/docs/openfile/OF5-96P2.pdf>
- <http://ogs.ou.edu/docs/openfile/OF5-96P3.pdf>
- <http://ogs.ou.edu/docs/openfile/OF5-96P4.pdf>
- Tomlinson, C.W., T.A. Hendricks, and R. Engleman, 1952, Study of Paleozoic structure and stratigraphy of the Arbuckle and Ouachita Mountains in Johnston and Atoka counties, Oklahoma: Ardmore Geological Society, Field Trip, 7 p.
- Tomlinson, C.W., and W.D. Pitt, 1955, Recent studies in the Ouachita Mountains: Tulsa Geological Society Digest, v. 23, p. 89-97.
- Tomlinson, C.W., 1959, Ouachita problems, *in* L.M. Cline, W.J. Hilseweck, and D.E. Feray, eds., The geology of the Ouachita Mountains, a symposium: Dallas Geological Society and Ardmore Geological Society, p. 1-19.
- Totten, M.W., 1992, Diagenetic investigation of pelitic rocks across the shale-slate-phyllite transformation, Stanley Shale, Ouachita Mountains, Oklahoma and Arkansas: Norman, University of Oklahoma, unpublished PhD dissertation, 182 p.
- Totten, M.W., M.A. Hanan, and B.L. Weaver, 2000, Beyond whole-rock geochemistry of shales: the importance of assessing mineralogic controls for revealing tectonic discriminants of multiple sediment sources for the Ouachita Mountain flysch deposits: Geological Society of America Bulletin, v. 112, p. 1012-1022.
- Ulrich, E.O., 1927, Fossiliferous boulders in the Ouachita "Caney" Shale and the age of the shale containing them: Oklahoma Geological Survey, Bulletin 45, 48 p.
- Underwood, M.B., D.A. Fulton, and K.W. McDonald, 1988, Thrust control on thermal maturity of the frontal Ouachita Mountains, central Arkansas, USA: Journal of Petroleum Geology, v. 11, p. 325-339.
- Unruh, C.H., 1963, Sinclair #1 Reneau and the Potato Hills Anticlinorium, *in* N.F. Williams and A. Bacho, eds., Southeastern Arkansas Valley and the Ouachita and Frontal Ouachita Mountains, Arkansas: Fort Smith Geological Society, Guidebook, p. 41-44.
- Valderrama, M., 1993, Three-dimensional seismic interpretation, frontal zone of Ouachita Mountains, Hartshorne, Oklahoma: Dallas, University of Texas, unpublished M.S. thesis.
- Valderrama, M.H., K.C. Nielsen, G.A. McMechan, and H. Hunter, 1994, Three-dimensional seismic interpretation of the triangle zone of the frontal Ouachita Mountains and Arkoma Basin, Pittsburg County, Oklahoma, *in* N.H. Suneson and L.A. Hemish, eds., Geology and resources of the eastern Ouachita Mountains frontal belt and southeastern Arkoma Basin, Oklahoma: Oklahoma Geological Survey, Guidebook 29, p. 225-241.

- Valderrama, M.H., K.C. Nielsen, and G.A. McMechan, 1996, Three-dimensional seismic interpretation from the triangle zone of the frontal Ouachita Mountains and Arkoma Basin, Pittsburg County, Oklahoma: AAPG Bulletin, v. 80, p. 1185-1202.
- Ver Wiebe, W.A., 1930, The Ouachita-Amarillo Mountain Province, in Oil fields in the United States: McGraw-Hill, p. 279-330.
- Viele, G.W., 1966, The regional structure of the Ouachita Mountains of Arkansas, a hypothesis: Kansas Geological Society Guidebook, p. 245-278.
- Viele, G.W., 1973, Structure and tectonic history of the Ouachita Mountains, Arkansas, in K.A. DeJong and R. Scholten, eds., Gravity and tectonics: New York, John Wiley and Sons, p. 361-377.
- Viele, G.W., 1979, Geologic map and cross section, eastern Ouachita Mountains, Arkansas: Map summary: Geological Society of America Bulletin, v. 90, p. 1096-1099.
- Viele, G.W., 1979, Geologic map and cross section, eastern Ouachita Mountains, Arkansas: Geological Society of America, Map and Chart Series, MC-28F, 1 sheet, 8 page text.
- Viele, G.W., 1989, The Ouachita orogenic belt, in R.D. Hatcher, Jr., W.A. Thomas, and G.W. Viele, eds., The Appalachian-Ouachita orogen in the United States: Geological Society of America, The Geology of North America, v. F-2, p. 555-561.
- Viele, G.W., and W.A. Thomas, 1989, Tectonic synthesis of the Ouachita orogenic belt, in R.D. Hatcher, Jr., W.A. Thomas, and G.W. Viele, eds., The Appalachian-Ouachita orogen in the United States: Geological Society of America, The Geology of North America, v. F-2, p. 695-728.
- Viele, G.W., 1989, The Ouachita orogenic belt in Arkansas and Oklahoma, in W.A. Thomas, G.W. Viele, L.B. Platt, and C.J. Schmidt, leaders, Contrasts in style of American thrust belts: 28<sup>th</sup> International Geological Congress, Field Trip Guidebook T380, p. 37-63.
- Viele, G.W., 1995, Origin of disharmonic folding, central Ouachita Mountains, Oklahoma, in K.S. Johnson, ed., Structural styles in the southern Midcontinent, 1992 symposium: Oklahoma Geological Survey, Circular 97, p. 16-25.
- Visher, G.S., C.G. Stone, and B. Haley, field trip leaders, 1978, Field guide to structure and stratigraphy of the Ouachita Mountains and the Arkoma Basin: Oklahoma City Geological Society, 140 p.
- Voight, D.S., and P.A. Sullivan, 1982, An overview of petroleum exploration activity, Ouachita overthrust, Midcontinent region, in K.C. Nielsen, J.K. Arbenz, and F.H. Leonhardt, Structural styles of the Ouachita Mountains, southeastern Oklahoma: Geological Society of America, South Central Section field trip no. 3, p. 36-45.
- Walper, J.L., 1971, Provenance of Johns Valley boulders in Late Paleozoic Ouachita facies, southeastern Oklahoma and southwest Arkansas: Discussion: AAPG Bulletin, v. 55, p. 1362-1363.
- Walper, J.L., 1977, Paleozoic tectonics of the southern margin of North America: Transactions of the Gulf Coast Association of Geological Societies, v. 27, p. 230-241.
- Walton, A.W., K.M. Wojcik, R.H. Goldstein, and C.E. Barker, 1995, Diagenesis of Upper Carboniferous rocks in the Ouachita foreland shelf in mid-continent USA: an

- overview of widespread effects of a Variscan-equivalent orogeny: *Geologische Rundschau*, v. 84, p. 535-551.
- Waterschoot van der Gracht, W.A.J.M. van, 1931, The Permo-Carboniferous orogeny in the south-central United States: *Verhandelingen der Koninklijke Akademie van Wetenschappen te Amsterdam Afdeeling Natuurkunde (Tweede Sectie)*, Deel 27, no. 3, 170 p.
- Waterschoot van der Gracht, W.A.J.M. van, 1931, Permo-Carboniferous orogeny in south-central United States: *AAPG Bulletin*, v. 15, p. 991-1057.
- Waterschoot van der Gracht, W.A.J.M. van, 1933, Permo-Carboniferous orogeny in United States: *AAPG Bulletin*, v. 17, p. 91-96.
- Weber, J.L., 1990, Comparative study of crude-oil compositions in the frontal and central Ouachita Mountains, *in* N.H. Suneson, J.A. Campbell, and M.J. Tilford, eds., *Geology and resources of the frontal belt of the western Ouachita Mountains, Oklahoma*: Oklahoma Geological Survey, Special Publication 90-1, p. 101-117.
- Weber, J.L., 1992, Organic matter content of outcrop samples from the Ouachita Mountains, Oklahoma, *in* K.S. Johnson and B.J. Cardott, eds., *Source rocks in the southern Midcontinent, 1990 symposium*: Oklahoma Geological Survey Circular 93, p. 347-352.
- Weber, J.L., 1994, A geochemical study of crude oils and possible source rocks in the Ouachita tectonic province and nearby areas, southeast Oklahoma: Oklahoma Geological Survey, Special Publication 94-2, 32 p.
- Whitaker, A.E., and T. Engelder, 2006, Plate-scale stress fields driving the tectonic evolution of the central Ouachita salient, Oklahoma and Arkansas: *Geological Society of America Bulletin*, v. 118, p. 710-723.
- White, D., 1934, Age of Jackfork and Stanley formations of Ouachita geosyncline, Arkansas and Oklahoma, as indicated by plants: *AAPG Bulletin*, v. 18, p. 1010-1017.
- White, D., 1937, Fossil plants from the Stanley shale and Jackfork sandstone in southeastern Oklahoma and western Arkansas: U.S. Geological Survey Professional Paper 186-C, p. 43-67.
- White, P.B., 1989, Boggy-Thurman (Middle Pennsylvanian) relationships-sedimentological evidence in the Arkoma Basin, Oklahoma for the time of recurrent uplift in the Ouachita fold belt: Norman, University of Oklahoma, unpublished M.S. thesis, 143 p.
- White, P.B., 1990, Boggy-Thurman (Middle Pennsylvanian) relationships – sedimentological evidence in the Arkoma basin, Oklahoma, for the time of recurrent uplift in the Ouachita fold belt: Oklahoma City Geological Society, *Shale Shaker*, v. 40, p. 142-161.
- Whiteside, J.R., 1990, Middle Carboniferous conodont biostratigraphy: frontal Ouachita Mountains, Pittsburg, Latime, and Le Flore counties, Oklahoma: Waco, Baylor University, unpublished M.S. thesis, 103 p.
- Whiteside, J.R., and R.C. Grayson, Jr., 1990, Carboniferous conodont faunas, northern Ouachita Mountains, Oklahoma, *in* N.H. Suneson, J.A. Campbell, and M.J. Tilford, eds., *Geology and resources of the frontal belt of the western Ouachita*



- Mountains, Oklahoma: Oklahoma Geological Survey, Special Publication 90-1, p. 149-167.
- Wickham, J.S., D.R. Roeder, and G. Briggs, 1976, Plate tectonic models for the Ouachita foldbelt: *Geology*, v. 4, p. 173-176.
- Wickham, J.S., 1978, The Ouachita foldbelt: a Paleozoic continental margin, in G.S. Visser, C.G. Stone, and B. Haley, field trip leaders, Field guide to structure and stratigraphy of the Ouachita Mountains and the Arkoma Basin: Oklahoma City Geological Society, p. 35-59.
- Wickham, J.S., 1982, Structural interpretations of the Ouachita Mountains, Oklahoma, in K.C. Nielsen, J.K. Arbenz, and F.H. Leonhardt, Structural styles of the Ouachita Mountains, southeastern Oklahoma: Geological Society of America, South Central Section field trip no. 3, p. 17-22.
- Wilkerson, M.S., and P.C. Wellman, 1993, Three-dimensional geometry and kinematics of the Gale-Buckeye thrust system, Ouachita fold and thrust belt, Latimer and Pittsburg counties, Oklahoma: AAPG Bulletin, v. 77, p. 1082-1100.
- Williams, N.F., and A. Bacho, eds., 1963, Southeastern Arkansas Valley and the Ouachita and Frontal Ouachita Mountains, Arkansas: Fort Smith Geological Society, Guidebook, 44 p.
- Wilson, L.R., 1965, Palynological age determination of a rock section in Ti Valley, Pittsburg County, Oklahoma: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 25, p. 11-18.
- Wilson, L.R., 1976, A preliminary assessment of palynomorph stratigraphy in Morrow and Atoka rocks of the Ouachita Mountains, Oklahoma, in R.E. Decker and Bernard Black, eds., A study of Paleozoic rocks in Arbuckle and western Ouachita Mountains of southern Oklahoma: Gulf Coast Association of Geol. Societies, Shreveport Geological Society Guidebook for 1976 Field Trip, p. 83-89.
- Wise, D.A., Jr., 1963, An introduction to the central Ouachita Mountains of western Arkansas, in N.F. Williams and A. Bacho, eds., Southeastern Arkansas Valley and the Ouachita and Frontal Ouachita Mountains, Arkansas: Fort Smith Geological Society, Guidebook, p. 11-12.
- Yang, Q., 1993, Deformation of Broken Bow Uplift, Ouachita Mountains, southeastern Oklahoma: Dallas, University of Texas, unpublished PhD dissertation.
- Yang, Q., and K.C. Nielsen, 1995, Rotation of fold hinge lines associated with simple shear during southerly directed thrusting, Ouachita Mountains, Oklahoma: *Journal of Structural Geology*, v. 17, p. 803-818.
- Zemmels, I., P.L. Grizzle, C.C. Walters, and F.R. Haney, 1985, Devonian novaculites as source of oil in Marathon-Ouachita thrust (abstract): AAPG Bulletin, v. 69, p. 318-319.
- Zimmerman, J., D.H. Roeder, R.C. Morris, and D.P. Evansin, 1982, Geologic section across the Ouachita Mountains, western Arkansas: Geological Society of America, Map and Chart Series 28Q, 1 sheet, 6 page text.
- Zimmerman, J., 1984, Geometry and origin of folds in the Arkansas Novaculite at Caddo Gap, in C.G. Stone and B.R. Haley, A guidebook to the geology of the central and southern Ouachita Mountains, Arkansas: Arkansas Geological Commission, Guidebook 84-2, p. 111-115.

Zimmerman, J., K.A. Sverdrup, D.P. Evansin, and V.S. Ragan, 1984, Reconnaissance structural geology in the western Mazarn Basin, southern Benton Uplift, Arkansas, in J.D. McFarland, III, and W.V. Bush, eds., Contributions to the geology of Arkansas, v. 11: Arkansas Geological Commission, Miscellaneous Publication 18-B, p. 161-177.