

will send out further information concerning the date and place of the congress." - (O. Mohr).

Reprints of Drosophila genetics articles wanted: Having just started Drosophila research work for the first time in Italy, I shall feel very grateful to any research worker who will send his reprints in exchange of the articles which shall be sent from my laboratory. Also the old reprints will be welcome. - (A. Buzzati-Traverso).

Due to prolonged delays in completing spraying apparatus for testing contact poisons, our experiments using Drosophila vestigial flies for the biological assay of the toxicity of plant extracts of insecticidal value are just starting. Experiments with local food media have been completed and are being prepared for publication. They were unusual in applying Yates' method of randomized pairs for eliminating differences in productivity between individual females from the estimate of error and have led to a simplification and improvement of the medium used elsewhere in Leningrad. (C. I. Bliss).

Additional Research Notes

Pollitzer, Otto. Cross-ingovervariabilität.

Bei Untersuchungen über Crossover-variabilität an einem III ple Stamm mittels Rückkreuzung nach dem Schema $se\ gl^3/cp\ ell \times se\ cp\ gl^3\ ell$ zeigte sich bei einer

Versuchstemperatur von 25 Grad C. und einem Weibchenalter von über 36 Tagen ein Absinken der Austauschwerte. Angaben über ein Verhalten in dieser Altersstufe habe ich bisher in der Literatur nicht gefunden. Die Altersvariabilität zeigte maximale Abweichungswerte in der Region $se-cp$ minimale in der $gl^3\ ell$. Weitgehende Unterschiede im Crossoververhalten fanden sich bei extremen Zuchttemperaturen. Die Interferenz zeigte ein ständiges Ansteigen mit dem Alter bei 31 und 25 Grad C. Zuchttemperatur, bei 15 Grad C. hingegen ein anfängliches Absinken der Werte gleichzeitig mit einer Verringerung der Internodienlänge, nach dem 20. Lebenstag machte sich aber auch hier ein Ansteigen der Interferenz mit dem Alter bemerkbar. Neuere Berechnungen der Lokalisation der Mutation $cp\ III$ chromosome (früher $ci\ Mainz$) ergaben einen Wert von 46.5 ± 0.8 .

Seventh International Congress of Genetics - In accordance with a resolution of the International Committee and with the decision of the Organizing Committee elected by the Genetical Society of Great Britain, the VIIth INTERNATIONAL CONGRESS OF GENETICS will meet in Edinburgh in 1939, probably from August 23rd-30th inclusive. Professor F.A.E. Crew, Institute of Animal Genetics, University of Edinburgh, Edinburgh 9, has been appointed General Secretary to the Congress and to him all correspondence concerning it should be addressed.